
CYS-262L – Information Security Lab

Lab 1 (Week 1) – Screenshot Submission

Student Name: _Muhammad Anees Ahmad
Roll No.: 2025(S)-CYS-63

Screenshot 1 – Working VM Environment




```
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 00:0c:29:5b:77:66
          inet addr:192.168.153.134  Bcast:192.168.153.255  Mask:255.255.255.0
          inet6 addr: fe80::20c:29ff:fe5b:7766/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:102 errors:0 dropped:0 overruns:0 frame:0
          TX packets:88 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:8053 (7.8 KB)  TX bytes:10653 (10.4 KB)
          Interrupt:17 Base address:0x2000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:147 errors:0 dropped:0 overruns:0 frame:0
          TX packets:147 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:46241 (45.1 KB)  TX bytes:46241 (45.1 KB)

msfadmin@metasploitable:~$
```

Screenshot 2 – Kali → Metasploitable2 Communication

```
To access official Ubuntu documentation, please visit:
http://help.ubuntu.com/
No mail.
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 00:0c:29:5b:77:66
          inet addr:192.168.190.129  Bcast:192.168.190.255  Mask:255.255.255
          inet6 addr: fe80::20c:29ff:fe5b:7766/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:163 errors:0 dropped:0 overruns:0 frame:0
          TX packets:53 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:13604 (13.2 KB)  TX bytes:6006 (5.8 KB)
          Interrupt:17 Base address:0x2000


lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:113 errors:0 dropped:0 overruns:0 frame:0
          TX packets:113 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:29705 (29.0 KB)  TX bytes:29705 (29.0 KB)

msfadmin@metasploitable:~$
```

```
┌──(kali㉿kali)-[~]
└─$ ping 192.168.190.129
PING 192.168.190.129 (192.168.190.129) 56(84) bytes of data.
64 bytes from 192.168.190.129: icmp_seq=1 ttl=64 time=34.7 ms
64 bytes from 192.168.190.129: icmp_seq=2 ttl=64 time=1.98 ms
64 bytes from 192.168.190.129: icmp_seq=3 ttl=64 time=0.867 ms
64 bytes from 192.168.190.129: icmp_seq=4 ttl=64 time=1.44 ms
64 bytes from 192.168.190.129: icmp_seq=5 ttl=64 time=2.16 ms
64 bytes from 192.168.190.129: icmp_seq=6 ttl=64 time=0.880 ms
64 bytes from 192.168.190.129: icmp_seq=7 ttl=64 time=1.88 ms
64 bytes from 192.168.190.129: icmp_seq=8 ttl=64 time=0.920 ms
64 bytes from 192.168.190.129: icmp_seq=9 ttl=64 time=2.01 ms
64 bytes from 192.168.190.129: icmp_seq=10 ttl=64 time=1.61 ms
64 bytes from 192.168.190.129: icmp_seq=11 ttl=64 time=1.27 ms
64 bytes from 192.168.190.129: icmp_seq=12 ttl=64 time=2.47 ms
64 bytes from 192.168.190.129: icmp_seq=13 ttl=64 time=1.82 ms

64 bytes from 192.168.190.129: icmp_seq=14 ttl=64 time=1.28 ms
64 bytes from 192.168.190.129: icmp_seq=15 ttl=64 time=0.896 ms
^C
— 192.168.190.129 ping statistics —
15 packets transmitted, 15 received, 0% packet loss, time 14029ms
rtt min/avg/max/mdev = 0.867/3.746/34.711/8.290 ms
```

Screenshot 3 – External/Internet Isolation



Submission note: This is a screenshot-only template based on the instructor's Lab 1 message. The signed ROE and reflection are intentionally not included.