
**√ ♥ □ □ ∞ № ⊚** 

```
ahorathra@peslug26cs050:-$ export PATH="$HONE/.pyenv/bin:$PATH" && eval "$(pyenv init --path)" && echo -e 'if command -v pyenv 1>/dev/null 2>61; then\n eval "$(pyenv init -)"\nift' >> -/.bashrc ahorathra@peslug26cs050:-$ exec $$HELL ahorathra@peslug26cs050:-$ exec $$ exec $$HELL ahorathra@peslug26cs050:-$ exec $$ exec $$
```

Tue Mar 14 14:52:34 🙎 👻 🌒 🔒 46



## ANEESH N A PES1UG20CS050

ahorathra@pes1ug20cs050: ~,	CCC_E4_PES1UG20CS050/raftos
File "home/ahorathra/.pyenv/versions/3.8.11/lib/python3.8/asyncio/base_event .py", line 570, in run_forever selfrun_once() File "/home/ahorathra/.pyenv/versions/3.8.11/lib/python3.8/asyncio/base_event .py", line 1823, in _run once event list = selfselector.select(timeout) File "/home/ahorathra/.pyenv/versions/3.8.11/lib/python3.8/selectors.py", lin 468, in select fd_event_list = selfselector.poll(timeout, max_ev) eyboardInterrupt horathra@peslug20cs050:-/CC_E4_PES1UG20CS050/raftos\$ python node.pynode 1	Check the .log and .state_machine files!tail: node1_CUSTOMLOG.log: file truncated
.py", line 570, in run_forever selfrun_once() File "/home/ahorathra/.pyenv/versions/3.8.11/lib/python3.8/asyncio/base_event .py", line 1823, in _run once event list = selfselector.select(timeout) File "/home/ahorathra/.pyenv/versions/3.8.11/lib/python3.8/selectors.py", lin 468, in select fd event_list = selfselector.poll(timeout, max_ev) eyboardInterrupt horathra@peslug20cs050:-/CC_E4_PES1UG20CS050/raftos\$ python node.pynode 2	tail: node2_CUSTOMLOG.log: file truncated Leader is now: 127.0.0.1:8000
horathra@pes1ug20cs050:-/CC_E4_PES1UG20CS050/raftos\$ python node.pynode 3	ahorathra@peslug20cs050:-/CC_E4_PES1UG20CS050/raftos\$ tail -f node3_CUSTOMLOG. log Leader is now: 127.0.0.1:8000 tail: node3_CUSTOMLOG.log: file truncated Leader is now: 127.0.0.1:8000 Leader is now: 127.0.0.1:8001
4] 0:bash*	"peslug20cs050" 18:10 14-Ma