

```
body{font-family:Helvetica,Arial,sans-serif;font-size:11pt;line-height:1.4;margin:24px;color:#222;}pre{font-size:9pt;background:#f5f5f5;padding:8px;border:1px solid #ddd;white-space:pre-wrap;}table{border-collapse:collapse;width:100%;margin:10px 0;}td,th{border:1px solid #ccc;padding:6px;text-align:left;vertical-align:top;}th{background:#eef;}hr{border:0;border-top:1px solid #ccc;margin:14px 0;}h1{font-size:18pt;color:#334;}h2{font-size:14pt;margin-top:16px;color:#446;}h3{font-size:12pt;margin-top:12px;}p{margin:8px 0;}code{font-size:9pt;background:#f0f0f0;padding:1px 3px;}
```

EAD submission -- what is in this repository (Skyline Realtor)

Enterprise Application Development (F-VTDI-ACAD-AST-1.1)

Use this list to find **Module 1-3** code, the **database** files, and the **lecturer PDFs** in `uploads/`. Phase write-ups (Module 1-4 narratives, diagrams, mockups) are submitted **separately** as required by your assignment brief.

If a path or file is missing, **contact the developers** (this group).

Open the whole solution

File	What it is
`RealEstateManagementSystem.sln`	Opens **Web** , **DesktopApp** , and **Module2_ClassLibrary**

Module 1 -- Desktop application (Windows)

Item	Location
Project folder	`RealEstateManagementSystem/DesktopApp/`
Project file	`RealEstateManagementSystem/DesktopApp/DesktopApp.csproj`

Note: WinForms targets **Windows**. On Mac/Linux you can **build** the desktop project (**EnableWindowsTargeting**), but you **cannot run** the GUI there.

Module 2 -- Class library

Item	Location
Project folder	`RealEstateManagementSystem/Module2_ClassLibrary/`
Project file	`RealEstateManagementSystem/Module2_ClassLibrary/Module2_ClassLibrary.csproj`

The MVC site also uses models under `RealEstateManagementSystem/Models/`; cite **both** the library and web models in your Module 2 documentation if your lecturer asks how classes are reused.

Module 3 -- Web application

Item	Location
Project root	`RealEstateManagementSystem/` (MVC site)
Project file	`RealEstateManagementSystem/RealEstateManagementSystem.csproj`
Run	`cd RealEstateManagementSystem` then `dotnet run`

Point **DefaultConnection** in **appsettings.json** at the SQL instance you use; details are in **DATABASE_CREDENTIALS.pdf**.

Optional: `docker-compose.yml`, `docker/init/`, and `scripts/init-docker-db.sh` support local SQL in Docker.

Database deliverables

Item	Location
Backup	`uploads/RealEstateDB_Backup.bak`
Schema script	`uploads/database_schema.sql`

Restore the **.bak** in SSMS: **Databases** -> **Restore Database** -> **Device** -> select the file.

Credentials and group list (also in the web project tree)

Topic	Markdown (developers)	PDF (markers)
SQL / connection notes	`RealEstateManagementSystem/data base_credentials.md`	`uploads/DATABASE_CREDENTIALS.pdf`
Group members	`RealEstateManagementSystem/group_members.md`	`uploads/GROUP_MEMBERS.pdf`

Teacher folder summary (uploads/)

File	Purpose
`GET_STARTED.pdf`	Windows + Mac setup
`EAD_SUBMISSION_CHECKLIST.pdf`	This checklist (PDF)
`DATABASE_CREDENTIALS.pdf`	Connection reference
`GROUP_MEMBERS.pdf`	Names and IDs
`RealEstateDB_Backup.bak`	Database backup
`database_schema.sql`	DDL reference
`README.md`	How to regenerate PDFs

Regenerate PDFs after editing uploads/_pdf_source/*.md:

```
python3 scripts/build_upload_pdfs.py
```

(Python 3 with **fpdf2** installed.)

Lecturer: Ssyade Gayle

Sample due date on course brief: April 26, 2026 -- confirm on Canvas.