

```
body{font-family:Helvetica,Arial,sans-serif;font-size:11pt;line-height:1.4;margin:24px;color:#222;}pre{font-size:9pt;background:#f5f5f5;padding:8px;border:1px solid #ddd;white-space:pre-wrap;}table{border-collapse:collapse;width:100%;margin:10px 0;}td,th{border:1px solid #ccc;padding:6px;text-align:left;vertical-align:top;}th{background:#eef;}hr{border:0;border-top:1px solid #ccc;margin:14px 0;}h1{font-size:18pt;color:#334;}h2{font-size:14pt;margin-top:16px;color:#446;}h3{font-size:12pt;margin-top:12px;}p{margin:8px 0;}code{font-size:9pt;background:#f0f0f0;padding:1px 3px;}
```

Get started -- Skyline Realtor (for markers and new developers)

This solution is the **Skyline Realtor** project: a **Windows** desktop app (WinForms), a **.NET 8** web app (ASP.NET Core MVC), a **class library**, and **SQL Server** data. If anything here fails, **reach out to the developers** (the student group who submitted this work) and include your **OS**, the **step** you were on, and the **full error message** (or a screenshot).

What you need

- **.NET 8 SDK** -- [Download](https://dotnet.microsoft.com/download/dotnet/8.0)
 - **SQL Server** your group used for submission (local **Docker** below, or **SSMS** if you restore the .bak)
 - **Windows** if you want to **run the desktop UI** (WinForms). The web app runs on **Windows** or **macOS**.
-

Windows

1. Install **.NET 8 SDK** and (if needed) **SQL Server** or **Docker Desktop**.
2. Open **RealEstateManagementSystem.sln** in Visual Studio, or use a terminal at the repo root.
3. **Database:** Either restore **uploads/RealEstateDB_Backup.bak** in SSMS, or use **Docker** (see below). Then set **DefaultConnection** in **RealEstateManagementSystem/appsettings.json** to match your server (see **uploads/DATABASE_CREDENTIALS.pdf**).
4. **Web app:** In a terminal:
 - cd RealEstateManagementSystem
 - dotnet run
 - Open the URL shown (often `http://localhost:5xxx`).
5. **Desktop app:** In Visual Studio, set **DesktopApp** as startup project and run (Windows only).

macOS

1. Install **.NET 8 SDK** (Apple Silicon is fine). You can **build** the full solution; the **WinForms desktop app does not run** on macOS (by design).
 2. **SQL Server on Mac** is easiest with **Docker** (see below), or use a **remote** SQL instance your group documented.
 3. **Web app:** From the repo root:
 - cd RealEstateManagementSystem
 - dotnet run
 4. If Docker SQL uses **linux/amd64** emulation (see **docker-compose.yml**), the first start can be slow; wait until the container is healthy.
-

Optional: SQL Server in Docker (Windows or Mac)

From the **repository root**:

```
docker compose up -d
```

When SQL is accepting connections, initialize the database (creates **RealEstateDB** and objects as provided by the group):

```
./scripts/init-docker-db.sh
```

Then align **appsettings.json** with the **sa** password in **docker-compose.yml** (see **DATABASE_CREDENTIALS.pdf**).

Hand-off files in uploads/

File	Purpose
GET_STARTED.pdf	This guide (PDF)
DATABASE_CREDENTIALS.pdf	Connection details
EAD_SUBMISSION_CHECKLIST.pdf	Where each module lives in the repo

File	Purpose
GROUP_MEMBERS.pdf	Names and student IDs
RealEstateDB_Backup.bak	Restore in SSMS
database_schema.sql	DDL reference

If you hit an error: contact the **developers** with OS, command, and error text. We are happy to help markers get unblocked.