

Prepared By Automation Team 2022-12-16



All right reserved. This material is confidential and proprietary to BNI-STI and no part of this material should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieval system nor should the material be disclosed to third parties without the express written authorization of BNI-STI.



| Project No | Project Code | Tester | Automation Team |
|--------------|------------------------------------|------------|--------------------------|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 |
| Description | | | |

The information in this document has been duly reviewed and agreed by the following representatives of each party, continue to the next step.

| Tester/Developer | Test Manager | Testing Group Head |
|---------------------------|------------------------------|--------------------|
| • | _ | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Automation Team 1 | | |
| <u>riatomation roam r</u> | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Automation Team 2 | | |
| | | |
| Development Manager | Requirement Manager/Business | Project Manager |
| | Analyst | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Project No Project Type Short Project Code
CR/IR/MR
Automation Test Execution Document

Description

Tester Start Date End Date

Automation Team 16 Dec 2022 14:43:29,240 16 Dec 2022 15:01:10,231

Table of Content

| ble of Contentble of Content | 3 |
|--|---|
| Short Description | 4 |
| Business/System Requirements | 4 |
| | |
| System Changes | 4 |
| cument Summary | 5 |
| cument Attributes | 6 |
| DN0008-001 | 7 |
| 1. There is The output from command SIMATM 2 1 1 1 | 7 |
| 2. There is The output from command SHOWJNL | 8 |
| 3. There is The output from command GETGLIF.SH | 8 |
| 4. Berhasil Login Ke Icons | 9 |
| 5. Enter To Screen 450 | 9 |
| | |
| 7. There The Inquiry Transaction | 10 |
| DN0008-001 | .11 |
| 1. There is The output from command SIMATM 2 1 1 3 | 11 |
| 2. There is The output from command SHOWJNL | 12 |
| 3. There is The output from command GETGLIF.SH | 12 |
| 4. Berhasil Login Ke Icons | 13 |
| 5. Enter To Screen 450 | 13 |
| 6. Fill Field And Click Btn Process | 14 |
| 7. There The Inquiry Transaction | 14 |
| | |
| 1. There is The output from command SIMATM 2 1 1 8 | 15 |
| 2. There is The output from command SHOWJNL | 16 |
| 3. There is The output from command GETGLIF.SH | 16 |
| 4. Berhasil Login Ke Icons | 17 |
| | |
| | |
| 7. There The Inquiry Transaction | 18 |
| | ble of Content Short Description Business/System Requirements System Impacted System Changes curment Summary curdent Attributes DN0008-001. 1. There is The output from command SIMATM 2 1 1 1 2. There is The output from command GETGLIF.SH. 4. Berhasil Login Ke Icons. 5. Enter To Screen 450. 6. Fill Field And Click Btn Process 7. There is The output from command SIMATM 2 1 1 3 2. There is The output from command SIMATM 2 1 1 3 2. There is The output from command SIMATM 2 1 1 3 2. There is The output from command SIMATM 2 1 1 3 2. There is The output from command SHOWJNL. 3. There is The output from command SHOWJNL. 3. There is The output from command GETGLIF.SH. 4. Berhasil Login Ke Icons 5. Enter To Screen 450 6. Fill Field And Click Btn Process 7. There The Inquiry Transaction DN0008-001. 1. There is The output from command SIMATM 2 1 1 8 2. There is The output from command SIMATM 2 1 1 8 2. There is The output from command SIMATM 2 1 1 8 3. There is The output from command SIMATM 2 1 1 8 4. Berhasil Login Ke Icons 5. Enter To Screen 450 6. Fill Field And Click Btn Process 7. There The Inquiry Transaction Command SIMATM 2 1 1 8 5. Enter To Screen 450 6. Fill Field And Click Btn Process 7. There The Inquiry Transaction Command SIMATM 2 1 1 8 7. There is The output from command SIMATM 2 1 1 8 7. There is The output from command SIMATM 2 1 1 8 7. There is The output from command SIMATM 2 1 1 8 7. There is The output from command SIMATM 2 1 1 8 7. There is The output from command SIMATM 2 1 1 8 7. There The Inquiry Transaction |



| Project No | Project Code | Tester | Automation Team |
|--------------|------------------------------------|------------|--------------------------|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 |
| Description | | | |

1. Short Description

2. Business/System Requirements N/A

3. System Impacted N/A

4. System Changes N/A



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 16 Dec 2022 14:43:29,240
Short Automation Test Execution Document End Date 16 Dec 2022 15:01:10,231

Document Summary

| Total Passed | Total Failed | Total Done | Total |
|--------------|--------------|------------|-------|
| 0 | 3 | 0 | 3 |

| Scenario Name | Test Case | Procedure/Test Step | Status |
|----------------|-----------------|--|---|
| ATM Processing | withdrawal | There is The output from command | Failed |
| | -simatm 2 1 1 1 | SIMATM 2 1 1 1 | |
| | -showjnl | There is The output from command | Passed |
| | | SHOWJNL | |
| | | | Passed |
| | | | |
| | | | Passed |
| | | 0 | Passed |
| | | | Done |
| | | - ' ' | Passed |
| ATM Processing | | | Failed |
| | | | |
| | -showjni | | Passed |
| | | | |
| | | | Passed |
| | | | Passed |
| | | | |
| | | 0 | Passed |
| | | | Done |
| ATM December | den e e it | - ' ' | Passed Failed |
| ATM Processing | | | Falled |
| | • | | Passed |
| | -snowjiii | | rasseu |
| | | | Passed |
| | | | i usscu |
| | | | Passed |
| | | | Passed |
| | | 0. 2 | Done |
| | | *************************************** | Passed |
| | | ATM Processing withdrawal -simatm 2 1 1 1 -showjnl ATM Processing transfer -simatm 2 1 1 3 -showjnl | ATM Processing withdrawal -simatm 2 1 1 1 -showjnl 1. There is The output from command SIMATM 2 1 1 1 2. There is The output from command SHOWJNL 3. There is The output from command GETGLIF.SH 4. Berhasil Login Ke Icons 5. Enter To Screen 450 6. Fill Field And Click Btn Process 7. There The Inquiry Transaction 1. There is The output from command SIMATM 2 1 1 3 2. There is The output from command SHOWJNL 3. There is The output from command SHOWJNL 3. There is The output from command SHOWJNL 3. There is The output from command GETGLIF.SH 4. Berhasil Login Ke Icons 5. Enter To Screen 450 6. Fill Field And Click Btn Process 7. There The Inquiry Transaction ATM Processing deposit -simatm 2 1 1 8 SIMATM 2 1 1 8 |



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 16 Dec 2022 14:43:29,240
Short Automation Test Execution Document Description End Date 16 Dec 2022 15:01:10,231

Document Attributes

| Key | Value |
|----------------|------------------------|
| UFT Version | 2021 R1 |
| Report Library | Lib_Report.vbs |
| Global Library | Lib_GlobalFunction.qfl |



| Project No | Project Code | Tester | Automation Team |
|--------------|------------------------------------|------------|--------------------------|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 |
| Description | | | |

ICON0008-001

Use Case Description

ATM Processing

Scenario Description

withdrawal -simatm 2 1 1 1 -showjnl

Preparations

01.

Exit Criteria

It should be same as defined by the team

Test Steps


1. There is The output from command SIMATM 2 1 1 1

The Output of SIMATM FAIL!




Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 16 Dec 2022 14:43:29,240
Short Automation Test Execution Document End Date 16 Dec 2022 15:01:10,231

2. There is The output from command SHOWJNL



3. There is The output from command GETGLIF.SH






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 16 Dec 2022 14:43:29,240
Short Automation Test Execution Document Description End Date 16 Dec 2022 15:01:10,231

4. Berhasil Login Ke Icons



Dengan No Terminal ID: 243


5. Enter To Screen 450





| Project No | Project Code | Tester | Automation Team | |
|--------------|------------------------------------|------------|--------------------------|--|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 | |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 | |
| Description | | | | |

6. Fill Field And Click Btn Process



7. There The Inquiry Transaction





| Project No | Project Code | Tester | Automation Team | |
|--------------|------------------------------------|------------|--------------------------|--|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 | |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 | |
| Description | | | | |

ICON0008-001

Use Case Description

ATM Processing

Scenario Description

transfer -simatm 2 1 1 3 -showjnl

Preparations

01.

Exit Criteria

It should be same as defined by the team

Test Steps

1. There is The output from command SIMATM 2 1 1 3


The Output of SIMATM FAIL!



Project No
Project Code
Project Type
Short
Description
Project Code
CR/IR/MR
Automation Test Execution Document
Description

Tester
Start Date
End Date
16 Dec 2022 14:43:29,240
End Date
16 Dec 2022 15:01:10,231

2. There is The output from command SHOWJNL



3. There is The output from command GETGLIF.SH




Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 16 Dec 2022 14:43:29,240
Short Automation Test Execution Document End Date 16 Dec 2022 15:01:10,231
Description

4. Berhasil Login Ke Icons



Dengan No Terminal ID: 243


5. Enter To Screen 450





| Project No | Project Code | Tester | Automation Team | |
|--------------|------------------------------------|------------|--------------------------|--|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 | |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 | |
| Description | | | | |

6. Fill Field And Click Btn Process



7. There The Inquiry Transaction





| Project No | Project Code | Tester | Automation Team | |
|--------------|------------------------------------|------------|--------------------------|--|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 | |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 | |
| Description | | | | |

ICON0008-001

Use Case Description

ATM Processing

Scenario Description

deposit -simatm 2 1 1 8 -showjnl

Preparations

01.

Exit Criteria

It should be same as defined by the team

Test Steps

1. There is The output from command SIMATM 2 1 1 8

The Output of SIMATM FAIL!




Project No
Project Code
Project Type
Short
Description


Project Code
CR/IR/MR
Automation Test Execution Document
Description

Tester
Start Date
Start Date
End Date
16 Dec 2022 14:43:29,240
End Date

2. There is The output from command SHOWJNL



3. There is The output from command GETGLIF.SH






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 16 Dec 2022 14:43:29,240
Short Automation Test Execution Document Description End Date 16 Dec 2022 15:01:10,231

4. Berhasil Login Ke Icons



Dengan No Terminal ID: 243


5. Enter To Screen 450





| Project No | Project Code | Tester | Automation Team |
|--------------|------------------------------------|------------|--------------------------|
| Project Type | CR/IR/MR | Start Date | 16 Dec 2022 14:43:29,240 |
| Short | Automation Test Execution Document | End Date | 16 Dec 2022 15:01:10,231 |
| Description | | | |

6. Fill Field And Click Btn Process



7. There The Inquiry Transaction

