



SAP Digital Supply Chain

What's New in SAP Integrated Business Planning 2311 (Planned)

Disclaimer

The information in this presentation is confidential and proprietary to SAP and may not be disclosed without the permission of SAP. Except for your obligation to protect confidential information, this presentation is not subject to your license agreement or any other service or subscription agreement with SAP. SAP has no obligation to pursue any course of business outlined in this presentation or any related document, or to develop or release any functionality mentioned therein.

This presentation, or any related document and SAP's strategy and possible future developments, products and or platforms directions and functionality are all subject to change and may be changed by SAP at any time for any reason without notice. The information in this presentation is not a commitment, promise or legal obligation to deliver any material, code or functionality. This presentation is provided without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement. This presentation is for informational purposes and may not be incorporated into a contract. SAP assumes no responsibility for errors or omissions in this presentation, except if such damages were caused by SAP's intentional or gross negligence.

All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, which speak only as of their dates, and they should not be relied upon in making purchasing decisions.

Agenda

All times CET

01

Tuesday: 13:00-14:30

Intro, Best Practices, Analytics
Stories, Configuration

02

Tuesday: 16:30-17:00

Integration and Extensions

03

Wednesday: 13:00-13:45

Planning UIs

04

Wednesday: 14:00-15:00

Response & Supply

05

Thursday: 13:00-13:45

Demand

06

Thursday: 13:30-14:00

IO, DDR, MRO

07

Thursday: 14:00-15:00

Synchronized Planning for
Production





IBP Time Series Integration

Károly Daxkobler



IBP Time Series Integration – Removing Blockers for WebSocket RFC Migration

Time Series Integration – Blockers for WebSocket RFC Migration

There are two issues that are blockers for some customers to migrate the IBP – CI-DS connection to WebSocket RFC:

- **1:N mappings in CI-DS:** when reading from IBP, if the same source field is mapped to two different target fields, the source field name gets pushed down to the IBP query twice, causing a SQL error in IBP.
Example: PRDID is mapped to both PRODUCT_ID and PRODUCT_DESCRIPTION
- **Source fields not passed to IBP queries:** if a field from the IBP source is used in a mapping step, it might still not be pushed down to the IBP query if it is not mapped all through to the target: CI-DS might drop that field for optimization. That is a problem when the query in IBP needs a field to control the output, but its content itself is not relevant for the business process.
Example: PERIODIDn defines the time aggregation level, but the ID itself is not needed in the output because the corresponding time stamp is used there instead


Time Series Integration – Blockers for WebSocket RFC Migration: IBP workaround solutions

Since these issues block the WebSocket RFC migration, we will provide workarounds on the IBP side.

- **1:N mappings in CI-DS:** IBP provides a backend-side fix for the problem with version 2311. No manual steps required on the customer side to enable the fix.
- **Source fields not passed to IBP queries:** IBP cannot solve this problem in general: the backend system cannot find out what are the fields that were not passed to it. We only provide a workaround solution for the time aggregation problem. We will introduce the new CI-DS global variable `$G_IBP_TIME_AGGREGATION_LEVEL` with IBP 2311 where you can provide a time aggregation level. When that value is set, the `PERIODIDn` field specification will not be mandatory / will be ignored. The workaround is non-disruptive, but will require manual work from the customer (to add the global variable).

CI-DS: Migration from JDBC to WebSocket: Why is it a “Must”?

- Deadline for JDBC support: CI-DS release 2403 (March 2024)
- More information in this SAP Note about CI-DS releases: <https://me.sap.com/notes/3326916>
- In the 2403 (March 2024) release of SAP Cloud Integration for data services, support for JDBC connections for IBP will be deprecated. This means that although JDBC will continue to work, there will be no future support or enhancements related to JDBC connections. Customers currently using SAP Cloud Integration for data services with a JDBC connection must plan to migrate to a WebSocket RFC connection by the **end of 2023** to maintain support from SAP
- You can create an incident in the component SCM-IBP-OPS-MIG for any queries or enabling the settings for the switch.

A woman wearing a white hard hat and an orange high-visibility safety jacket is standing in an industrial setting. She is holding a white tablet in her left hand and a black walkie-talkie to her mouth with her right hand. The background shows large red and blue industrial containers and metal structures. A blue diagonal graphic element is positioned behind her head and the text.

IBP Time Series Integration – Controlling “Skip Unchanged Data” Feature from CI-DS

Time Series Integration – Controlling “Skip Unchanged Data” Feature from CI-DS

In IBP 2305, we introduced the option to skip unchanged master data and only process relevant changes in time series integration post-processing. The feature can be enabled using the IBP global parameter `INTEGRATION/SKIP_UNCHANGED_DATA`.

As of IBP 2308 HFC05 (CI-DS 2309), you can override the IBP-wide global setting using the CI-DS global variable `$G_IBP_SKIP_UNCHANGED_DATA` for individual tasks. The global variable is optional in CI-DS: when not specified, the IBP global parameter setting takes effect.

Please note that the pre-requisites and warnings still apply:

- The feature is only supported with “improved master data processing” enabled in IBP, using WebSocket RFC for the CI-DS connection and using the `INSERT_UPDATE` command for the master data upload
- When enabled, all processing for unchanged master data will be skipped including change timestamp updates, planning object administration, etc.
- When enabled, data processing performance will depend on the ratio of changed master data records – please consider that when designing tests



IBP Time Series Integration –

Add-On: Include Cost of Goods Sold in the Location Product Extractor

Add-On: Include Cost of Goods Sold in the Location Product Extractor

The location product extractor /IBP/LOCATIONPRODUCT_ATTR provided the standard price or the moving average price for a material, that is, the cost of goods manufactured, through the field COSTPERUNIT.

For some order-based planning processes and analyses, the cost of goods sold could also be interesting. To cover that requirement, the extractor will provide the future price 1/2/3 values through the fields PLANNEDPRICE1, PLANNEDPRICE2, and PLANNEDPRICE3.

The new fields will be available with SP28 of the ERP Add-on and SP24 of the S/4HANA Add-on.



IBP Real-Time Integration – Bundling in Inbound Integration

SAP Integrated Business Planning

Real-time Integration: Bundling in Inbound Integration

Bundled processing of transactional data during RTI inbound integration

*With this technical enhancement you can **accelerate** (up to a factor of two) the queue processing time in SAP IBP **per order/stock item** in SAP IBP*

*In case of integrating huge amount of order/stock changes from SAP ERP to SAP IBP as **single updates** in a short period of time in order to better utilize the capabilities of **HANA**, the individual updates/queues are bundled and processed together. This will significantly **improve** the order processing time and **optimize** the usage of system resources.*

The screenshot displays the SAP Monitor bgRFC Queues interface. The left pane shows a list of destinations under the heading 'Destinations (4)'. The right pane provides a detailed view of the selected destination, RTI_INBOUND_CG5.

Destinations (4)

Inbound Destination
☐ RTI_INBOUND_CG0
☐ RTI_INBOUND_CG4
☒ RTI_INBOUND_CG5
☐ RTI_INBOUND_CG8

RTI_INBOUND_CG5

Status: Normal


Queues (20)

Queue Name	Queue Status
☐ %_QRFC_RETRY_CFPO0014245763	Queue is locked
☐ %_QRFC_RETRY_CFPO0014245842	Queue is locked -!::000
☐ %_QRFC_RETRY_CFPO0014245851	Queue is locked -!::000
☐ CG5PO0014245694	Queue is locked
☐ CG5PO0014245695	Queue is locked
☐ CG5PO0014245696	Queue is locked
☐ CG5PO0014245699	Queue is locked
☐ CG5PO0014245703	Queue is locked
☐ CG5PO0014245719	Queue is locked
☐ CG5PO0014245723	Queue is locked
☐ CG5PO0014245731	Queue is locked
☐ CG5PO0014245732	Queue is locked
☐ CG5PO0014245733	Queue is locked
☐ CG5PO0014245738	Queue is locked

Performance Improvement in SAP IBP Inbound


- **Single queue processing**

- Sequential processing of transactional data within one process
transactional consistency could require combined update of order and stock
- Support of parallel processes



- **Bundled queue processing**

- “Bundle” multiple transactions for faster update in one process
benefit from faster HANA performance for mass accesses
- Support of parallel processes
- No configuration by customer required



➔ First performance numbers indicate up-to 2x performance improvement

SAP Integrated Business Planning

Real-time Integration: Bundling in Inbound Integration

How to enable the function?

Simply switch on the corresponding parameter in the **Global Configuration** app.

How to use it?

No need of any action from you! The system takes care of everything!

What you will see?

In the **Monitor bgRFC Queues** app you might see “retry” queues for a short period of time until the bundling process finishes its run. “Retry” queues are generated for each inbound queue indicating the bundling is in action. Once the queue has been processed both queues disappear.

What if queue processing fails?

The retry queue disappears and only the original queue remains like today. You need to check the error message and reprocess the queue once the issue has been sorted out.

Good to know!

You can enable or disable the feature any time.

Even if bundling enabled, RTI integration can automatically switch back and forth between bundled and normal queue processing since bundling is really useful when you are integrating hundreds, thousands or even more orders/stock items within a short period of time!

SAP Global Configuration	
Parameters	
Items (1)	
Name	Value
Group: INTEGRATION	
RTI_ENABLE_BUNDLING	YES

Queues (6) Standard	
Queue Name	Queue Status
☐ %_QRFC_RETRY_CFPO0010021497	Queue is locked
☐ CG2PO0010021497	Queue is locked



IBP Real-Time Integration – Planning Filter in Real-Time Outbound Integration

SAP Integrated Business Planning

Real-time Integration: Planning filter in Real-Time Outbound Integration

Simplify your order selection and reuse your planning filters in Real-Time Outbound Integration


*Now you can reuse your planning filters in the **Real-Time Integration (Outbound)** application job to integrate planned supply elements from SAP IBP to SAP ERP.*

*The first step to integrate orders and Sales Order confirmations to SAP ERP is to have a **list of location-products**. So far there were four parameters you could use for selection (material number, location number, MRP Controller, Subnetwork). By changing the **Order Selection** option to “**By Planning Filter**”, you can reuse your planning filters that you most probably utilize in other applications as well. The original selection parameters are still available with option “By Location Product Attributes”.*

Prerequisites

*In the **Settings for Order-Based Planning** app maintain the **Planning Level for Location Product Filtering** parameter.*

Create planning filter for your planning area.



Parameter Section


Selection Parameters

Planning Area: * Order-Based Planning Based on Flexible Master Data (SAP7FAC) x

Order Selection: By Planning Filter

Planning Filter: By Location Product Attributes

Horizon (in Days): By Planning Filter



Parameter Section

Selection Parameters

Planning Area: * Order-Based Planning Based on Flexible Master Data (SAP7FAC) x

Order Selection: By Planning Filter

Planning Filter:

Horizon (in Days): 999

Block Size: 100

Planning Level for Filtering

Planning Level for Transportation Group Filtering:
DAYPRODLOCFRLOCMOT

Planning Level for Location Product Filtering:
DAYPRODLOC



IBP Real-Time Integration – Cloud Integration Automation Service

Cloud Integration Automation Service (CIAS)

Delivery in BTP
Timeframe: IBP2311 HFC3*

- **Cloud Integration Automation Service (CIAS)** provides an infrastructure for describing and executing Integration Scenarios
- Runs on SAP BTP
- Content for RTI communication configuration to enable guided **semi-automated workflows across multiple roles**
- **Minimizes risk of configuration errors**

The image displays two screenshots of the Cloud Integration Automation Service (CIAS) interface. The top screenshot shows the 'Integration Solutions and Scenarios' page, where a scenario named 'Configuring RTI Integration for SAP IBP' is selected. The bottom screenshot shows the 'Configuration Definition Repository' page, which provides a detailed view of the configuration process for 'Configuring RTI Integration for IBP'. This view includes a table of tasks and their associated parameters, roles, and configurations.

Levels	Phases	Type	Docu	Params	Target	Role	Config Entity	Special Usage
☐	Tasks							
☒	Setting Up Real-Time Integration for Order-Based Planning	Concept						
☒	Setting Up Connection Between SAP BTP and Cloud Connector	Topic						
☒	Creating BTP Subaccount	Task						
☐	Creating BTP Subaccount	TaskContent			BTP_1_UI_BTP	BTP_GLOBAL_ADMIN	CDR_MANUAL_TASK	
☐	BTP subaccount details	TaskContent			BTP_1_UI_BTP	BTP_GLOBAL_ADMIN	com.sap.cloud.integration.btp.subacco...	
☐	Creating Service Instance in SAP BTP Cockpit	Task						
☐	Connecting SAP IBP with SAP BTP	Task						
☐	Connecting SAP BTP with Cloud Connector	Task						
☒	Configuring Cloud Connector	Concept						
☐	Configuring Cloud To On-Premise Communication Channel WL...	Task						

*This is the current state of planning and may be changed by SAP at any time.

Cloud Integration Automation Service (CIAS)

Delivery in BTP
Timeframe: IBP2311 HFC3*

Home

Integration Solutions

Configuration Definitions

Configuration Entities

Configuration Targets

System Types

Target Types

Helper Entities

Selectors

My Drafts

Upload sapdita.export File

DITA Tools

Administration

Documentation

Configuration Definition Repository

?

Factory - Sandbox

Thomas

Info

<

Configuration Definition

Configuring RTI Integration for IBP

com.sap.ibp.rti

I (In Process)

Details

Overview

Parameters

Condition Groups

Conditions

Condition Simulator

Systems

Targets

Roles

Tasks

Selectors

Task Conditions

Attachments

Levels

Phases

Collapse all

1

2

3

Expand all

☐	Tasks	Type	Docu	Params	Target	Role	Config Entity	Special Usage
☐	✓ Setting Up Real-Time Integration for Order-Based Planning	Concept						
☐	✓ Setting Up Connection Between SAP BTP and Cloud Connector	Topic						
☐	✓ Creating BTP Subaccount	Task						
☐	Creating BTP Subaccount	TaskContent			BTP_1_UI_BTP	BTP_GLOBAL_ADMIN	CDR_MANUAL_TASK	
☐	BTP subaccount details	TaskContent			BTP_1_UI_BTP	BTP_GLOBAL_ADMIN	com.sap.cloud.ibp.rti.btp.subacco...	
☐	> Creating Service Instance in SAP BTP Cockpit	Task						
☐	> Connecting SAP IBP with SAP BTP	Task						
☐	> Connecting SAP BTP with Cloud Connector	Task						
☐	✓ Configuring Cloud Connector	Concept						
☐	> Configuring Cloud To On-Premise Communication Channel Wi...	Task						

Clone Definition

Workflow

Workflow Enablement

Validate

Change Status

Show Documentation

Request Deletion

*This is the current state of planning and may be changed by SAP at any time.

Cloud Integration Automation Service (CIAS)

Delivery in BTP
Timeframe: IBP2311 HFC3*

The screenshot displays the CIAS interface. On the left is a navigation menu with options like Home, Integration Solutions, Configuration Definitions, Configuration Entities, Configuration Targets, System Types, Target Types, Helper Entities, Selectors, My Drafts, Upload sapdita.export File, DITA Tools, Administration, and Documentation. The main area is titled 'Configuring RTI Integration for IBP' with the identifier 'com.sap.ibp.rti'. It features tabs for Details, Overview (selected), Parameters, Condition Groups, Conditions, Condition Simulator, and Systems. Under the Overview tab, there are sub-tabs for Levels, Phases, and Collapse all, with numbered steps 1, 2, and 3. A table lists tasks with checkboxes, descriptions, types, and document icons.

☐	Tasks	Type	Docu
☐	✓ Setting Up Real-Time Integration for Order-Based Planning	Concept	
☐	✓ Setting Up Connection Between SAP BTP and Cloud Connector	Topic	
☐	✓ Creating BTP Subaccount	Task	
☐	Creating BTP Subaccount	TaskContent	
☐	BTP subaccount details	TaskContent	
☐	> Creating Service Instance in SAP BTP Cockpit	Task	
☐	> Connecting SAP IBP with SAP BTP	Task	
☐	> Connecting SAP BTP with Cloud Connector	Task	
☐	✓ Configuring Cloud Connector	Concept	
☐	> Configuring Cloud To On-Premise Communication Channel Wi...	Task	

The right panel shows a 'Preview' of the 'Creating BTP Subaccount' task. It includes a 'Context' section explaining subaccount creation and a 'Procedure' section with five steps. A 'Note' box provides details about subdomain naming rules.

Creating BTP Subaccount

Context

You create subaccounts in your global account. Once you create a new subaccount, you see a tile for it in the global account view, and you are automatically assigned to it as an administrator.

Procedure

1. Click the link to open the **New Subaccount** screen: **New Subaccount** . Or, if the link above does not work for you, from your global account, choose **New Subaccount**.
2. Specify a display name.
3. Enter a description.
4. Choose the desired infrastructure provider and region for your subaccount.
5. Enter a subdomain for your subaccount. This will become part of the URL for accessing applications that you subscribe to from this subaccount.

Note

The subdomain can contain only letters, digits and hyphens (not allowed in the beginning or at the end), and must be unique across all subaccounts in the same region. Uppercase and lowercase letters can be used, however that alone does not qualify as a means to differentiate subdomains (for example, SUBDOMAIN and subdomain are considered to be the same).

The subdomain can't be changed once you have created the subaccount.

6. If your subaccount is to be used for production purposes, select the **Used for production** option.

OK

*This is the current state of planning and may be changed by SAP at any time.



Topic
Speaker

Thank you.

Contact information:

Analytic Stories: jean.sebastien.boileau@sap.com

Best Practices: ina.glaes@sap.com

Configuration: zoltan.miklos.biro@sap.com

Configuration: balazs.buday@sap.com

Configuration: gabor.mittweg@sap.com

Configuration: mohannad.el-jayousi@sap.com

Configuration: zoltan.palfi@sap.com

Demand: laura.tozzo@sap.com

Integration: michael.mack@sap.com

Integration: karoly.daxkobler@sap.com

Integration: parveen.kumar01@sap.com

Integration: spyridon.negas@sap.com

Integration: istvan.marton@sap.com

Time-Series-Based Supply Planning: pramod.mane@sap.com

Order-Based Planning: thomas.fiebig@sap.com

Order-Based Planning: claus.bosch@sap.com

Order-Based Planning: claus.bosch@sap.com

Network Aggregation: goutam.chatterjee@sap.com

Planning UIs: patrick.weber01@sap.com

Inventory: atul.bhandari01@sap.com

MRO: vedran.prorok@sap.com

MRO: regina.kafizova@sap.com

Synchronized Planning for Production: berthold.von.haaren@sap.com

Synchronized Planning for Production: b.akin@sap.com

SAP IBP Customer Office: john.lopus@sap.com



Demo





Divider page

Demo



Insert page title (sentence case)

In case your new feature references a customer influence item, make sure to promote it and place the sticker in upper right corner.