



SAP Digital Supply Chain

What's New in SAP Integrated Business Planning 2311 (Planned)

Disclaimer

The information in this presentation is confidential and proprietary to SAP and may not be disclosed without the permission of SAP. Except for your obligation to protect confidential information, this presentation is not subject to your license agreement or any other service or subscription agreement with SAP. SAP has no obligation to pursue any course of business outlined in this presentation or any related document, or to develop or release any functionality mentioned therein.

This presentation, or any related document and SAP's strategy and possible future developments, products and or platforms directions and functionality are all subject to change and may be changed by SAP at any time for any reason without notice. The information in this presentation is not a commitment, promise or legal obligation to deliver any material, code or functionality. This presentation is provided without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement. This presentation is for informational purposes and may not be incorporated into a contract. SAP assumes no responsibility for errors or omissions in this presentation, except if such damages were caused by SAP's intentional or gross negligence.

All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, which speak only as of their dates, and they should not be relied upon in making purchasing decisions.

Agenda

All times CET

01

Tuesday: 13:00-14:30

Intro, Best Practices, Analytics
Stories, Configuration

02

Tuesday: 16:30-17:00

Integration and Extensions

03

Wednesday: 13:00-13:45

Planning UIs

04

Wednesday: 14:00-15:00

Response & Supply

05

Thursday: 13:00-13:45

Demand

06

Thursday: 13:30-14:00

IO, DDR, MRO

07

Thursday: 14:00-15:00

Synchronized Planning for
Production





TS Supply Planning

Pramod Mane

Fixed Capacity Consumption for Production Sources and Production Group Planning


With the introduction of fixed capacity consumption feature, Planners can now incorporate the impact of fixed capacity consumption to optimize planning results at the individual production source resource assignment or at the production group level. This feature is only supported by time-series based optimizer.

Value Proposition

- Improved planning results and visibility by accurately considering the impact of fixed capacity consumption
- Influence the optimizer to limit the number of products and/or types of products (e.g., size, flavor, pack, color etc.) which are planned on a resource in a planning period to minimize set-ups

Capabilities

- Ability to specify fixed capacity consumption at the production resource level per production source
- Ability to specify fixed capacity consumption at product group level
- Visualize the capacity usage by fixed and variable consumption at production source resource and at the product group level




Fixed Capacity Consumption for Production Source of Supply



- A fixed capacity consumption can be modeled for each production source resource assignment.
- The available capacity will be reduced by the fixed value in the period in which the first variable capacity consumption occurs.
- Fixed capacity consumption is considered to be a constraint during optimization, not preprocessing.
- A new output key figure shows the capacity usage incurred for fixed capacity consumption. The key figure and related master data types have been added to the SAPIBP1 sample planning area.

Note:

- Alternative resources are not supported for resources on which fixed capacity consumption occurs.
- Minimum or maximum aggregated constraints on product - location - resource - production source level (MINAGGPCAPAUUSAGE or MAXAGGPCAPAUUSAGE) do not consider fixed capacity consumption.
- Fixed capacity consumption is not supported by the following:
 - The infinite heuristic
 - the finite heuristic, neither in standalone mode nor as start solution
 - local optimization for discrete problems
 - product decomposition
 - time aggregation



With additional fixed Production Costs



Fixed Capacity Consumption at Production Source of Supply

Production Source Resource

X4PRODUCTIONRESOURCE

Description:

Type:

Status:

Changed On: 06/08/2023, 13:15:43

Last Action Status

Master

Production Source Resource

Simple

Active

Activated On: 06/08/2023, 13:16:21

Activation - Success

0

Data Uploaded On: -

Assigned Attributes

Attribute Checks

Administrative Information

ID	Name	Key
RESID	Resource ID	☒
SOURCEID	Source ID	☒
CAPACONSUMPTION		☐
CONSUMPTIONTS		☐
FIXEDPCAPACONSUMPTION		☐
LOCID		☐
MATTRPRODUCTIONRESOUR		☐

Attribute

ID:

FIXEDPCAPACONSUMPTION

Description:

Fixed Production Capacity Consumption

Name:

Fixed Production Capa Consumptio

Data Type:

DECIMAL(18,6)

Fixed Production Capacity Usage

FIXEDPCAPAUUSAGE

Description:

Base Planning Level:

Type:

Key Figures:

Status:

Distance from Data Source:

Fixed Production Capacity Usage

PERPRODLOCRESSRC

0

Inactive

0

^

⌵

Characteristics

Calculation Definitions

Versions

Display Settings

Attribute as Key Figure Definition

Administrative Information

Edit Allowed:

Convert Using:

Business Meaning:

Not Editable

-

-

Aggregation Mode:

Enable Fixing

Hashtags:

Sum

☐

-

Disaggregation Mode:

Aggregated Constraint

Input/Output for Supply Planning:

-

☐

Output for Supply Planning

Enable Planning Notes

Input/Output for TS Forecast Consumption:

-

☐

-

Calculation Definitions

Calculations


FIXEDPCAPAUUSAGE@REQUEST = SUM("FIXEDPCAPAUUSAGE@PERPRODLOCRESSRC")

Versions

ID	Name	Description	Key Figures	Version-Specific Key Figure
DOWNSIDE	Downside Version	Downside Version	168	☐
UPSIDE	Upside Version	Upside Version	168	☐

Production Group Planning

- You can optimize planning results by modeling fixed capacity consumption at production group level, fixed production group costs, and related attributes
- Production groups can be defined by a pair of attributes: A group attribute ID and a group attribute value. For each production group, it is possible to model the following:
 - Fixed capacity consumption:** Whenever a production group is relevant in a planning period, corresponding fixed capacity consumption will decrease the available capacity once per period by the defined consumption value.
 - Fixed costs:** Whenever a production group is relevant in a planning period, corresponding fixed costs will be added once per period to the overall costs.
 - Minimum output quantity:** Whenever a production group is relevant in a planning period, the production output quantity in the period must be at least the minimum quantity. Note that periods where the output becomes available can differ from the period the setup takes place.
 - An **occurrence limit** for the number of different attribute values per production group and period. Different attributes might have different limits.
- Output key figure **FIXEDPCAPUSAGEGROUP** shows the capacity usage incurred for fixed capacity consumption at production group level



Production Group Planning

Master Data

Group Attribute Header

X4GRPATTRHEADER

Description:

Type:

Status:

Changed On: 05/04/2023, 18:08:55

Last Action Status

Master Data Types

Planning Areas

Group Attribute Header

Simple

Active

Activated On: 05/10/2023, 23:27:03

Activation - Success

2

1

Data Uploaded On: -

Edit

Copy

Assigned Attributes

Attribute Checks (OFF)

Administrative Information

ID	Name	Key	Required
GRPATTRID	Group Attribute ID	☒	☒
GRPATTRDESCR	Group Attribute Description	☐	☐

Attribute Checks (OFF)

Attribute Check: ☐

Group Attribute Value

X4GRPATTRVAL

Description:

Type:

Status:

Changed On: 05/08/2023, 22:39:06

Last Action Status

Master Data Types

Planning Areas

Group Attribute Value

Simple

Active

Activated On: 05/10/2023, 23:27:03

Activation - Success

1

1

Data Uploaded On: -

Edit

Copy

Ch

Assigned Attributes

Attribute Checks

Administrative Information

ID	Name	Key	Required
GRPATTRID	Group Attribute ID	☒	☒
GRPATTRVAL	Group Attribute Value	☒	☒

Attribute Checks

Attribute Check: ☒

Attribute Checks

Check Master Data Type	Check Attribute	Assigned Attribute
X4GRPATTRHEADER	GRPATTRID	Checks
		GRPATTRID

Group Attr Value Resource Assign

X4GRPATTRVALRESASSIGN

Description:

Type:

Status:

Changed On: 05/23/2023, 10:47:03

Last Action Status

Group Attribute Value Resource Assignment

Compound

Active

Activated On: 05/23/2023, 10:47:34

Activation - Success

Data Uploaded On: -

Component Master Data Types

Assigned Attributes

Attribute Checks (OFF)

Administrative Information

ID	Name
X4GRPATTRVAL	Group Attribute Value
X4RESOURCELOCATION	Location Resource

Assigned Attributes

ID	Name	Key
GRPATTRID	Group Attribute ID	☒
GRPATTRVAL	Group Attribute Value	☒
LOCID	Location ID	☒
RESID	Resource ID	☒
GRPCOST	Group Cost	☐
GRPFIXEDPCAPACONSUMPTION	Group Fixed Capacity Consumption	☐
GRPMINQUANTITY	Group Minimum Quantity	☐

Attribute Checks (OFF)

Attribute Check: ☐

Group Attribute Resource Assign

X4GRPATTRRESASSIGN

Description:

Type:

Status:

Changed On: 05/10/2023, 23:15:18

Last Action Status

Master Data Types

Planning Areas

Group Attribute Resource Assignment

Compound

Active

Activated On: 05/10/2023, 23:27:03

Activation - Success

0

1

Data Uploaded On: -

Edit

Copy

Ch

Component Master Data Types

Assigned Attributes

Attribute Checks

Administrative Information

X4GRPATTRHEADER	Group Attribute Header
X4RESOURCELOCATION	Location Resource

Assigned Attributes

ID	Name	Key	Required
GRPATTRID	Group Attribute ID	☒	☒
LOCID	Location ID	☒	☒
RESID	Resource ID	☒	☒
OCURRENCELIMIT	Occurrence Limit	☐	☐

Attribute Checks

Attribute Check: ☒

Attribute Checks

Check Master Data Type	Check Attribute	Assigned Attribute
X4GRPATTRVALRESASSIGN	GRPATTRID	Checks
	LOCID	Checks
	RESID	Checks
		GRPATTRID
		LOCID
		RESID

Public

9

Production Group Planning

Key figures

Period | Group ID | Group Value | Location | Resource

PERGRPIDGRPVALLOCRES

EditCopyRestore Active InstanceDeleteSh

Time Attributes

Attributes

Tight Coupling for Planning Objects

Key Figures

Administrative Information

Time Profile Level

1 - Monthly

Monthly

☒

PERIODID0

2 - Quarterly

Quarterly

☐

PERIODID2

3 - Yearly

Yearly

☐

PERIODID1

Attributes

Attributes (10)

Master Data Type ID

Attribute ID

Attribute Name

Root

Active

X4GRPATTRHEADER

GRPATTRID

Group Attribute ID

☒

GRPATTRDESCR

Group Attribute Description

☐

X4GRPATTRRESASSIGN

OCCURENCELIMIT

Occurrence Limit

☐

X4GRPATTRVAL

GRPATTRVAL

Group Attribute Value

☒

X4LOCATION

LOCID

Location ID

☒

LOCDESCR

Location

☐

LOCREGION

Location Region

☐

LOCTYPE

Location Type

☐

X4RESOURCE

RESID

Resource ID

☒

REDESCR

Resource Desc.

☐

Tight Coupling for Planning Objects

Master Data Type:

X4GRPATTRVALRESASSIGN

Automatically Create Planning Objects:

OFF

Delete Planning Objects Only If Master Data Is Deleted:

ON

Fixed Production Group Capacity Usage

FIXEDPCAPAUUSAGEGROUP

Description:

Fixed Production Group Capacity Usage

Base Planning Level:

PERGRPIDGRPVALLOCRES

Type:

Key Figures:

0

Applications:

-

Characteristics

Calculation Definitions

Versions

Display Settings

Edit Allowed:

Not Editable

Convert Using:

-

Business Meaning:

-

Aggregation Mode:

Sum

☐ Enable Fixing

Hashtags:

-

Disaggregation Mode:

-

☐ Aggregated Constraint

Input/Output for Supply Planning:

Output for Supply Planning

☐ Enable Planning Notes

Input/Output for TS Forecast Consumption:

-

Calculation Definitions

Calculations

Inputs

FIXEDPCAPAUUSAGEGROUP@REQUEST

=

SUM("FIXEDPCAPAUUSAGEGROUP@PERGRPIDGRPVALLOCRES@")

Production Group Planning

Example 1

Production Group Attribute Header

Group Attribute ID	Group Attribute Description
SHAPE	Shape
COLOR	Color

PRODUCT

Product ID	Shape	Color
P1	Ball	Blue
P2	Ball	Blue (marked light)
P3	Cube	Purple
P4	Cube	Purple (marked light)



Production Group Attribute Value

Group Attribute ID	Group Attribute Value
SHAPE	Ball
SHAPE	Cube
COLOR	Blue
COLOR	Purple

Production Group Attribute Value Resource Assignment

Group Attribute ID	Group Attribute Value	Location ID	Resource ID	Group Cost	Group Fixed Capacity Consumption	Group Minimum Quantity
COLOR	Blue	L1	R1		1h	
COLOR	Purple	L1	R1		1h	
SHAPE	Ball	L1	R1			
SHAPE	Cube	L1	R1			

- The demand of each product is 7 units in the marked period. Variable Capacity consumption rate is 0.5 hr. per unit. Available capacity supply is 8 HR.
- The left picture shows the production plan without group planning and the right picture with the additional master data as contained in table **Production Group Attribute Value Resource Assignment**.
- Due to the fixed capacity consumption, the original production plan would not be possible, and the productions are grouped together.



Production Group Planning

Example 2

Production Group Attribute Header

Group Attribute ID	Group Attribute Description
SHAPE	Shape
COLOR	Color

PRODUCT

Product ID	Shape	Color
P1	Ball	Blue
P2	Ball	Blue (marked light)
P3	Cube	Purple
P4	Cube	Purple (marked light)


Production Group Attribute Value

Group Attribute ID	Group Attribute Value
SHAPE	Ball
SHAPE	Cube
COLOR	Blue
COLOR	Purple

Production Group Attribute Value Resource Assignment

Group Attribute ID	Group Attribute Value	Location ID	Resource ID	Group Cost	Group Fixed Capacity Consumption	Group Minimum Quantity
COLOR	Blue	L1	R1	100		
COLOR	Purple	L1	R1	100		
SHAPE	Ball	L1	R1			
SHAPE	Cube	L1	R1			

- The demands for products P1 and P4 are 4 units each, and for P2 and P3 8 units each.
- The left picture shows the production plan without group planning and the right picture with the additional master data as contained in table **Production Group Attribute Value Resource Assignment**.
- The group costs for the attribute "color" apply for every group usage. Therefore, the optimizer groups every color in one period



Production Group Planning

Example 3

Production Group Attribute Header

Group Attribute ID	Group Attribute Description
SHAPE	Shape
COLOR	Color

PRODUCT

Product ID	Shape	Color
P1	Ball	Blue
P2	Ball	Blue (marked light)
P3	Cube	Purple
P4	Cube	Purple (marked light)


Production Group Attribute Value

Group Attribute ID	Group Attribute Value
SHAPE	Ball
SHAPE	Cube
COLOR	Blue
COLOR	Purple

Production Group Attribute Value Resource Assignment

Group Attribute ID	Group Attribute Value	Location ID	Resource ID	Group Cost	Group Fixed Capacity Consumption	Group Minimum Quantity
COLOR	Blue	L1	R1			
COLOR	Purple	L1	R1			8
SHAPE	Ball	L1	R1			
SHAPE	Cube	L1	R1			

- The demands for each product is 4 units in the marked period .
- The left picture shows the production plan without group planning and the right picture with the additional master data as contained in table **Production Group Attribute Value Resource Assignment**.
- Due to the production group minimum quantity, the original production plan would not be possible and the production of P3 must be shifted to period 2



Production Group Planning

Note/Considerations:

- If several group attribute IDs are relevant for a resource, all involved groups are considered independently. This means especially that a fixed capacity consumption is added for all involved group attributes.
- Regarding group planning attribute values, the production in each period is agnostic of productions in other periods. Every time a production starts, fixed capacity consumption and fixed costs are incurred, and the minimum output quantity and the occurrence limit are considered.
- Alternative resources are not supported for resources using production group planning (neither as substitute resource nor as substituted resource).
- Group planning is not supported by the following:
 - the finite heuristic, neither in standalone mode nor as start solution
 - local optimization for discrete problems
 - product decomposition
- Time aggregation is only partially supported: Production group handling is not aggregated. Solutions are valid, but most likely not optimal.
- It is not possible to define aggregated constraints on production group level.
- Confirmed productions disable minimum output quantity of the groups the production belongs to.
- Production groups from unselected subnetworks are not considered. This means, fixed capacity consumption or fixed costs apply, even if the same attribute value was planned in another subnetwork for the same resource and in the same period.

Prioritization of Inter-Subnetwork Dependent Production Demand


- You can now prioritize demands for components that are required for production in downstream subnetworks. Only supported for time-series-based supply planning optimizer or the time-series-based supply planning finite heuristic.
- Since components can have their own independent demand besides the dependent production demand, you can also use the key figure to prioritize the different demand streams for the component products.
- New key figure **Non-Delivery Cost Rate for Inter-Subnetwork Dependent Production Demand** (DEPCOMPDEMNONDELIVCOSTRATE) is introduced
- Previously, such dependent demands were always treated as pseudo-hard constraints, which resulted in all supply being allocated to them in constrained capacity situations.
- The key figure **Inter-Subnetwork Production Component Supply** (IPUPRODUCTIONCOMPONENTDS) is used to report the component supply.
- For the **Non-Delivery Cost Rate for Inter-Subnetwork Dependent Production Demand** to be considered in upstream subnetwork planning, the new additional parameter **USE_PRIORITIZATION_OF_DEPENDENT_COMPONENT_DEMANDS** needs to be set to **Yes** in the corresponding operator profile (in the **S&OP Operator Profiles** app).

Prioritization of Inter-Subnetwork Dependent Production Demand


Example:

- To prioritize inter-subnetwork dependent production demands, you first plan the production quantity of the finished product in one subnetwork, considering only resource constraints.
- In a second step, you plan the component products in their respective subnetworks. In doing so, you prioritize the different demand types (dependent demand versus independent demand). The component supply can then be used as fixed supply for the finished good subnetwork.

Step 1: With **Compute Expected Supply for Production** set to **Compute Expected Supply**



Step 2: With the **DEPCOMPDEMNONDELIVCOSTRATE** key figure



DLD: Dep. Location Demand
TS: Transport Supply
D: Dependent Demand
I: Projected Inventory
N: Net Demand
R: Total Receipts:
S: Supply
PL: Plant
P: Production
S1/S2: Sources
OPD: Outbound Prod. Demand
CU: Component Usage
K: Component

OPD: Outbound Prod. Demand
CU: Component Usage
PL: Plant
K: Component
D: Dependent Demand
I: Projected Inventory
N: Net Demand
R: Total Receipts:
S: Supply
P: Production
S3/S4/S5: Sources


As an output, it fills the Inter-Subnetwork Production Component Supply (IPUPRODUCTIONCOMPONENTDS) key figure at PERPRODTolocPRODSRC level, that is, at PL1/P1/S1/K1 and at PL1/P2/S2/K1.

Prioritization of Inter-Subnetwork Dependent Production Demand

Example:

- In the last step, perform another optimizer run in **subnetwork A** with **Compute Expected Supply for Production** set to **Use Last Component Supply** in the optimizer profile.

Step 3:With **Compute Expected Supply for Production** set to **Compute Expected Supply**



The optimizer generates a production plan for P1 and P2 considering the inter-subnetwork dependent location demand from the previous step as another constraint besides possible resource constraints.

Other Enhancements: Runtime Limit for Finite Heuristic as Start Solution

- We have introduced a runtime limit for the time-series-based finite heuristic as start solution for the optimizer. This is to prevent too much of the overall runtime from being consumed by the search for a start solution.
- The runtime limit is, by default, 20 percent of the maximum solving runtime for the optimizer, as defined in the optimizer profile. This percentage comes on top of the optimizer runtime.
- If the limit is reached, the finite heuristic finishes with no solution, and the optimizer runs without a start solution. The log shows a corresponding warning.




Order-based Planning

Claus Bosch

Withdrawal From Alternative Plants

In order-based planning, components of production data structures (PDS) can now be withdrawn from different locations than the production location, which means that components in planned orders and integrated production orders can have locations differing from the location of the finished product. The new function provides an alternative to using stock transfer orders for components and is especially useful when plants are close together.

The function is enabled by the component location ID attribute of the PDS component. If it differs from the location ID attribute on the PDS header, planning will create component requirements with locations different from those of the finished product receipt.




Integration (RTI) - SAP ECC, S/4HANA


With real-time integration (RTI), you can integrate components with issuing plants other than the receiving plant of the output material. These components must be defined in SAP ERP Central Component (SAP ECC) or SAP S/4HANA with the special procurement key **Withdrawal from alternative plant**.

Production and planned orders using a different location on component level than on finished product level can be integrated into SAP IBP, and planned orders including components with alternative plants can be integrated to your SAP ECC or SAP S/4HANA system as well.

Note: To be able to integrate components withdrawn from alternative plants, you need to map the LOCNO_COMP field in the production source of supply BOM in the Real-Time Integration Profiles app.



The screenshot shows the 'Display View "Special Procurement": Details' in SAP. It includes fields for Plant (FA71 Glasgow), Sp.Pr.Type (71 Withdrawal from alternative plant FA72), and Procurement Type (E In-House Production). The 'Special Procurement' section shows 'Special Procurement' (E In-house production) and 'Plant' (empty). The 'As BOM Component' section has checkboxes for Phantom Item, Direct Production, Direct Procurement, Withdr.Altern.Plant (checked), and Multil. Subcontr. The 'Issuing Plant' field is highlighted with an orange box, showing FA72 FA72 Liverpool.



The screenshot shows the 'Change Material CB88_CASE_A (Semifinished Product)' in SAP. It includes fields for Material (CB88_CASE_A), Descr. (Case A), and Plant (FA71 Glasgow). The 'Procurement' section shows 'Procurement Type' (E) and 'Special Procurement' (71). The 'Batch Entry' field is empty, and the 'Production Storage Location' is 0001.

Configuration (in IBP)

To enable the withdrawal of components from alternative plants, your IBP model must comply with a series of requirements. If you build a planning area from scratch based on a copy of the SAP7F sample planning area in SAP IBP 2311 or later, your planning area is already configured to use the new function: Master data type, planning level + your component location ID is assigned to the new **PDS Component Location ID** attribute business meaning in the Business Meanings for Order-Based Planning app.

However, if you want to adapt an existing planning area to the use of alternative plants as component locations, we suggest you follow the relevant migration procedure described in:

[Setting Up Withdrawals from Alternative Plants](#)

Business Meaning Assignments				
Business Meanings	Key	Mandatory	Master Data Types and Attributes	Status
▼ Production Data Structure Component			Production Data Structure Component (AF7PDSCOMP)	Active
Location ID	✓	✓	Location ID (LOCID)	Active
Product ID	✓	✓	Product ID (PRDID)	Active
Production Version ID	✓	✓	Production Version ID (60) (PRODUCTIONVERSIONID)	Active
Activity ID		✓	Activity ID (ACTID)	Active
PDS Component ID	✓	✓	PDS Component ID (PDSCOMPID)	Active
☐ PDS Component Location ID		✓	Component Location ID (COMPLOC)	Active
PDS Component Product ID		✓	Component Product ID (PRDFR)	Active

Process (1)

In your planning model, component location IDs differ from location ID of finished product.

PDS Component (AF7PDSCOMP) (4)							
				Check Data Quality	Mass Edit	Create	Copy Edit Delete
	Location ID	Production Version ...	Product ID	Component Product ID	Component Location ID	Activity ID	Component Coefficient
1	PLFA71@QVL002	0001	CB88_BULKPHONE_A@...	CB88_CASE_A@Q...	PLFA72@QVL002	DEF	1.000000
2	PLFA72@QVL002	0001	CB88_BULKPHONE_A@...	CB88_CASE_A@Q...	PLFA72@QVL002	DEF	1.000000
3	PLFA72@QVL002	0002	CB88_BULKPHONE_A@...	CB88_CASE_A@Q...	PLFA72@QVL002	DEF	1.000000
4	PLFA72@QVL002	0001	CB88_BULKPHONE_B@...	CB88_CASE_B@Q...	PLFA72@QVL002	DEF	1.000000


The supply planning run creates planned orders for the (semi-)finished product using the location ID assigned to the PDS header. It creates dependent demand for components using component location IDs assigned to the PDS components.

Example:

Product: CB88_CASE_A@QVL002 (Case A), Location: PLFA72@QVL002 (FA72 Liverpool)						
Stock Projection		Information				
Items (2)		Element View	Daily View		Create	Change
	Requested or Planned Date	Goods Receipt Date	Receipt or Requirement ID	Type of Receipt or Requirement	Source or Destination Location	Receipt or Requirement Quantity
			Stock	Stock		0.000
	08/30/2023		53929 / 2	Planned Order Component	FA71 Glasgow	-10.000

Process (2)

The following graphic shows such a planned order with the component (COMP) input from another plant than the finished good (FG) output.



Start an outbound integration job. Planned orders including component location information are integrated to SAP ECC or SAP S/4HANA.

You can verify that dependent demands are assigned to alternative plants in transaction Stock/Requirements List (MD04) in SAP ECC or SAP S/4HANA.

Planned orders are turned into production orders in SAP ECC or SAP S/4HANA. Upon order execution, components are physically withdrawn from alternative locations.

Real-time forecast consumption

Using simplified key figure function IBP_CONSUMPTION

User is enabled to view Open Forecast that is calculated based on simplified key figure function “IBP_CONSUMPTION”. Forecasts are consumed/reduced by integrated sales order items to avoid duplicated planning on both forecast and sales order requirements.

Value Proposition

- ❑ Real-time forecast consumption execution
- ❑ Possibility to assign different forecast consumption modes to different planning objects (e.g. different location products use a different consumption mode)
- ❑ Possibility to define forecast consumption on flexible demand level

Capabilities

- ❑ Cross period bucket consumption based on defined number of days and boundaries
- ❑ New forecast consumption modes like: forward consumption, backward consumption, forward/backward consumption, backward/forward consumption; daily, weekly, monthly boundaries
- ❑ Display open forecast that is calculated real-time in MS Excel planning view/Planner Workspace workbook and in element view of “Projected Stock”
- ❑ Real-time forecast consumption function can be consumed in IBP time-series and order-based applications
- ❑ Real-time forecast consumption function can be executed as part of planning run

Example: Master Data type - Forecast Consumption Mode

Forecast Consumption Mode (F75FORECASTCONSUMPTIONMODE) (7)							Check Data Quality	Mass Edit	Create	Copy	Edit	Delete	...
	Forecast Consumption Mode	Boundary	Direction Description	Direction of the Forecast Consum	f Backward Consumption P	r of Forward Consumption Pe							
1	101	0	First forward then backward	0	3	3							
2	102	0	First backward then forward	1	3	2							
3	103	0	Forward only	2	0	2							
4	104	0	Backward only	3	6	0							
5	105	1	First forward then backward	0	4	3							
6	113	2	Forward from boundary start	0									
7	114	3	Backward from boundary e...	0									



Example: App Projected Stock

Product: CRT01_PHONE_C@QKV002, Location: DCL722@QKV002								
Stock Projection			Information					
Items (3)			Element View	Daily View				
			Create	Change	Convert to	Start Planning Run	Period Se	
Requested or Planned Date/Time	Requested or Planned Date	Receipt or Requirement ID	Type of Receipt or Requirement	Source or Destination Location	Receipt or Requirement Quantity	Unpegged Demand/Supply	Projected Stock	
		Stock	Stock		0,000	0,000	0,000	
05/29/2023, 00:00:00 GMTUK	05/29/2023	F234896783	Open Forecast (Real Time Fcst Consumption) (Forecast)		-50,000	0,000	-50,000	
06/02/2023, 08:00:00 GMTUK	06/02/2023	65367 / 10 / 1	Sales Order	Customer 4	-300,000	0,000	-350,000	

Example: Planner Workspaces Planning View/Excel Planning View

Local DC- ★										
Location ID	Product ID	Custom...	Key Figures	05/29/2023	05/30/2023	05/31/2023	06/01/2023	06/02/2023	06/03/2023	06/04/2023
1	L722 Durham	Phone C	(None)	Total Demand	50	0	0	0	300	0
2	L722 Durham	Phone C	Customer 4	Unconstrained Forecast Demand	50	50	50	50	50	50
3	L722 Durham	Phone C	Customer 4	Sales Order Requested				300		
4	L722 Durham	Phone C	Customer 4	Open Forecast (Real Time Fcst Consumption)	50	0	0	0	0	0

Deprecation of **Simulate Sales Order** App

The **Simulate Sales Order** app has been deprecated and will be removed in 2402.

If you want to simulate new sales orders, please start using the new **Simulate Sales Order** function in the **Projected Stock** or **View Confirmations** app

The screenshot displays the SAP 'View Confirmations' application interface. At the top, the title bar shows 'View Confirmations' with a search icon and user initials 'RH'. Below the title bar, a blue header bar contains 'Version: SAP7FAC / Base Version' and an 'Open In...' button. The main area features a search bar and a filter section with various input fields: 'Version/Scenario' (SAP7FAC / Base Version), 'Product ID' (DMO* X), 'Location ID', 'Customer Number', 'Gating Factor Type', 'Gating Factor For', 'Delivery Group', 'Delivery Priority', 'Document Type', 'Status' (All (Planning/Relevant)), and 'Date Horizon' (28 Days). A 'Go' button and 'Adapt Filters (3)' link are at the bottom of the filter section. Below the filter section, a table titled 'Items (5)' is visible, with columns for 'Requirement Type Description', 'Order / Item Number', 'Customer Number', 'Sold-to Customer', 'Product ID', and 'Location ID'. The table lists several 'Sales Order' entries. A 'Simulate Sales Order' dialog box is open in the foreground, containing the following fields: 'Location Product' (Product ID: DMO1_PHONE_A@QVL002, Product Description: Phone A, Location ID: DDC71@QVL002, Location Description: DC71 London), 'Ship-to Customer' (Ship-to Customer ID: CUCUST001@QVL002, Ship-to Customer Description: HappyStar Toy Company), 'Quantity / Date' (Requested Quantity: 150, Requested Date: 22.11.2023), and 'Additional Attributes' (Net Value and Currency: EUR, Document Type, Sales Organization, Sales District, Distribution Channel, Delivery Priority, Delivery Group, Company Code, Business Area, Sold-to Customer). 'Create' and 'Cancel' buttons are at the bottom right of the dialog.

Simulation of Sales Orders: App View Confirmations

- You can now **create** and **change** sales orders and **start a planning run**, in the main view of the app.
- You can delete a sales order that has been created in SAP IBP by choosing the **Delete** icon in the relevant row of the table.

The screenshot displays the SAP 'View Confirmations' app interface. At the top, there's a header bar with the SAP logo and 'View Confirmations' title. Below it, a search bar and a version selector (SAP7FAC / Base Version) are visible. The main area contains a grid of filters for searching confirmations, including fields for Version/Scenario, Product ID, Location ID, Customer Number, Gating Factor Type, Gating Factor For, Delivery Group, Delivery Priority, Document Type, Status, and Date Horizon. A 'Go' button and 'Adapt Filters (3)' link are at the bottom right of the filter section.

Below the filters, a table titled 'Items (5)' is shown. The table has columns: Requirement Type Description, Order / Item Number, Customer Number, Sold-to Customer, Product ID, and Location ID. The first row is highlighted, and a 'Simulate Sales Order' dialog box is open over it.

The 'Simulate Sales Order' dialog box contains the following fields:

- Location Product:**
 - Product ID: DMO1_PHONE_A@QVL002
 - Product Description: Phone A
 - Location ID: DCDC71@QVL002
 - Location Description: DC71 London
- Ship-to Customer:**
 - Ship-to Customer ID: CUCUST001@QVL002
 - Ship-to Customer Description: HappyStar Toy Company
- Quantity / Date:**
 - Requested Quantity: 150 EA
 - Requested Date: 22.11.2023
- Additional Attributes:**
 - Net Value and Currency: EUR
 - Document Type:
 - Sales Organization:
 - Sales District:
 - Distribution Channel:
 - Delivery Priority:
 - Delivery Group:
 - Company Code:
 - Business Area:
 - Sold-to Customer:

At the bottom right of the dialog box, there are 'Create' and 'Cancel' buttons.

Simulation of Sales Orders: App Projected Stock

- In the **Projected Stock** app, you can now simulate a new sales order directly in the app by choosing **Simulate Sales Order** in the **Element View** and entering the required information.
- You can also now use the **Change** button to change a sales order
- You can delete a sales order that has been created in SAP IBP by choosing the **Delete** icon in the relevant row of the table.

The screenshot displays the SAP Projected Stock application interface. At the top, there's a header bar with the SAP logo and 'Projected Stock' title. Below it, a search bar and filters are visible. The main area shows a table titled 'Location Products (5)' with columns: Product, Product Description, Location Number, Location Name, Date of First Deviation, Type of First Deviation, First Deviation, Unpegged Demand, Projected Stock, and Last Planning Run Type. The table contains five rows of data for 'Phone A' at different locations.

A 'Simulate Sales Order' dialog box is open in the foreground. It contains the following sections:

- Location Product:** Product ID: DMO1_PHONE_A@QVL002, Product Description: Phone A, Location ID: DCDC71@QVL002, Location Description: DC71 London.
- Ship-to Customer:** Ship-to Customer ID: (empty), Ship-to Customer Description: (empty).
- Quantity / Date:** Requested Quantity: (empty) EA, Requested Date: e.g. 31.12.2023.
- Additional Attributes:** Fields for Net Value and Currency, Document Type, Sales Organization, Sales District, Distribution Channel, Item Category, Delivery Priority, Delivery Group, Company Code, Business Area, and Sold-to Customer.
- Sales Order Custom Attributes:** Fields for Attribute 1 through Attribute 10.

At the bottom of the dialog box are 'Create' and 'Cancel' buttons.

Simulation of Sales Orders: Start Planning Run

Start Planning Run

- You can start a planning run to see the effects of your changes using the Start Planning Run button in app Projected Stock or app View Confirmations
- The planning run is now decoupled from the creation of a sales order

< **SAP** View Confirmations ▾

Simulation in version SAP7FAC / Base Version [Change Summary](#) [Save](#) [Save As](#) [Send To](#) [Discard](#) [Open In...](#)

Standard ▾

Search Product ID: Location ID: Customer Number: Gating Factor Type: Gating Factor For:

Delivery Group: Delivery Priority: Document Type: Status: Date Horizon: [Go](#) [Adapt Filters \(2\)](#)

Items (7) [Change](#) [Simulate Sales Order](#) [Start Planning Run](#) [Period Settings](#) [Settings](#) [Print](#) [Filter](#)

Requirement Type Description	Order / Item Number	Customer Number	Sold-to Customer	
Sales Order	T238978788 / 10	CUCUST001@QVL002		🗑️ ➤
Sales Order	T238978791 / 10	CUCUST0001@QVL002		🗑️ ➤
Sales Order	74091 / 10	CUCUST04@QVL002	CUCUST04@QVL002	➤
Sales Order	74031 / 10	CUCUST04@QVL002	CUCUST04@QVL002	➤
Outbound Delivery	80065365 / 10	CUPLNTC_DC72@QVL002		
Outbound Delivery	80065361 / 10	CUPLNTC_DC71@QVL002		
Sales Order	74084 / 10	CUCUST04@QVL002	CUCUST04@QVL002	➤

Schedule Lines (1) [Close](#)

Delivery Date	Requested Quantity	Confirmed Quantity
22.11.2023	150	EA
	0	EA


Miscellaneous

Support of extensible master data attributes in app View Confirmations

Enable external key figures (aka order key figures) for app "Manage Analytics Stories" -> Support analytics of SAP7F flexible planning area template

New key figures to display "Non Planning-Relevant Quantities" (e.g. non planning-relevant sales order item qty)

App View Confirmations: new 'Completed' confirmation status





Enhancements to TLB

Thomas Fiebig

Settings of Transportation Load Building Component

- The Transportation Load Building component of Planner Workspaces now provides settings for component filters and settings that are specific to TLB
- Component filters:
 - **Version / Scenario:** Select one version or scenario, multi-selection is not possible
 - **Time Periods:** Select one interval of time periods
 - **Filter Options:** Defines the source of the filters for versions / scenarios and time periods. The source can be the workbook or the component.
 - Outlook: Component specific attribute-based filters will be added in a future release
- Settings specific to TLB:
 - **Filter for Stock Transfer:** Defines whether the distribution order table shows at stock transfer lanes only deployment requisitions or all types of requisitions
 - **Unload Operation:** Defines the target order type and the fixing status of unloaded items
 - Outlook: Configuration of table views for load items and for distribution orders will be added in a future release
- The settings can be saved to a new content type „Transportation Load View“.

The screenshot shows the 'Settings' dialog with the 'General' tab selected. It contains the following settings:

- Transportation Load View:** Deployment Load Building
- Version / Scenario:** Base Version
- Time Periods:** 09/04/2023 - 09/09/2023
- Order Scope**
 - Filter for Stock Transfer:** Deployment Requisitions
- Unload Operation**
 - Target for Stock Transfer:** Deployment Requisitions
 - Fixing Status:** Unfixed

The screenshot shows the 'Settings' dialog with the 'Filter Options' tab selected. It contains the following settings:

- Filter Options:** Filter options applied only to the selected workbook "Deployment Loads".
- Define filters to apply to the component. You can apply the workbook and component filters separately, or merge them.**
- Filter Table:**

Filter	Workbook	Component
Versions / Scenarios	☒	☐
Time Periods	☒	☐

Transportation Load View

- A new TLB component that has been added to a workbook has initially a standard transportation load view assigned which provides predefined values for all settings. The TLB component can be used and saved with the standard view, it is not mandatory to assign a user-created view.
- Changes to settings can be applied at any time in design and plan mode, but they cannot be saved to the standard view. Create a transportation load view by using the Save As method in the Additional Options (three dots) menu to save custom-defined settings.
- Assign a transportation load view that has been created by you or shared with you by selecting the view in the drop-down list Transportation Load View at the tab General of the TLB component's settings. Select < Standard View > to return to the default values of all settings.
- Transportation load views can be renamed, shared with other users, and deleted in the Manage Workspace Content app and in the Content Administration app.
- If planner workspace content is transported in a system landscape then similar to other content types transportation load views must be manually added to the export software collection. TLB components which have the standard view assigned are included automatically into the export.

The top left screenshot shows the 'Settings' dialog for a Transportation Load View. The 'General' tab is active, and the 'Transportation Load View' dropdown is set to 'Deployment Load Building'. A menu is open showing options: 'Save As', 'Rename', and 'Manage Workspace Content'.

The top right screenshot shows the 'Settings' dialog for a Transportation Load View. The 'General' tab is active, and the 'Transportation Load View' dropdown is set to 'Deployment Load Building'. The 'Version / Scenario' is 'Base Version', and the 'Time Periods' are '09/04/2023 - 09/09/2023'. The 'Order Scope' is 'Filter for Stock Transfer: Deployment Requisitions'.

The bottom screenshot shows the 'Manage Workspace Content' app. The 'Standard' filter is active, and the 'Workspace Content (18)' table is displayed. The table has columns: Type, Name, Description, Planning Area, Write Access, Shared, and User Sharing.

Type	Name	Description	Planning Area	Write Access	Shared	User Sharing
Transportation Load View	Procurement Load Building	Settings used for inbound lanes from suppliers.	SAP7FAC	No	↶	Users (1)
Transportation Load View	Deployment Load Building	Only shows deployment requisitions and loads	SAP7FAC	Yes	↷	Users (1), User Groups (1)
Planning View (Web-Based)	Forecast	Forecast	SAP7FAC	Yes	↷	Users (1)

Filter for Stock Transfer

- The setting „Filter for Stock Transfer“ affects planned distribution orders at stock transfer transportation lanes that match the applied filters. It can be set to:
 - All Requisitions (default value)**
The planned distribution order table displays all matching requisitions.
Use this value if no deployment planning is performed or if stock transfer requisitions shall also be displayed.
 - Deployment Requisitions**
The planned distribution order table displays only deployment requisitions.
Use this value if transportation loads shall only be build for deployment quantities.
- (Subcontracting) purchase requisitions at procurement transportation lanes that match the applied filters are not affected by this setting and are always displayed

The screenshot shows the SAP Deployment Load Building interface. The left pane displays 'Loads (5)' with details for L238325203 (FI2_TRUCK_MEDIUM) and 10019183 (FI2_TRUCK_SMALL). The main pane shows 'Items (3)' for FI2_PHONE_C, D, and A. The 'Planned Distribution Orders (13)' table is visible, showing various requisitions. The right pane shows the 'Settings' for 'Filter for Stock Transfer' set to 'All Requisitions'.

Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Transport ID	Fixed in Release Process	Order Type	PU	
1	2023	13.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition	Ye
2	2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition	Ye
3	2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	Ye
4	2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	Ye
5	2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition	Ye
6	2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	Ye

The screenshot shows the SAP Deployment Load Building interface with the 'Filter for Stock Transfer' setting changed to 'Deployment Requisitions'. The 'Planned Distribution Orders (4)' table now only displays deployment requisitions.

Receipt Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Transport ID	Fixed in Release Process	Order Type	P	
1	14.09.2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	
2	14.09.2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	
3	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	
4	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	

Unload Items From a Transportation Load

- The unload action removes the item(s) from the transportation load and recreates them as new requisitions which will then appear in the planned distribution order table. If the last item is unloaded then the load is deleted.
- In contrast to the delete action, the unload action keeps the planned distribution quantities. Use the unload action if you want to change the quantity or scheduled dates of the items or if you want to add the items to a new load.
- The new requisitions are created according to the settings of the unload operation (tab General of the component's settings)
- „Target for Stock Transfer“ can be set to:
 - **Deployment Requisitions (default value)**
Load stock transfer requisitions are recreated as deployment requisitions. Use this value if loads are only build for deployment quantities and the deployment status should be kept after unload.
 - **Stock Transfer Requisitions**
Load stock transfer requisitions are recreated as stock transfer requisitions. Use this value if a subsequent supply planning run shall be able to replan the unloaded items (deployment requisitions are fixed in supply planning).
Note: If you set „Filter for Stock Transfer“ to Deployment Requisitions and „Target for Stock Transfer“ to Stock Transfer Requisitions then the unloaded items will not appear in the distribution order table, but the stock transfer requisitions will be created and a data simulate or data save will simulate or save them.
- „Fixing Status“ can be set to:
 - **Unfixed (default value)**
The created requisitions are unfixed for planning. Use this value if a next supply or deployment planning run shall be able to replan the unloaded items.
 - **Fixed**
The created requisitions are fixed for planning. Use this value if a next supply or deployment planning run shall not be able to replan the unloaded items.

Deployment Load Building

Loads (6) Search

L238325230 Fully loaded
Goods Receipt Date: 14.09.2023

FI2_TRUCK_SMALL
PALLET 10 PAL
VOLUME 10 M3
WEIGHT 2.500 KG

L238334126 Fully loaded
Goods Receipt Date: 14.09.2023

FI2_TRUCK_MEDIUM
PALLET 30 PAL
VOLUME 30 M3
WEIGHT 7.500 KG

Planned Distribution Orders (0) Loadable All Load Create Load Create Delete

Order / Item Product ID Quantity Planned Start Date Goods Receipt Date Planned Date Fix Transportation Group

There are no planned distribution orders that can be added to the selected load.

Settings

General Filter Options Administration

Transportation Load View:
Deployment Load Building

Version / Scenario:
Base Version

Time Periods:
09/07/2023 - 09/12/2023

Order Scope

Filter for Stock Transfer:
Deployment Requisitions

Unload Operation

Target for Stock Transfer:
Deployment Requisitions

Fixing Status:
Unfixed

Deployment Load Building

Loads (6) Search

L238325230 Fully loaded
Goods Receipt Date: 14.09.2023

FI2_TRUCK_SMALL
PALLET 10 PAL
VOLUME 10 M3
WEIGHT 2.500 KG

L238334126 Partially loaded
Goods Receipt Date: 14.09.2023

FI2_TRUCK_MEDIUM
PALLET 20 PAL
VOLUME 20 M3
WEIGHT 5.000 KG

Planned Distribution Orders (2) Loadable All Load Create Load Create Delete

Order / Item Product ID Quantity Planned Start Date Goods Receipt Date Planned Date Fix Transportation Group ID Source Location ID Target Location ID Mode of Transport ID Fixed in Release Process Order Type

1 T238334148 / 10 FI2_PHONE_A@QVL002 5.000 EA 12.09.2023 14.09.2023 14.09.2023 FI2_FA71_DC72_ROAD FA71 Glasgow DC72 Newcastle ROAD No Deployment Requisition

2 T238334149 / 10 FI2_PHONE_D@QVL002 5.000 EA 12.09.2023 14.09.2023 14.09.2023 FI2_FA71_DC72_ROAD FA71 Glasgow DC72 Newcastle ROAD No Deployment Requisition

Change the Schedule of a Planned Distribution Order

- The planned date of a requisition can be changed by double-clicking into the cell of the column Planned Date in the distribution order table. Type in a new date or use the date picker.
- The requisition is scheduled backwards from the chosen planned date with respect to planning calendars and durations of the transportation lane
- The planned start date of a stock transfer requisition or of a deployment requisition can be changed in the same way, in this case the order is scheduled forwards from the chosen planned start date
- If the new goods receipt date does not match to the applied time periods filter then the requisition will not be visible anymore in the distribution order table, but a data simulate or data save will simulate or save the rescheduled requisition
- Due to a technical limitation of the order scheduling method, the goods receipt date cannot be changed directly. If a certain goods receipt date is required, e.g. to load the requisition into a selected transportation load, then a suitable planned date or planned start date must be chosen by considering the planning calendars and durations of the transportation lane.

Planned Distribution Orders (15)													Loadable	All	Load		Create Load	Create	Delete
Order / Item	Product ID	Quantity	Planned Start Date	Goods Receipt Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Transport ID	Fixed in Release Process	Order Type	Pla						
1	10019175 / 10	FI2_PHONE_A@QVL002	10.000 EA	11.09.2023	13.09.2023	13.09.2023	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition	Ye						
2	10019171 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition	Ye						
3	10019081 / 10	FI2_PHONE_C@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	FI2_SUPPLIER71_FA71_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition	Ye						
4	10019088 / 10	FI2_PHONE_D@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	FI2_SUPPLIER71_FA71_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition	Ye						
5	10019169 / 10	FI2_PHONE_A@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition	Ye						
6	10019192 / 10	FI2_PHONE_C@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition	Ye						
7	10019193 / 10	FI2_PHONE_D@QVL002	10.000 EA	13.09.2023	15.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Deployment Requisition	Ye						
8	10019068 / 10	FI2_PHONE_C@QVL002	10.000 EA	13.09.2023	15.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition	Ye						
9	10019075 / 10	FI2_PHONE_D@QVL002	10.000 EA	13.09.2023	15.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition	Ye						
10	10019164 / 10	FI2_PHONE_A@QVL002	10.000 EA	14.09.2023	16.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Stock Transfer Requisition	Ye						
11	10019162 / 10	FI2_PHONE_C@QVL002	10.000 EA	14.09.2023	16.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Stock Transfer Requisition	Ye						
12	10019165 / 10	FI2_PHONE_D@QVL002	10.000 EA	14.09.2023	16.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Stock Transfer Requisition	Ye						
13	10019148 / 10	FI2_PHONE_A@QVL002	10.000 EA	15.09.2023	17.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Stock Transfer Requisition	Ye						
14	10019146 / 10	FI2_PHONE_C@QVL002	10.000 EA	15.09.2023	17.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Stock Transfer Requisition	Ye						
15	10019149 / 10	FI2_PHONE_D@QVL002	10.000 EA	15.09.2023	17.09.2023		FI2_DEF	Supplier 71	FA71 Glasgow	DEF	No	Stock Transfer Requisition	Ye						

Planned Distribution Orders (15)															Loadable	All	Load Create Load				Create	Delete
Order / Item	Product ID	Quantity	Planned Start Date	Goods Receipt Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Transport ID	Fixed in Release Process	Order Type		Pla								
1	10019175 / 10	FI2_PHONE_A@QVL002	10.000 EA	11.09.2023	13.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
2	10019171 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
3	10019081 / 10	FI2_PHONE_C@QVL002	10.000 EA	12.09.2023	14.09.2023	☐	FI2_SUPPLIER71_FA71_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition		Ye								
4	10019088 / 10	FI2_PHONE_D@QVL002	10.000 EA	12.09.2023	14.09.2023	☐	FI2_SUPPLIER71_FA71_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition		Ye								
5	10019169 / 10	FI2_PHONE_A@QVL002	10.000 EA	13.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
6	10019193 / 10	FI2_PHONE_D@QVL002	10.000 EA	13.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition		Ye								
7	10019068 / 10	FI2_PHONE_C@QVL002	10.000 EA	13.09.2023	15.09.2023	☐	FI2_SUPPLIER71_FA71_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition		Ye								
8	10019075 / 10	FI2_PHONE_D@QVL002	10.000 EA	13.09.2023	15.09.2023	☐	FI2_SUPPLIER71_FA71_DEF	Supplier 71	FA71 Glasgow	DEF	No	Purchase Requisition		Ye								
9	10019164 / 10	FI2_PHONE_A@QVL002	10.000 EA	14.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
10	10019162 / 10	FI2_PHONE_C@QVL002	10.000 EA	14.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
11	10019165 / 10	FI2_PHONE_D@QVL002	10.000 EA	14.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
12	10019148 / 10	FI2_PHONE_A@QVL002	10.000 EA	15.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
13	10019146 / 10	FI2_PHONE_C@QVL002	10.000 EA	15.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
14	10019149 / 10	FI2_PHONE_D@QVL002	10.000 EA	15.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Stock Transfer Requisition		Ye								
15	10019192 / 10	FI2_PHONE_C@QVL002	10.000 EA	16.09.2023	18.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD	No	Deployment Requisition		Ye								

Fix/Unfix and Delete a Planned Distribution Order

- The fixing status of a requisition can be changed by clicking into the cell of the column Fix in the distribution order table
- A fixed requisition cannot be overwritten by a next planning run. All interactive planning actions set automatically the status to fixed, except for the unload action which applies the setting of the unload operation.
- Requisitions can be deleted by selecting them and choosing Delete
- Like any other interactive change, fixing and deletion of requisitions are simulated or saved by choosing data simulate or data save

Planned Distribution Orders (11)											Load Create Load Create Delete			
Order / Item		Product ID	Quantity	Planned Start Date	Goods Receipt Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Trans			
1	10019175 / 10	FI2_PHONE_A@QVL002	10.000 EA	11.09.2023	13.09.2023	13.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
2	10019171 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
3	10019169 / 10	FI2_PHONE_A@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
4	10019192 / 10	FI2_PHONE_C@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
5	10019193 / 10	FI2_PHONE_D@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
6	10019164 / 10	FI2_PHONE_A@QVL002	10.000 EA	14.09.2023	16.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
7	10019162 / 10	FI2_PHONE_C@QVL002	10.000 EA	14.09.2023	16.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
8	10019165 / 10	FI2_PHONE_D@QVL002	10.000 EA	14.09.2023	16.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
9	10019148 / 10	FI2_PHONE_A@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
10	10019146 / 10	FI2_PHONE_C@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			
11	10019149 / 10	FI2_PHONE_D@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD			

Change Quantity, Schedule, or Fixing Status of Several Planned Distribution Orders at once

- The planned distribution order table allows to copy a value to several cells in the same column and by that change multiple requisitions at once
- Copy a value from one cell to multiple neighboring cells in the column Quantity, Planned Start Date, Planned Date, or Fix by selecting a cell and dragging the small square in the lower right-hand corner up or down to the cells that you want to contain that value
- Copy a value from one cell by pressing the control button and C on your keyboard and paste it to multiple cells in the same column by pressing the control button and V. This method is only available for the columns Quantity and Fix.

Planned Distribution Orders (10)										Loadable	All	Load	Create Load	Create	Delete
	Order / Item	Product ID	Quantity	Planned Start Date	Goods Receipt Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Tran				
1	10019175 / 10	FI2_PHONE_A@QVL002	10.000 EA	11.09.2023	13.09.2023	13.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
2	10019171 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
3	10019169 / 10	FI2_PHONE_A@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
4	10019192 / 10	FI2_PHONE_C@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
5	10019193 / 10	FI2_PHONE_D@QVL002	10.000 EA	13.09.2023	15.09.2023	15.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
6	10019164 / 10	FI2_PHONE_A@QVL002	10.000 EA	14.09.2023	16.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
7	10019162 / 10	FI2_PHONE_C@QVL002	10.000 EA	14.09.2023	16.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
8	10019165 / 10	FI2_PHONE_D@QVL002	10.000 EA	14.09.2023	16.09.2023	16.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
9	10019148 / 10	FI2_PHONE_A@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				
10	10019146 / 10	FI2_PHONE_C@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD				

Planned Distribution Orders (10)										Loadable	All	Load				Create Load	Create	Delete
	Order / Item	Product ID	Quantity	Planned Start Date	Goods Receipt Date	Planned Date	Fix	Transportation Group ID	Source Location ID	Target Location ID	Mode of Tran							
1	10019175 / 10	FI2_PHONE_A@QVL002	10.000 EA	11.09.2023	13.09.2023	13.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
2	10019164 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
3	10019169 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
4	10019171 / 10	FI2_PHONE_A@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
5	10019162 / 10	FI2_PHONE_C@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
6	10019192 / 10	FI2_PHONE_C@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
7	10019165 / 10	FI2_PHONE_D@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
8	10019193 / 10	FI2_PHONE_D@QVL002	10.000 EA	12.09.2023	14.09.2023	14.09.2023	☒	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
9	10019148 / 10	FI2_PHONE_A@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							
10	10019146 / 10	FI2_PHONE_C@QVL002	10.000 EA	15.09.2023	17.09.2023	17.09.2023	☐	FI2_FA71_DC72_ROAD	FA71 Glasgow	DC72 Newcastle	ROAD							

Demo



Thank you.

Contact information:

Analytic Stories: jean.sebastien.boileau@sap.com

Best Practices: ina.glaes@sap.com

Configuration: zoltan.miklos.biro@sap.com

Configuration: balazs.buday@sap.com

Configuration: gabor.mittweg@sap.com

Configuration: mohannad.el-jayousi@sap.com

Configuration: zoltan.palfi@sap.com

Demand: laura.tozzo@sap.com

Integration: michael.mack@sap.com

Integration: karoly.daxkobler@sap.com

Integration: parveen.kumar01@sap.com

Integration: spyridon.negas@sap.com

Integration: istvan.marton@sap.com

Time-Series-Based Supply Planning: pramod.mane@sap.com

Order-Based Planning: thomas.fiebig@sap.com

Order-Based Planning: claus.bosch@sap.com

Order-Based Planning: claus.bosch@sap.com

Network Aggregation: goutam.chatterjee@sap.com

Planning UIs: patrick.weber01@sap.com

Inventory: atul.bhandari01@sap.com

MRO: vedran.prorok@sap.com

MRO: regina.kafizova@sap.com

Synchronized Planning for Production: berthold.von.haaren@sap.com

Synchronized Planning for Production: b.akin@sap.com

SAP IBP Customer Office: john.lopus@sap.com

