Project Name: junc.exons_protein_groups

Normalyzer (ver 1.4.0)

Report created on: 2020−05−08

Citation: NormalyzerDE: Online Tool for Improved Normalization of Omics Expression Data and High−Sensitivity Differential Expression Analysis
Journal of Proteome Research (2018), 10.1021/acs.jproteome.8b00523

Documentation for analyzing this report can be found at http://quantitativeproteomics.org/normalyzer/help.php


Total intensity
1e+11
8e+10
6e+10
4e+10
2e+10
0e+00
intensity_
intensity_
intensity_
intensity_
intensity_
intensity_


Total missing
400
300
200
100
0
intensity_
intensity_
intensity_
intensity_
intensity_
intensity_


Log2−MDS plot
10
5
0
−5
2
1
2
2
1
1
−10
−5
0
5
10


PCV − Intragroup
9.5
9.0
8.5
8.0
7.5
7.0
6.5
log2
VSN
GI
median
mean
Quantile
CycLoess
RLR


PMAD − Intragroup
1.2
1.1
1.0
0.9
0.8
0.7
log2
VSN
GI
median
mean
Quantile
CycLoess
RLR


PEV − Intragroup
6.5
6.0
5.5
5.0
4.5
4.0
log2
VSN
GI
median
mean
Quantile
CycLoess
RLR

PCV compared to log2



PMAD compared to log2



%PEV − compared to log2



Stable variables plot



CV vs Raw Intensity plots




log2
VSN
GI
median
mean
Quantile
CycLoess
RLR
Replicate−1 Fold Change
Replicate group mean


log2
VSN
GI
median
mean
Quantile
CycLoess
RLR
R2 0.38

log2



VSN



GI



median



mean



Quantile



CycLoess



RLR




log2
VSN
GI
median
mean
Quantile
CycLoess
RLR
35
30
25
20
15
10
intensity_


log2
VSN
GI
median
mean
Quantile
CycLoess
RLR
intens

Density plots




log2
VSN
GI
median
mean
Quantile
CycLoess
RLR

log2



VSN



GI



median



mean



Quantile



CycLoess



RLR




Pearson correlation − Intragroup
0.70
0.65
0.60
0.55
0.50
0.45
log2
VSN
GI
median
mean
Quantile
CycLoess
RLR


Spearman correlation − Intragroup
0.70
0.65
0.60
0.55
0.50
0.45
log2
VSN
GI
median
mean
Quantile
CycLoess
RLR


log2
VSN
GI
median
mean
Quantile
CycLoess
RLR
12 10 8 6 4 2 0
2
1


log2
VSN
GI
median
mean
Quantile
CycLoess
RLR
count
anovaPVals