# Mainstream: Adaptive compute sharing for video analysis

Angela Jiang, Daniel Wong, Christopher Canel, Ishan Misra, Michael Kaminsky, Michael Kozuch, Padmanabhan Pillai, David Andersen, Greg Ganger

### Overview

#### Goal:

• Efficiently run concurrent streaming video analysis apps

#### **Problem:**

- Most video analysis apps perform DNN inference
  - Running several full DNNs becomes very slow


#### **Mainstream:**

- Identifies and shares redundant DNN computation
  - By exploiting nature of fine-tuned DNNs
- Decides at runtime how much to share
  - Balances specialization vs. sharing trade-off
  - Optimizes when hardware and set of apps is known

# Transfer Learning


• When training task B, start with DNN pre-trained for task A

Common practice for training networks




- 1. Network is trained from scratch for task A (e.g., ImageNet)
- 2. Replace A-specific final layer with B-specific final layer
- 3. Fine-tune part of network for task B, other layers held frozen

### **Sharing Computation**




### Mainstream Architecture




- 1. M-trainer trains DNNs with varying % of network held frozen
- 2. M-Scheduler determines amount of DNN to share for each app
- 3. M-Runner processes video stream using deployed DNNs

# Specialization vs. Sharing Trade-off


Experimental Setup: Train image classifiers using MobileNets-224. Run simultaneous classification pipelines on an Intel NUC.



Less specialization → Lower per-frame acc.



Less specialization → Higher throughput




Use analytical model to find navigate trade-offs


# **Application Performance**

**Recall:** % of events detected; **Precision:** % of detected events that are correct;

F1 score: Harmonic mean of precision and recall



- "No Sharing" deploys full DNN for each app
- "Max Sharing" shares all but final layer
- Mainstream achieves up to 28X higher F1
- "No Sharing" (NS) has low FPS, high acc
- NS misses events, incurring low recall
- Mainstream balances FPS and acc



- "Max Sharing" (Max) has high FPS, low acc
- Max's false positives cause low precision
- Mainstream balances precision and recall