1. Felton, J. W., Banducci, A. N., Shadur, J. M., Stadnik, R., MacPherson, L., & Lejuez, C. W. (2017). The developmental trajectory of perceived stress mediates the relations between distress tolerance and internalizing symptoms among youth. *Development and psychopathology*, *29*(4), 1391–1401. https://doi.org/10.1017/S0954579417000335

2. Hunt, J. F. V., Buckingham, W., Kim, A. J., Oh, J., Vogt, N. M., Jonaitis, E. M., Hunt, T. K., Zuelsdorff, M., Powell, R., Norton, D., Rissman, R. A., Asthana, S., Okonkwo, O. C., Johnson, S. C., Kind, A. J. H., & Bendlin, B. B. (2020). Association of Neighborhood-Level Disadvantage With Cerebral and Hippocampal Volume. *JAMA neurology*, *77*(4), 451–460. https://doi.org/10.1001/jamaneurol.2019.4501

3. Simons, J. S., & Gaher, R. M. (2005). The Distress Tolerance Scale: Development and validation of a self-report measure. Motivation and Emotion, 29(2), 83–102. https://doi.org/10.1007/s11031-005-7955-3

4. Tooley, U.A., Bassett, D.S. & Mackey, A.P. Environmental influences on the pace of brain development. Nat Rev Neurosci 22, 372–384 (2021). https://doi.org/10.1038/s41583-021-00457-5

5. Ziegler, G., Moutoussis, M., Hauser, T. U., Fearon, P., Bullmore, E. T., Goodyer, I. M., ... & Dolan, R. J. (2020). Childhood socio‐economic disadvantage predicts reduced myelin growth across adolescence and young adulthood. Human Brain Mapping, 41(12), 3392-3402. https://doi.org/10.1002/hbm.25024