Team 6: Zahra Jafari and Angela Popa

Hotel Booking API

Version 2.0

Requirements

Design and implement a Hotel Booking RESTful API.

The API should contain minimum 10 different resources and at least one supported operation per resource.

Try serving real data from your API as much as possible.

Take into considerations the HATEOAS guidelines.

Resources and Endpoints

Resource	Endpoint	supported HTTP Request type	Remarks
hotels	/api/hotels	GET, POST	
	/api/hotels/ <hotelld></hotelld>	GET, PUT, DELETE	
contacts	/api/hotels/ <hotelld>/contacts</hotelld>	GET	
	/api/hotels/ <hotelld>/contacts</hotelld>	POST	fields: email, telephone, faxNumber
rooms	/api/hotels/ <hotelld>/rooms</hotelld>	GET	
	/api/hotels/ <hotelld>/rooms/<room_name>/prices</room_name></hotelld>	GET	
images	/api/hotels/ <hotelld>/images</hotelld>	GET	
location	/api/hotels/ <hotelid>/location</hotelid>	GET	
payments	/api/hotels/ <hotelld>/payments</hotelld>	GET	
facilities	/api/hotel/ <hotelld>/facilities</hotelld>	GET	
	/api/hotel/ <hotelld>/facilities</hotelld>	POST	fields: name
bookings	/api/hotels/ <hotelld>/rooms/<room_name>/bookings</room_name></hotelld>	GET	
	/api/hotels/ <hotelld>/rooms/<room_name>/bookings</room_name></hotelld>	POST	fields: from , to , firstname , lastname , numberOfRooms
hotels at location	/api/locations/ <location>/hotels</location>	GET	all hotels at the named location
users	/api/users	GET	
	/api/users	POST	fields: "first_name, last_name, email, created_date
	/api/users/ <userld></userld>	GET	

Project setup:

- installation of the required tools (MongoDB, node.js, Postman). Installation details can be found under https://github.com/angelapopa/sws/tree/master/notes/environment_setup.md.
- $\bullet \quad \text{import of the dataset (https://github.com/angelapopa/sws/tree/master/dataset/hotels_enriched.json)}$
- source code checkout: git clone https://github.com/angelapopa/sws.git
- installation of all needed node.js packages: npm install in a terminal window at /sws/node-hotel-booking/
- npm start to start the node server
- for POST requests in Postman, don't forget to select x-www-form-urlencoded in the Body tab.

Used Dataset

We decided to use the dataset of the Mayrhofen and Seefeld schema.org annotated data. This dataset was provided to us in WS 2017.

From this dataset we filtered out only those entiries that are hotels. For each entity we removed the annotated information (@type). We kept all field names as they were, namely schema.org properties.

This dataset was providing information like hotel url, hotel name, hotel description, hotel location (geo and postal address), images, price range, rooms.

This dataset was not providing information like contact, bookings, facilities, users, navigation links. The fields of this entities do not conform to the schema.org specification. This entities can be added via the API build during this project.

The navigation urls were generated and imported separately. Additionally, for every newly added hotel through the API, new navigation links are added automatically for the new hotel.

The resource identification is done by the resource id. Exception is the room endpoint, where the identification is by room name. The reason is that our current db has no ids for rooms (rooms are preexisting data). The second exception is the location resource (/api/locations/<location>/hotels) where the location represents the name of a location (e.g. Hippach), it has no id, since it is not a standalone resource. Rooms and location names are assumed to be unique.

Restful API Pagination, Sorting, Filtering

This requirements were implemented inside the API logic and in this current version of the project they are not configurable outside the API.

Pagination: defaults to 10 enteties per page

Sorting: by hotel name, ascending

Filtering: case dependent

Examples

Hotel Details

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb

```
"links": [
                   "_id": "5afcbcb1182d6018a87bf991",

"href": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb",

"rel": "self",

"type": "GET"
                     "_id": "5afcbcb1182d6018a87bf993",
"href": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb/images",
"rel": "images",
                     "type": "GET"
                     "_1d": "Safcbcb1182d6018a87bf995",
"href": "http://localhost:3000/api/hotels/Saeb56f1eb089a6227c8fcdb/payments",
"rel": "payments",
"type": "GET"
                      " id": "5afcbcb1182d6018a87bf997".
                      "href": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb/location", "rel": "location",
                     "type": "GET"
                      " id": "5afcbcb1182d6018a87bf999".
                     "Intef": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb/rooms",
"rel": "rooms",
"type": "GET"
                      " id": "5afcbcb1182d6018a87bf99b".
                     __Tu . 3atcuciazuoziaaa/u1990 ,
"hneft": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb/contacts",
"rel": "contacts",
"type": "GET"
                     "_id": "5afcbcb1182d6018a87bf99d",
                     "href": "facilities",
"rel": "facilities",
"type": "GET"
         ],
"_id": "5aeb56f1eb089a6227c8fcdb",
         __lo : -SaebSetleb089a6227c8fcdb",

"url": "http://www.rauchenwalderhof.at,http://maps.mayrhofen.at/?foreignResource=71BBA2D7-2023-4353-9A23-C1B69BADEC06",

"name": "Rauchenwalderhof",

"description": "Das 2012 umgebaute und modern renovierte Landhotel Rauchenwalderhof liegt in sonniger, ruhiger TOP-Lage von Mayrhofen, nur wenige Meter von der Penkenbahn und Ahornba

"priceRange": "EUR 20.0 - 9999.0"
<
```

Hotel Images

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb/images

```
{
    "url": "http://resc.deskline.net/images/ZIL/1/0f2c4d9a-1bac-4828-88e5-bb717f09503b/99/image.jpg",
    "caption": "Aussenansicht Sommer"
},
{
    "url": "http://resc.deskline.net/images/ZIL/1/a4ea4d5c-360e-4718-af1e-2dc57bbfaa33/99/image.jpg",
    "caption": "Aussenansicht Winter"
},
{
    "url": "http://resc.deskline.net/images/ZIL/1/423d8bf3-3514-4412-b9a0-bcbeblaecdde/99/image.jpg",
    "caption": "Rauchenwalderhof - Sommer"
},
{
    "url": "http://resc.deskline.net/images/ZIL/1/8674ce49-eddb-47ae-8df4-e733ee65039b/99/image.jpg",
    "caption": "Ausdenwalderhof Mayrhofen"
},
{
    "url": "http://resc.deskline.net/images/ZIL/1/c76b1212-44cb-4eba-8228-4e1f20327c1b/99/image.png",
    "caption": "Rauchenwalderhof Logo"
},
{
    "url": "http://resc.deskline.net/images/ZIL/1/58efb8e9-48ff-49d3-abe6-c6dbbbe82449/99/image.jpg",
    "caption": "Rauchenwalderhof Terrasse"
},
[...]
```

Hotel Location

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcdb/location

```
{
    "address": {
        "name": "Rauchenwalderhof",
        "streetAddress": "Rauchenwald 658",
        "addressLocality": "Mayrhofen",
        "postalCode": "6290",
        "addressCountry": "AT"
    },
    "geo": {
        "latitude": "47.1627288061039",
        "longitude": "11.8571770191193"
    }
}
```

Hotel Payment Methods

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fd0d/payments

```
{
    "paymentAccepted": [
        "MasterCard",
        "VISA"
],
    "currenciesAccepted": "EUR"
}
```

Hotel Facilities

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcec/facilities

Hotel Rooms

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fd9c/rooms

Hotel Room Prices

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fd9c/rooms/Appartement%2FFewo/prices

All Hotels at Location Hippach, page 9

GET http://localhost:3000/api/locations/Hippach/hotels/9

```
"links": [
                 INKS: :
{
    "_id": "5afcbcb1182d6018a87bfa0f",
    "href": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcf0,
    "rel": "self",
    "type": "GET"
}
                          " id": "5afcbcb1182d6018a87bfa11".
                         __lo: 'Sarcocniskdevisab/orall',
"href": "http://localhost:3000/api/hotels/5aeb56fleb089a6227c8fcf0/images",
"rel": "images",
"type": "GET"
                         "_id": "5afcbcb1182d6018a87bfa13",
"href": "http://localhost:3000/api/hotels/Saeb56f1eb089a6227c8fcf0/payments",
"rel": "payments",
"type": "GET"
                          " id": "5afcbcb1182d6018a87bfa15",
                          _Tu . 3artocollacuosidas/blai3 ,
"hneft": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcf0/location",
"rel": "location",
"type": "GET"
                          "_id": "5afcbcb1182d6018a87bfa17",
                          __iu - Jailuulladuudisaa/bial/ ,
"hneft": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcf0/rooms",
"rel": "rooms",
"type": "GET"
                          "_id": "5afcbcb1182d6018a87bfa19",
                          "heft": "http://localhost:3000/api/hotels/Saeb56f1eb089a6227c8fcf0/contacts",
"rel": "contacts",
"type": "GET"
                        "_id": "5afcbcb1182d6018a87bfa1b",
    "href": "http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fcf0/facilities",
    "rel": "facilities",
    "type": "GET"
                  }
             ],
"_id": "5aeb56f1eb089a6227c8fcf0",
"url": "http://",
              "address": {
    "streetAddress": "Schwendberg 365",
    "addressLocality": "Hippach",
                   "postalCode": "6283",
"addressCountry": "AT",
"telephone": "(0043) 664 1616583",
                   "email": "patriciakirchler93@gmx.at"
             },
"name": "Haus Kirchler",
              "description": "1 Schlafzimmer (1 Doppelbett und einem Einzelbett) 1 Bad mit Dusche, Inklusive: Heizung, 1 Stellplatz für PKW, TV-Sat, Wlan, Handtücher, Klopapier, Geschirrtücher, "priceRange": "EUR 27.0 - 27.0"
 },
[...]
<
```

Hotel Bookings

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c8fd9c/rooms/Appartement%2FFewo/bookings

```
{
    "from": "2018.12.29",
    "to": "2018.12.31",
    "firstname": "Mathias",
    "lastname": "Mustermann"
},
{
    "from": "2018.12.24",
    "to": "2018.12.25",
    "firstname": "Martha",
    "lastname": "Mustermann"
},
{
    "from": "2018.12.24",
    "to": "2018.12.24",
    "to": "2018.12.25",
    "firstname": "Martha",
    "lastname": "Mustermann",
    "numberOfRooms": 2
},
[...]
```

Hotel Contact Data

GET http://localhost:3000/api/hotels/5aeb56f1eb089a6227c90117/contacts

```
[
{
    "telephone": "555-888-222",
    "faxNumber": "55-12121-9977",
    "email": "knechtelhof@test.com"
}
]
```

Hotel API Users

GET http://localhost:3000/users/

Hotel API Users

GET http://localhost:3000/api/users/5afc888bed29471e54bce756

Results in

```
{
    "created_date": "2018-05-16T19:37:47.516Z",
    "first_name": "User12",
    "last_name": "Lastname2",
    "email": "test2@test.com"
}
```

Current work

hydra annotations

Future work

- the dataset contains contact data inside the postal address element. Merge this into the current <code>/contact</code> endpoint data.
- implement the remaining operations for the endpoints
- make pagination and sorting configurable from outside