

Case Studies

Name: Angela Jose

Roll No: 2520030365

[Practical]

Task 1: Create and Manage Files

Objective: Practice creating, listing, viewing, and deleting files

```
angela_jose@LAPTOP-B3CJ092Q:~$ mkdir linux_task1
angela_jose@LAPTOP-B3CJ092Q:~$ cd linux_task1
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ touch file1.txt file2.txt file3.txt file4.txt file5.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ ls -l
total 0
-rw-r--r-- 1 angela_jose angela_jose 0 Aug  7 03:58 file1.txt
-rw-r--r-- 1 angela_jose angela_jose 0 Aug  7 03:58 file2.txt
-rw-r--r-- 1 angela_jose angela_jose 0 Aug  7 03:58 file3.txt
-rw-r--r-- 1 angela_jose angela_jose 0 Aug  7 03:58 file4.txt
-rw-r--r-- 1 angela_jose angela_jose 0 Aug  7 03:58 file5.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ nano file1.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ cat file1.txt
Hello World

angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ rm file5.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ ls
file1.txt file2.txt file3.txt file4.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task1$ |
```

Task 2: Copy and Move Files

Objective: Practice copying and moving files and directories

```
angela_jose@LAPTOP-B3CJ092Q:~$ mkdir linux_task2
mkdir: linux_task2: File exists
angela_jose@LAPTOP-B3CJ092Q:~$ cd linux_task2
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ touch source.txt data.txt notes.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ nano source.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ mkdir backup
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ cp source.txt backup
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ ls backup
source.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ cp data.txt backup/data_backup.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ ls backup
data_backup.txt source.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ mv notes.txt backup/
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ ls
backup data.txt source.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ ls backup
data_backup.txt notes.txt source.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ mv source.txt original.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ ls
backup data.txt original.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ ls backup
data_backup.txt notes.txt source.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ tree
.
├── backup
│   ├── data_backup.txt
│   ├── notes.txt
│   └── source.txt
├── data.txt
└── original.txt

2 directories, 5 files
angela_jose@LAPTOP-B3CJ092Q:~/linux_task2$ |
```

Task 3: Working with head and tail

Objective: Practice viewing specific portions of a file.

```
angela_jose@LAPTOP-B3CJ092Q:~$ mkdir linux_task3
mkdir: linux_task3: File exists
angela_jose@LAPTOP-B3CJ092Q:~$ cd linux_task3
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ touch students.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ nano students.txt
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ cat students.txt
Angela
Smija
Joel
Riya
Advika
Andrea
Tianne
Evelyn
Ann
Akhil
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ head -5 students.txt
Angela
Smija
Joel
Riya
Advika
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ head students.txt
Angela
Smija
Joel
Riya
Advika
Andrea
Tianne
Evelyn
Ann
Akhil
```

```
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ head -5 students.txt
Angela
Smija
Joel
Riya
Advika
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ head students.txt
Angela
Smija
Joel
Riya
Advika
Andrea
Tianne
Evelyn
Ann
Akhil
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ tail -5 students.txt
Andrea
Tianne
Evelyn
Ann
Akhil
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ tail students.txt
Angela
Smija
Joel
Riya
Advika
Andrea
Tianne
Evelyn
Ann
Akhil
angela_jose@LAPTOP-B3CJ092Q:~/linux_task3$ |
```

Task 4: Organize Files

Objective: Organize files into different directories using mv

```
angela_jose@LAPTOP-B3CJ092Q:~$ mkdir organization
angela_jose@LAPTOP-B3CJ092Q:~$ cd organization
angela_jose@LAPTOP-B3CJ092Q:~/organization$ touch file1.txt file2.txt file3.txt image1.jpg image2.jpg
angela_jose@LAPTOP-B3CJ092Q:~/organization$ ls
file1.txt file2.txt file3.txt image2.jpg image1.jpg
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mkdir documents
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mkdir images
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mv *.txt documents/
angela_jose@LAPTOP-B3CJ092Q:~/organization$ ls documents
file1.txt file2.txt file3.txt
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mv *.jpg images/
angela_jose@LAPTOP-B3CJ092Q:~/organization$ ls images
image2.jpg image1.jpg
angela_jose@LAPTOP-B3CJ092Q:~/organization$ ls
documents images
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mv documents/file1.txt documents/notes.txt
angela_jose@LAPTOP-B3CJ092Q:~/organization$ ls documents
file2.txt file3.txt notes.txt
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mv images/image1.jpg images/photo.jpg
mv: cannot stat 'images/image1.jpg': No such file or directory
angela_jose@LAPTOP-B3CJ092Q:~/organization$ mv images/image2.jpg images/photo.jpg
angela_jose@LAPTOP-B3CJ092Q:~/organization$ ls images
image2.jpg photo.jpg
angela_jose@LAPTOP-B3CJ092Q:~/organization$ tress
Command 'tress' not found, did you mean:
  command 'tess' from snap tess (0.6.3)
  command 'stress' from deb stress (1.0.7-2)
See 'snap info <snapname>' for additional versions.
angela_jose@LAPTOP-B3CJ092Q:~/organization$ tree
.
├── documents
│   ├── file2.txt
│   ├── file3.txt
│   └── notes.txt
└── images
    ├── image2.jpg
    └── photo.jpg

3 directories, 5 files
angela_jose@LAPTOP-B3CJ092Q:~/organization$ |
```

Task 5: Directory Management

Objective: Practice creating nested directories and removing them

```

angela_jose@LAPTOP-B3CJ092Q:~$ mkdir Project
mkdir: Project: File exists
angela_jose@LAPTOP-B3CJ092Q:~$ cd Project
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir source/
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir source/c/
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir source/python/
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir docs/
mkdir: docs/: File exists
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir backup/
mkdir: backup/: File exists
angela_jose@LAPTOP-B3CJ092Q:~/Project$ touch source/c/file1.c
angela_jose@LAPTOP-B3CJ092Q:~/Project$ touch source/c/file2.c
angela_jose@LAPTOP-B3CJ092Q:~/Project$ touch source/c/file3.c
angela_jose@LAPTOP-B3CJ092Q:~/Project$ ls source/c/
file1.c file2.c file3.c
angela_jose@LAPTOP-B3CJ092Q:~/Project$ touch source/python/program1.py source/python/program2.py
angela_jose@LAPTOP-B3CJ092Q:~/Project$ ls source/python/
program1.py program2.py
angela_jose@LAPTOP-B3CJ092Q:~/Project$ tree

```

```

.
├── Project
│   ├── sources
│   ├── backup
│   ├── docs
│   └── source
│       ├── c
│       │   ├── file1.c
│       │   ├── file2.c
│       │   └── file3.c
│       └── python
│           ├── program1.py
│           └── program2.py
└── sources
    ├── c
    └── python

```

```

└── python

11 directories, 5 files
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir backup
mkdir: backup: File exists
angela_jose@LAPTOP-B3CJ092Q:~/Project$ ls
Project backup docs source sources
angela_jose@LAPTOP-B3CJ092Q:~/Project$ mkdir backup
mkdir: backup: File exists
angela_jose@LAPTOP-B3CJ092Q:~/Project$ touch backup/data.txt
angela_jose@LAPTOP-B3CJ092Q:~/Project$ rmdir backup
rmdir: failed to remove 'backup': Directory not empty
angela_jose@LAPTOP-B3CJ092Q:~/Project$ rm backup/data.txt
angela_jose@LAPTOP-B3CJ092Q:~/Project$ ls backup
angela_jose@LAPTOP-B3CJ092Q:~/Project$ rmdir backup
angela_jose@LAPTOP-B3CJ092Q:~/Project$ ls
Project docs source sources
angela_jose@LAPTOP-B3CJ092Q:~/Project$ tree

```

```

.
├── Project
│   ├── sources
│   ├── docs
│   └── source
│       ├── c
│       │   ├── file1.c
│       │   ├── file2.c
│       │   └── file3.c
│       └── python
│           ├── program1.py
│           └── program2.py
└── sources
    ├── c
    └── python

```

```

10 directories, 5 files
angela_jose@LAPTOP-B3CJ092Q:~/Project$ |

```