

AUDIT SUMMARY / 01

AWD CSS to Figma Design System Audit

Production values. Governed translation. Traceable implementation.

Primary decision

Do not translate the four CSS files selector-for-selector. Preserve production CSS as the implementation authority, convert its reusable contracts into native Figma variables and styles, and use the purchased template only as the organizational and documentation shell.

AUDIT SCOPE

Four production CSS files in the **portfolio-clean** repository and the live purchased AWD Figma design system template were inspected. No Figma changes were made during this audit.

Artifact	Role
shared/css/global-tokens.css	Cross-product colors and theme aliases
css/tokens.css	Portfolio typography, sizing, motion, and local tokens
shared/css/global-components.css	Shared Icon, Control, and Theme Switcher patterns
css/components.css	Portfolio components, patterns, responsive rules, and motion
AWD purchased Figma template	Existing variable, style, documentation, and Button scaffold

Prepared for Angela Wallace Design | September 11, 2026

1. Executive summary

The production system and the purchased template are not yet structurally equivalent. The template is a useful scaffold, but its generic palette, compact typography, and Button model do not represent the shipped AWD portfolio.

Audit conclusion	Assessment	Required response
Template fit	Useful documentation structure; incorrect production values	Retain the page organization, rebuild the foundations
Code authority	Production CSS contains the actual themes, type scale, states, and behavior	Map code into Figma; do not reshape code around placeholder variables
Variable readiness	Strong starting structure but missing code syntax and precise scopes	Create an explicit CSS-to-Figma contract
Component readiness	Template Button permutations do not match the shipped component families	Rebuild shared components first, then portfolio components
Governance readiness	Known hard-coded values, stale aliases, and unresolved references exist	Resolve or document exceptions before certification

Recommended operating model

Code supplies implemented values and behavior. Figma supplies visual representation, component composition, and design guidance. A machine-readable mapping record bridges both forms and makes future Design Inspector audits deterministic.

Success criteria

- Every reusable production token has a documented Figma destination or an explicit code-only classification.
- Every published Figma variable includes its exact CSS custom-property syntax.
- Default, Dark, and Night modes reproduce production values without manual overrides.
- Published Figma components represent implemented states and properties rather than template assumptions.
- Responsive rules, utilities, keyframes, and DOM behavior remain documented as implementation behavior.

2. Production CSS evidence

The codebase already separates shared cross-product assets from portfolio-local assets. That separation should be preserved in Figma through ownership, naming, and component status - not flattened into one undifferentiated library.

File	Lines	Unique custom properties	Variable references	Direct color occurrences
css/tokens.css	91	42	0	2 hex
css/components.css	2,174	5 local controls	40	53 hex + 15 RGB/A
shared/css/global-tokens.css	97	26	9	49 values across 3 themes
shared/css/global-components.css	201	2 local controls	13	4 hex + 2 RGB/A

Implemented token domains

Domain	Production examples	Interpretation
Typography	--font-sans, --font-serif, --type-h1, --lh-body, --ls-tight	Variables for atomic values plus composite Figma text styles
Color	--color-accent, --color-text, --color-surface, --color-focus	Primitive colors plus semantic aliases
Theme	--theme-bg, --theme-surface, --theme-text, --theme-divider	Semantic collection with Default, Dark, and Night modes
Spacing	--gap-1 through --gap-5; --space-sm/md/lg	Preserve exact 10, 12, 20, 30, 50, 80, and 200 values
Layout	--frame-pad, --container-max, --header-min, --half-width	Bindable dimensions where appropriate; percentages remain documented
Motion	--motion-fast/medium/slow; --ease-standard/exit	Numeric durations plus documented easing strings
Component controls	--heading-size, --icon-size, --icon-rotation	Component properties or internal aliases, not global foundations

Important constraint

The template's 2/4/8/16 spacing scale should not replace the production scale. The production values are evidence. Figma must represent them accurately before any later consolidation is proposed.

3. Purchased Figma template assessment

The file is structurally mature enough to reuse as a presentation framework, but its foundations and component content remain generic.

Existing asset	Current inventory	Audit finding
Primitives collection	65 variables: 55 colors + 10 sizes	Generic palette; no CSS code syntax; primitive scopes are empty
Color collection	72 semantic colors; Light and Dark modes	All 72 use ALL_SCOPES; no Night mode; values do not represent AWD
Spacing collection	7 variables	Generic XXS-XXL scale does not match production
Border radius collection	5 variables	Useful scaffold, but production radius contract is incomplete
Text styles	17 Inter-only styles from 8px to 28px	Unbound to variables and far smaller than AWD's 14px to 93px ramp
Effect styles	0	Production shadows and overlays need governed style decisions
Button library	5 sets / 45 variants	Generic 3 sizes x 3 states; missing AWD Hover and Focus-visible parity

Disposition

- Preserve the purchased file as an archive/reference rather than leaving template artifacts mixed with production assets.
- Create a working file named **AWD Design System - Production** or convert a duplicate of the template.
- Reuse the documentation page structure: Tokens, Colors, Typography, Spacing, Radius, Components, and Status.
- Replace generic variable collections and sample components only after the CSS mapping table is approved.
- Do not publish template components alongside AWD components.

4. Target Figma architecture

Use a two-tier token model: mode-independent primitives plus semantic variables that mirror production meaning. Preserve exact CSS names in each variable's Web code-syntax field.

Collection	Modes	Contents	Figma role
AWD Primitives	Base	Absolute palette colors and reusable numeric values	Stable raw values that semantic variables reference
AWD Theme	Default / Dark / Night	color/* and theme/* semantic aliases	Production theme switching and semantic usage
AWD Typography	Base	Font family, size, line height, and letter spacing	Atomic bindings used by composite text styles
AWD Sizing	Base	Spacing, gaps, container sizes, header minimums, radii	Layout and component dimensions with precise scopes
AWD Motion	Base	Duration numbers and easing strings	Machine-readable reference; selectively bindable

Representative mapping

Production token	Figma path	Value strategy	Web code syntax
--color-accent	Theme/Color/Accent	Alias to AWD pink primitive	var(--color-accent)
--theme-bg	Theme/Background	Mode-specific semantic alias	var(--theme-bg)
--theme-divider	Theme/Divider	Mode-specific semantic alias	var(--theme-divider)
--gap-2	Sizing/Gap/2	Alias to Space/20	var(--gap-2)
--space-md	Sizing/Space/MD	Alias to the same Space/20 primitive	var(--space-md)
--type-h1	Typography/Size/H1	48px numeric value	var(--type-h1)
--motion-fast	Motion/Duration/Fast	120ms documented as 120	var(--motion-fast)

Machine-readable transparency layer

Add a locked, hideable Token Contract frame containing: Figma path, CSS custom property, source file, value, mode, scope, status, and last-audited date. This makes the design-to-code relationship visible to people and consumable by Design Inspector or other agents.

5. Component conversion boundary

Only reusable interface contracts become Figma components. CSS utilities, browser behavior, responsive mechanics, selectors, and keyframes remain code-side behavior with documentation references.

Tier	Convert into Figma	Remain code-side or documented
Shared/core	Icon, Control, Theme Switcher	Rotation utility classes, fixed positioning, color-mix rendering
Portfolio actions	Primary Button, AI/Lab Button, CTA Button, Text Link	Pseudo-elements, animated sheen, press transforms, URL behavior
Navigation	Global Header, Global Navigation, Sub Navigation	Sticky offsets, z-index coordination, responsive hide/show rules
Content	Section Heading, Project Card, Profile, Pattern Callout, Checked List, CTA Banner	Content queries, float behavior, character limits, page-specific overrides
Overlay/media	Lightbox shell and Slideshow visual states	Body locking, viewport units, keyframes, JavaScript state transitions

Component property guidance

- Use State variants only where production implements the state: Default, Hover, Focus, Active, and Disabled.
- Keep Text Link as a reusable component. The Global Navigation may consume a Navigation-context instance with uppercase styling rather than becoming an unrelated link implementation.
- Use Boolean and instance-swap properties for optional icons.
- Use semantic direction names for icons instead of exposing every raw degree utility as a Figma variant.
- Model Section Heading with Size = Hero, Large, Medium, Small plus editable Main and Accent text properties.
- Mark the Theme Switcher Experimental or Hidden in Portfolio. Its local CSS override should not erase the shared component.

6. Drift, debt, and decisions

The audit found several places where direct import would reproduce ambiguity. These items require resolution or a documented exception before the Figma library can be considered production-certified.

Finding	Evidence	Recommended decision
Unresolved references	Seven variables are referenced but not defined within the four audited files	Verify other loaded stylesheets, then define, replace, or mark external
Color drift	#FA4D7E and #FA4D7F are both used	Choose one authoritative accent value and map every semantic use
Hard-coded component colors	53 hex and 15 RGB/A occurrences in components.css	Promote repeated semantic values; retain true decorative one-offs
Invalid CSS value	line-height: auto appears in heading rules	Choose normal or an explicit token before declaring parity
Heading contract drift	Mobile rule sets retired heading variables while rendered layers use --heading-size	Update the mobile rule to the current contract
Scale overlap	gap-2 and space-md both equal 20px	Alias both to one primitive; defer naming consolidation
Missing effect contract	Shadows appear directly in components; Figma has no effect styles	Create effect styles only for recurring elevation roles

References requiring verification

--color-surface-alt | --cs-space-component | --motion-ease-apple | --motion-page-load-duration | --radius-md | --text-secondary | --type-xl

Governance rule

Do not create a new Figma variable for every hard-coded number or color. A value becomes a published token only when it represents a reusable decision, carries a stable semantic role, or must remain synchronized across components or products.

7. Recommended migration sequence

Work from foundations upward. Do not begin rebuilding components until the token contract and theme behavior are stable enough to prevent repeated rebinding.

Step	Action	Output
01	Preserve source	Keep the purchased template as a separate archive. Create a production working copy.
02	Create mapping record	Record CSS token, source file, value, Figma path, collection, mode, scope, code syntax, and status.
03	Resolve decisions	Review missing references, duplicates, color drift, and stale heading controls.
04	Build primitives	Create exact color and numeric values. Do not normalize values during migration.
05	Build themes	Create Default, Dark, and Night semantic aliases and verify mode switching.
06	Build styles	Create AWD typography and recurring effect styles, bound to approved variables.
07	Build shared components	Convert Icon, Control, and Theme Switcher before product-specific compositions.
08	Build portfolio components	Recreate implemented states and properties in priority order.
09	Validate	Compare Figma against production desktop/mobile screenshots and verify token coverage.
10	Certify and publish	Set production status, document exceptions, save a baseline, and publish the library.

Priority component order

Text Link -> Primary Button -> AI/Lab Button -> CTA Button -> Global Header/Nav -> Section Heading -> Project Card -> Profile -> Lightbox -> Slideshow -> supporting patterns

Final principle

Design proposes. The system validates. Code implements. The interface adopts. Tokens are governed only when their design representation and production implementation are both traceable.

Source references

[global-tokens.css](#) | [tokens.css](#) | [global-components.css](#) | [components.css](#)

AWD Design System - Purchased Template