

Border-radius audit

87 uncommented declarations across 22 CSS files. The strongest recurring patterns are 50% circles, 999px pills, 15px rounded surfaces, and 24px media containers.

Scope: CSS files in /Users/awd/Development/portfolio-clean, including projects, shared styles, hero passes, and awd-lab. Counts describe authored CSS, not verified runtime usage. Repeated prototype passes contribute to the totals.

Proposed radius primitives

Numeric labels preserve current values without implying an unverified size scale. These are recommendations; no CSS was changed.

Proposed token	Value	Count	Definition scope
--radius-none	0	4	Shared
--radius-circle	50%	40	Shared
--radius-pill	999px	7	Shared
--radius-12	12px	2	Shared
--radius-15	15px	7	Shared
--radius-2	2px	3	Portfolio
--radius-3	3px	2	Portfolio
--radius-8	8px	2	Portfolio
--radius-10	10px	2	Portfolio
--radius-16	16px	1	Portfolio
--radius-20	20px	2	Portfolio
--radius-24	24px	4	Portfolio
--radius-32	32px	1	Portfolio

Keep **50%** and **999px** separate: percentage radii can produce ellipses on rectangular elements; large fixed radii produce capsule shapes. Counts above cover the proposed primitives, not all 87 declarations.

Core and shared styles

Paths are relative to the repository root. A numeric token suffix maps to the same pixel value: `--radius-15` = 15px. Initial extraction should preserve existing values.

CSS file	Recommended tokens and usage
shared/css/global-components.css	<code>--radius-12</code> : controls and theme buttons. <code>--radius-15</code> : theme-switcher container.
css/components.css	<code>--radius-2</code> , <code>--radius-3</code> , <code>--radius-8</code> , <code>--radius-15</code> , <code>--radius-20</code> , <code>--radius-24</code> , <code>--radius-pill</code> , <code>--radius-circle</code> . Four 15px uses and two 24px uses are consistent. Keep 14px, 18px, and 25px component-local.
css/work-gallery.css	<code>--radius-10</code> : breadcrumb. <code>--radius-15</code> : active view toggle. <code>--radius-none</code> : metadata reset.
css/intro-layout.css	<code>--radius-16</code> : feature images. <code>--radius-24</code> : mobile payments media container. These are different selectors; preserve both.
css/feature-layout.css	<code>--radius-32</code> : video wrapper.
css/case-study-layout.css	<code>--radius-2</code> : accent marker. The 9px scrollbar radius is commented out and excluded.
css/viz.css	<code>--radius-circle</code> : nodes and halos.
css/designing-ai-feature.css	<code>--radius-pill</code> : status indicator and sparkle shapes. <code>--radius-circle</code> : pipeline nodes. Keep the 22px container radius local.
css/metrics-strip.css	Keep <code>--impact-radius</code> : <code>clamp(0.75rem, 1vw, 1rem)</code> . It expresses component-specific responsive behavior.

Undefined token reference

css/components.css:1288 uses `var(--radius-md)` on `.lightbox-media img`, but no definition was found anywhere in the repository. Its intended value cannot be inferred from the CSS. Assigning one requires a design decision.

Projects, modules, and lab

CSS file or group	Recommended tokens and usage
projects/designing-with-ai/ image-zoom-lightbox/ image-zoom-lightbox.css	--radius-circle: close button. Local --image-zoom-radius: 0.25rem for the image.
projects/designing-with-ai/ pattern-inspector/pattern-inspector.css	--radius-none and --radius-circle.
projects/production-design-references/ production-design-references.css	Local --topic-label-radius: 0.15rem for topic labels.
modules/designing-with-ai-hero/ pass-4/designing-ai-hero.css pass-5/designing-ai-hero.css pass-6/designing-ai-hero.css pass-7/designing-ai-hero.css	All four passes consistently use --radius-pill and --radius-circle. Pass-7 also uses --radius-none.
awd-lab/css/components.css	--radius-3, --radius-8, --radius-10, --radius-15, --radius-20.
awd-lab/css/main.css	--radius-24.
awd-lab/css/case-study.css	--radius-2. The 9px declaration is commented out.
awd-lab/css/styles.css	Two 6px declarations: propose lab-local --radius-6: 6px.
awd-lab/css/surface.css	--radius-circle.
awd-lab/modules/surface-node/ surface-node.css	--radius-none and --radius-circle.

For standalone modules and lab pages, verify that the chosen token stylesheet is loaded before replacing literals. Repetition across saved hero passes is not independent evidence of broader product adoption.

Where tokens should live

shared/css/global-tokens.css

Add --radius-none, --radius-circle, --radius-pill, --radius-12, and --radius-15. Shared controls already use 12px and 15px. Shared components should not depend on portfolio-local definitions.

css/tokens.css

Add the remaining proposed portfolio primitives: 2px, 3px, 8px, 10px, 16px, 20px, 24px, and 32px. Repetition within the portfolio alone does not establish a cross-product standard.

Individual component stylesheets

Scope specialized values and responsive formulas to their owning components. Keep the existing --impact-radius formula in css/metrics-strip.css.

awd-lab/css/tokens.css

Keep lab-specific values here, including --radius-6. If the lab and portfolio deliberately adopt one common radius scale, promote those primitives into shared global tokens rather than maintaining duplicate definitions.

Proposed component-local exceptions

Proposed token	Value	Owning stylesheet
--nav-button-radius	14px	css/components.css
--pattern-slides-controls-radius	18px	css/components.css
--card-header-radius	25px	css/components.css
--designing-ai-visual-radius	22px	css/designing-ai-feature.css
--image-zoom-radius	0.25rem	image-zoom-lightbox.css
--topic-label-radius	0.15rem	production-design-references.css

Preserve rem units: 0.25rem and 0.15rem equal 4px and 2.4px only at a 16px root font size. Do not automatically normalize nearby values such as 14px, 15px, and 16px during token extraction.

This report records the repository audit and proposed contract. It does not implement token definitions or change component styling.