

Total outbreaks
4,126,257

Countries reporting
201

Diseases tracked
172

Start year
2005

End year
2024

Filter by Year

2005 2024


Country ▾

World Region ▾


Filter by Disease Category ▾

Livestock dominates all disease categories (48.9%), with a significant peak in 2022 by a severe FMD outbreak in Indonesia — ending the country’s FMD-free status maintained since 1990. Brucellosis abortus leads overall with consistent reporting across the 20-year period. Echinococcus granulosus shows a dramatic but likely methodological surge peaking at 105,394 in 2020, concentrated in Chile.


How have outbreaks changed over time by disease category?



Which 10 diseases were reported the most?



Which disease categories account for the most outbreaks?



VetWatch: Global Animal Disease Analytics

Disease Trends

Geographic Breakdown

Data Quality

Total outbreaks
4,126,257

Countries reporting
201

Diseases tracked
172

Start year
2005

End year
2024

Filter by Year
2005 2024


Country ▾

World Region ▾


Filter by Disease ▾

The Americas, Europe, and Asia account for over 74% of all reported outbreaks. Iran leads globally with 435,664 outbreaks, followed by China and Chile. Whether high outbreak counts reflect genuine disease pressure or strong reporting infrastructure cannot be determined from reporting data alone — see the Data Quality page for completeness analysis.


How are reported outbreaks distributed globally?



Which 10 countries reported the most outbreaks?



Which world regions reported the most outbreaks?



VetWatch: Global Animal Disease Analytics

Disease Trends

Geographic Breakdown

Data Quality

Total countries

201

Countries with High Data Quality

114

Avg composite quality score

71.5%

Filter by World Region




Filter by Country




Reporting completeness varies significantly by region. The global average composite quality score is 71.50%. The Middle East and Africa lead on data quality (78.9% and 78.5% respectively) despite not being the highest outbreak-reporting regions — directly demonstrating that outbreak volume and reporting quality are not correlated. Vaccination reporting is the weakest completeness metric globally (51.2%), compared to case reporting (87.8%) and death reporting (75.5%).

Note: Apiary diseases are excluded from this analysis due to incompatibility of units with the rest of categories.

Average data quality score by world region



Total outbreaks by world region



High outbreak counts don't always mean high reporting quality...

	Country	World Region	Quality Band	Total Outbreaks ▾	Quality Score (QS)	Cases QS	Deaths QS	Vaccinated QS
1.	Iran	Middle East	High	435,663	76.3%	98.6%	99.2%	31.2%
2.	China (People's Rep. ...	Asia	High	339,963	93.5%	97.8%	97.0%	85.7%
3.	Chile	Americas	Medium	310,463	58.4%	98.1%	51.7%	25.3%
4.	Brazil	Americas	High	207,854	74.2%	93.5%	91.6%	37.5%
5.	Mexico	Americas	High	151,918	93.3%	96.8%	94.2%	89.0%
6.	Peru	Americas	High	133,512	95.7%	99.2%	96.7%	91.2%
7.	United Kingdom	Europe	Medium	133,413	51.7%	80.5%	57.3%	17.3%
Grand total				4,126,257	71.5%	87.8%	75.5%	51.2%

1 - 100 / 201 < >