1. Muestra la configuración de red del sistema.

   Dentro de Webmin nos vamos a **Networking - Network Configuration**



2. Actualiza los paquetes del sistema.

   En Webmin nos vamos a **System - Software Package Updates** y salen los paquetes del sistema para actualizar, en mi caso le di a actualizar antes de hacer la captura por lo que solo aparece lo siguiente:



3. Instala el paquete Vim.

   Nos vamos a **System - Software Packages** y en la pestaña **Install a new package** ponemos **vim** en **Package from APT**





4. Muestra el log del sistema.

   En **System - System Logs**



5. Muestra los procesos en ejecución.

   En **System - Running Processes**



6. Muestra la configuración de inicio de servicios al arranque, específicamente la de Webmin.

   En **System - Bootup and Shutdown**



7. Muestra la configuración de tareas programadas en el sistema.

   En **System - Scheduled Cron Jobs**



8. Reinicia el sistema.


Bootup and Shutdown
Problema al cargar la pág
https://servidor:10000/init/?xnavigation=1
Webmin
Dashboard
Search
Webmin
System
Bootup and Shutdown
Change Passwords
Disk and Network Filesystems
Filesystem Backup
Log File Rotation
MIME Type Programs
PAM Authentication
Running Processes
Scheduled Cron Jobs
Software Package Updates
Software Packages
System Documentation
System Logs
System Logs RS
Users and Groups
Servers
Tools
Networking
update-notifier-download.timer Download data for packages that failed at package install time
update-notifier-motd.service Check to see whether there is a new version of Ubuntu available
update-notifier-motd.timer Check to see whether there is a new version of Ubuntu available
upower.service Daemon for power management
usb-gadget.target Hardware activated USB gadget
usbmuxd.service Socket daemon for the usbmux protocol used by Apple devices
user-runtime-dir@1000.service User Runtime Directory /run/user/1000
user.slice User and Session Slice
user@1000.service User Manager for UID 1000
usermin.service Usermin server daemon
uuidd.service Daemon for generating UUIDs
uuidd.socket UUID daemon activation socket
veritysetup-pre.target Local Verity Protected Volumes (Pre)
veritysetup.target Local Verity Protected Volumes
vgauth.service Authentication service for virtual machines hosted on VMware
webmin.service Webmin server daemon
x11-common.service x11-common.service
xfs_scrub_all.service Online XFS Metadata Check for All Filesystems
xfs_scrub_all.timer Periodic XFS Online Metadata Check for All Filesystems
Select all
Invert selection
Create a new systemd service
Start
Stop
Restart
Start On Boot
Disable On Boot
Start Now and On Boot
Disable Now and On Boot
Reboot System
Click on this button to immediately reboot the system. All currently logged in users will be disconnected and all services will be re-started.
Shutdown System
Click on this button to immediately shutdown the system. All services will be stopped, all users disconnected and the system powered off (if your hardware supports it).