


MacBook Pro

Hardware Overview:

Model Name:	MacBook Pro
Model Identifier:	Mac15,6
Model Number:	MRX33LL/A
Chip:	Apple M3 Pro
Total Number of Cores:	11 (5 Performance and 6 Efficiency)
Memory:	18 GB
System Firmware Version:	18000.161.10
OS Loader Version:	18000.161.10
Serial Number (system):	
Hardware UUID:	
Provisioning UUID:	00006030-000468AA1482001C
Activation Lock Status:	Enabled

37bn transistors




Apple M3 Pro CPU 6 P-cores CPU 6 E-cores

MacBook Air

Hardware Overview:

Model Name:	MacBook Air
Model Identifier:	MacBookAir10,1
Model Number:	FGN63LL/A
Chip:	Apple M1
Total Number of Cores:	8 (4 Performance and 4 Efficiency)
Memory:	8 GB
System Firmware Version:	18000.161.10
OS Loader Version:	18000.161.10
Serial Number (system):	FVFD
Hardware UUID:	009F
Provisioning UUID:	0000
Activation Lock Status:	Enabled



Apple M1

| CPU: 4x Performance Cores + 4x Efficiency Cores,

Total workload = matrix size:

(512x512) = matrix c

262, 144 cells to compute

**computation done in parallel
sequentially:**

**process each row and compute dot
product**

M1 (8 Cores)

64 rows x 512 col


Core 1 32.8k	Core 2 32.8k	Core 3 32.8k	Core 4 32.8k	Core 5 32.8k	Core 6 32.8k	Core 7 32.8k	Core 8 32.8k
-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------

M2 (11 Cores)

46 rows x 512 col

1 23.8k	2 23.8k	3 23.8k	4 23.8k	5 23.8k	6 23.8k	7 23.8k	8 23.8k	9 23.8k	10 23.8k	11 23.8k
------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------

Speedup (Angeless-MacBook-Air.local, 8 cores, -O3)



Speedup (Angeless-MacBook-Pro.local, 11 cores, -O3)

