CPSC-354 Report

Angelina House
Chapman University

September 2, 2025

Abstract

This report documents my learning and progress throughout the Fall 2025 semester in CPSC-354: Programming Languages.

Contents

1 Introduction

This report chronicles my work in CPSC-354: Programming Languages during Fall 2025. Each weekly subsection contains restated homework prompts, fully typeset solutions, and a brief reflection or question that ties the technical material to broader themes.

2 Week by Week

2.1 Week 1

Homework

Discuss the MU puzzle from *Gödel, Escher, Bach* (Chapter 1; see course PDF pp. 41–42). Does the string `MU` have a derivation in the MIU formal system starting from `MI`? Why or why not?

The MU (MIU) System Recap

We begin with the single axiom string `MI`. The system has four production rules:

1. If a string ends in `I`, append a `U` at the end.
2. If the string has the form `Mx`, duplicate everything after `M`: `Mx` $\rightarrow$ `Mxx`.
3. Replace any occurrence of `III` by `U`.
4. Delete any occurrence of `UU`.

From `MI`, we can derive many strings by applying the rules:

`MI`(2)`MII`(2)`MIIII`(3)`MUI`.

This illustrates how the rules expand and compress substrings, but it remains unclear how to end with exactly `MU`.

Let $I(s)$ be the number of `I`'s in a string s. Initially, $I(\texttt{MI}) = 1$, i.e., 1 (mod 3). Examine how each rule affects I modulo 3:

- Rule 1 adds a `U`; I is unchanged.
- Rule 2 doubles the count of `I`'s: $I \mapsto 2I$. Thus if $I \equiv 1 \pmod 3$ then $2I \equiv 2 \pmod 3$.
- Rule 3 subtracts three `I`'s (`III` $\to$ `U`); the residue modulo 3 is unchanged.
- Rule 4 deletes `U`'s only; I is unchanged.

Therefore, starting from $I \equiv 1 \pmod 3$, any derivable string keeps $I \equiv 1$ or $I \equiv 2 \pmod 3$, but never $0 \pmod 3$. The target `MU` has $I(\texttt{MU}) = 0$ ($0 \pmod 3$), so it is *not* derivable. Hence, the MU puzzle has no solution.

The puzzle shows how stepping outside a formal system and using an invariant (here, the count of `I`'s modulo 3) can decisively answer a reachability question that seems open-ended from within the rules.

Reading Summary & Question

Summary. Hofstadter introduces formal systems via the MIU puzzle and contrasts *inside-the-system* rule manipulation with *meta-level* reasoning using invariants. This frames later topics on meaning, proof, and limitations of formal systems.

Question. Are there any situations where the MU puzzle could be true, and how much would we have to change to get to that point?

3 Synthesis

4 Evidence of Participation

5 Conclusion

References