Running head: LEBA 1

Light Exposure Behavior Assessment (LEBA): Development of a novel instrument to capture light exposure-related behaviours 2 Mushfigul Anwar Siraji<sup>1, \*</sup>, Rafael Robert Lazar<sup>2, 3, \*</sup>, Juliëtte van Duijnhoven<sup>4</sup>, Luc 3 Schlangen<sup>5</sup>, Shamsul Haque<sup>1</sup>, Vineetha Kalavally<sup>6</sup>, Céline Vetter<sup>7, 8</sup>, Gena Glickman<sup>9</sup>, Karin Smolders<sup>10</sup>. & Manuel Spitschan<sup>11, 2, 3</sup> 5 <sup>1</sup> Monash University, Department of Psychology, Jeffrey Cheah School of Medicine and Health Sciences, Malaysia 7 <sup>2</sup> Psychiatric Hospital of the University of Basel (UPK), Centre for Chronobiology, Basel, Switzerland 9 <sup>3</sup> University of Basel, Transfaculty Research Platform Molecular and Cognitive 10 Neurosciences, Basel, Switzerland 11 <sup>4</sup> Eindhoven University of Technology, Department of the Built Environment, Building 12 Lighting, Eindhoven, Netherlands 13 <sup>5</sup> Eindhoven University of Technology, Department of Industrial Engineering and 14 Innovation Sciences, Intelligent Lighting Institute, Eindhoven, Netherlands 15 <sup>6</sup> Monash University, Department of Electrical and Computer Systems Engineering, 16 Malaysia, Selangor, Malaysia 17 <sup>7</sup> University of Colorado Boulder, Department of Integrative Physiology, Boulder, USA 18

<sup>8</sup> Ximes GmbH, Frankfurt, Germany

<sup>9</sup> Uniformed Services University of the Health Sciences, Department of Psychiatry,

19

20

Bethesda, USA

10 Eindhoven University of Technology, Human-Technology Interaction Group,
Eindhoven, Netherlands

11 University of Oxford, Department of Experimental Psychology, Oxford, UK

\* Joint first author

26 Author Note

Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.

Enter author note here.

editing.

The authors made the following contributions. Mushfiqul Anwar Siraji: Formal

Analysis, Visualization, Writing – original draft, Writing – review & editing;; Rafael Robert

Lazar: Data curation, Investigation, Project administration, Visualization, Writing –

original draft, Writing – review & editing;; Juliëtte van Duijnhoven: Conceptualization,

Methodology, Investigation, Writing – review & editing; Luc Schlangen:

Conceptualization, Methodology, Investigation, Writing – review & editing; Shamsul

Haque: Conceptualization, Supervision, Writing – review & editing; Vineetha Kalavally:

Supervision, Writing – review & editing; Céline Vetter: Conceptualization, Writing –

review & editing; Gena Glickman: Conceptualization, Methodology, Writing – review & editing;

Manuel Spitschan: Conceptualization, Data curation, Investigation, Project

administration, Visualization, Methodology, Writing – original draft, Writing – review &

**Abstract** 43

One or two sentences providing a basic introduction to the field, comprehensible to a

scientist in any discipline.

Two to three sentences of more detailed background, comprehensible to 46

scientists in related disciplines.

One sentence clearly stating the **general problem** being addressed by this 48

particular study.

One sentence summarizing the main result (with the words "here we show" or their 50

equivalent).

55

Two or three sentences explaining what the main result reveals in direct 52

comparison to what was thought to be the case previously, or how the main result adds

to previous knowledge.

One or two sentences to put the results into a more **general context**.

Two or three sentences to provide a broader perspective, readily comprehensible

to a scientist in any discipline.

Keywords: keywords 58

Word count: X 59

Light Exposure Behavior Assessment (LEBA): Development of a novel instrument to capture light exposure-related behaviours

### 62 Introduction

- Light exposure is important
- Light exposure Behavior is important
- Table: Overview Existing Related Scales: items in total / items on light exposure (behaviour)
- Existing Scales: Review them in text
- None of these do light exposure behavior.

## Methods

### 70 Ethical approval

The cantonal ethics commission (Ethikkommission Nordwest- und Zentralschweiz, project ID Req-2021-00488) reviewed this project and issued an official clarification of responsibility (full document see Suppl. Fig X in appendix) stating: "The research project does not fall under the scope of the Human Research Act, because your project is using only anonymised data. An authorisation from the ethics committee is therefore not required and the EKNZ is not responsible for its review."

### 77 Data Availability

- What data will be available
- Where this data will be available
- under which licence
- who to contact

## 82 Survey characteristics

102

Data was collected in a quantitative cross-sectional approach via a fully anonymous online survey hosted on REDCap (Harris et al., 2019, 2009) by way of the University of Basel sciCORE. Participants were recruited via the website of a Comic co-released with the survey(Weinzaepflen & Spitschan, 2021), social media (i.e., LinkedIn, Twitter, Facebook), mailing lists, word of mouth, the investigators' personal contacts, and supported by distribution of the survey link via f.lux software (F.lux Software LLC, 2021).

Completing the online survey took approx. 15 to 20 minutes and was not 89 compensated. The first page of the survey comprised a participant information sheet, where participants' informed consent to participate was obtained before any of the 91 questions were displayed. Underaged participants (<18 years) were urged to obtain assent from their parents/legal quardians, before filling in the survey. Information on the 93 first page included the objectives of the study, inclusion criteria, estimated duration, the use, storage and sharing of the data, compensation (none), and information about the type of questions in the survey. Moreover, participants needed to confirm that they were participating the survey for the first time. To ensure high data quality, five attention check 97 items were included in the survey (e.g., "We want to make sure you are paying attention. What is 4+5?"). The data analysed in this study was collected between 17.05.2021 and 03.09.2021. Questions incorporating retrospective recall were all aligned to the period of 100 "past four weeks," matching the presented LEBA instrument. 101

In addition to the LEBA questionnaire, which is subject of the current study, the following variables and items were assessed but not included in the analysis:

Sleep disturbance and sleep-related impairment (adult and pediatric versions)
 (Bevans et al., 2019; Daniel J. Buysse et al., 2010; Forrest et al., 2018; Harb,
 Hidalgo, & Martau, 2015; L. Yu et al., 2011)

Sleep duration, timing, and latency, chronotype, social jetlag, time in bed,
 work/sleep schedule and outdoor light exposure duration (version for adults and
 adolescents) (Roenneberg, Wirz-Justice, & Merrow, 2003)

- Sleep environment (Olivier et al., 2016)
- Meal timing & caffeine consumption [custom items]
- Light sensitivity (photophobia vs. photophilia) (Wu & Hallett, 2017)
- Self-reported pubertal stage (only if younger than 18 years old) (Petersen,
   Crockett, Richards, & Boxer, 1988)

Furthermore, the following 1-item demographic variables were assessed:

• Age

110

• Sex

120

122

- Gender identity
- Occupational Status
  - COVID-19 related Occupational setting during the past four weeks
- Time zone & country of residence
  - English as native language

### Participants

Table 1 summarizes the survey participants' demographic characteristics. Only participants completing the full LEBA questionnaire were included, thus there are no missing values in the item analyses. XX participants were excluded from analysis due to not passing at least one of the "attention check" items. For exploring initial factor structure (EFA), a sample of 250-300 is recommended (Comrey & Lee, 1992; Schönbrodt & Perugini, 2013). For estimating the sample size for the confirmatory factor analysis (CFA) we followed the N:q rule (Bentler & Chou, 1987; Jackson, 2003; Kline, 2015; Worthington & Whittaker, 2006), where ten participants per parameter is required

to earn trustworthiness of the result. Our sample size exceeds these requirements:

Anonymous responses from a total of n = 690 participants were included in the analysis

of the current study, split into samples for exploratory (EFA: n = 428) and confirmatory

factor analysis (CFA: n = 262). The EFA sample included participants filling out the

questionnaire from 17.05.2021 to XX.XXXXXXX , whereas participants who filled out the

questionnaire from YY.YY.YYYY to 03.09.2021 were included in the CFA analysis.

Participants indicated filling out the online survey from a diverse range of geographic locations. The ten most common geographic locations included:

- United States America/New\_York (UTC -04:00): 63 (9.1%)
- United Kingdom Europe/London (UTC): 57 (8.3%)
- Germany Europe/Berlin (UTC +01:00): 53 (7.7%)
- India Asia/Kolkata (UTC +05:30): 38 (5.5%)
- United States America/Los\_Angeles (UTC -07:00): 37 (5.4%)
- United States America/Chicago (UTC -05:00): 30 (4.3%)
- France Europe/Paris (UTC +01:00): 22 (3.2%)
- Switzerland Europe/Zurich (UTC +01:00): 21 (3.0%)
- Brazil America/Sao Paulo (UTC -03:00): 19 (2.8%)
- Netherlands Europe/Amsterdam (UTC +01:00): 19 (2.8%)

For a more complete list of geographic locations, see Suppl. Table X in the appendix.

Age among all participants ranged from 11 years to 84 years [EFA: min = 11, max = 84; CFA: min = 12, max = 74], with an overall mean of ~ 33 years of age [Overall: M = 32.95, SD = 14.57; EFA: M = 32.99, SD = 15.11; CFA: M = 32.89, SD = 13.66]. In total 325 (47%) of the participants indicated female sex [EFA: 189 (44%); CFA: 136 (52%)], 351 (51%) indicated male [EFA: 230 (54%); CFA: 121 (46%)] and 14 (2.0%) indicated other sex [EFA: 9 (2.1%), CFA: 5 (1.9%)]. Overall, 49 (7.2%) [EFA: 33 (7.8%); CFA: 16

(6.2%)] participants indicated a gender-variant identity. In a "Yes/No" question regarding native language, 320 (46%) of respondents [EFA: 191 (45%); CFA: 129 (49%)] indicated 159 to be native English speakers. For their "Occupational Status," more than half of the 160 overall sample reported that they currently work [Overall: 396 (57%); EFA: 235 (55%); 161 CFA: 161 (61%)], whereas 174 (25%) [EFA: 122 (29%); CFA: 52 (20%)] reported that 162 they go to school and 120 (17%) [EFA: 71 (17%); CFA: 49 (19%)] responded that they do 163 "Neither." With respect to the COVID-19 pandemic we asked participants to indicate their 164 occupational setting during the last four weeks: In the overall sample 303 (44%) [EFA: 165 194 (45%); CFA: 109 (42%)] of the participants indicated that they were in a home office/ 166 home schooling setting, while 109 (16%) overall [EFA: 68 (16%); CFA: 41 (16%)] 167 reported face-to-face work/schooling. Lastly, 147 (21%) overall [EFA: 94 (22%); CFA: 53 (20%)] reported a combination of home- and face-to-face work/schooling, whereas 131 (19%) overall [EFA: 72 (17%); CFA: 59 (23%)] filled in the "Neither (no work or school, or 170 on vacation)" response option. We tested all demographic variables in Table 1 for significant group differences between the EFA and CFA sample, applying Wilcoxon rank 172 sum test for the continuous variable "Age" and Pearson's  $\chi^2$  test for all other categorical 173 variables via the gtsummary R package's "add p" function (Sjoberg et al., 2021a). The p-values were corrected for multiple testing applying false discovery rate (FDR) via the 175 "add q" function of the same package. After p-value (FDR) correction for multiple testing, 176 none of the demographic variables were significantly different between the EFA sample 177 and the CFA sample (all q-values  $q \ge 0.2$ , indicating equivalence). 178

#### Item Generation

170

180

181

182

183

To ensure construct adequacy we thoroughly assessed the current status of literature and identified a variety of light exposure related scales. However, no scales specifically measuring the behavioral component of light exposure were found (cf. Table 1). Consequentially we pursued to introduce a new openly available scale to address

this research gap. For this purpose an expert researcher panel from the fields of chronobiology, light research, neuroscience and psychology (including seven of the 185 authors, see authors roles) generated and collected preliminary item ideas. Special 186 attention was paid to design items circumscribed to assess light exposure behavior as 187 opposed to subjective measurements of the light environment (cf. (Eklund & Boyce, 188 1996) & (Dianat, Sedghi, Bagherzade, Jafarabadi, & Stedmon, 2013)) and 189 semi-quantitive assesments of light sources' illuminance (cf. (Bajaj, Rosner, Lockley, & 190 Schernhammer, 2011)) in order to maintain content validity. In a collective effort the 191 generated items were then peer-reviewed, amended, unified, and complemented with a 192 suitable response scale (5 point Likert-scale ranging from 1 "Never/Does not apply/l 193 don't know" to 5 "Always"). This process was finalized when all experts were in 194 agreement, resulting in 48 items to implement in the first data collection.

# Analytic Strategies

Figure 1 summarizes the steps of our psychometric analysis. In our analysis we 197 used R (version 4.1.0), with several R packages. Initially, our tool had six point Likert 198 type response format (0:Does not apply/I don't know; 1:Never, 2:Rarely; 3:Sometimes; 199 4:Often; 5:Always). Our purpose was to capture light exposure related behavior and 200 these two response options: "Does not apply/I don't know" and "Never" were providing 201 similar information. As such we decided to collapse them into one, making it a 5 point 202 Likert type response format. Necessary assumptions of EFA, including sample 203 adequacy, normality assumptions, quality of correlation matrix, were assessed. Our data violated both the univariate and multivariate normality assumptions. Due to these violations and the ordinal nature of our response data, we used polychoric correlation matrix (Desjardins & Bulut, 2018) for the EFA. We employed principal axis (PA) as factor 207 extraction method with varimax rotation. PA is robust to the normality assumption 208 violations (Watkins, 2020). The obtained latent structure was confirmed by another factor 200

extraction method: "the minimum residuals extraction" as well. We used a combination 210 of factor identification method including scree plot (Cattell, 1966), Horn's parallel analysis 211 (Horn, 1965), minimum average partials method (Velicer, 1976), and hull method 212 (Lorenzo-Seva, Timmerman, & Kiers, 2011) to identify factor numbers. Additionally, to 213 determine the simple structure, we followed the guidelines recommended by 214 psychometricians: (i) no factors with fewer than three items (ii) no factors with a factor 215 loading <0.3 (iii) no items with cross-loading greater than .3 across factors (Bandalos & 216 Finney, 2018). We confirmed the latent structure obtained in the EFA by conducting a 217 categorical "Confirmatory Factor Analysis" (CFA) using "robust weighted least square 218 estimator" (WLSMV). We estiablished the measurement invariance of our tool across the 219 native and non-native English speakers using structural equation model framework. To 220 assess the possible semantic overlap of our tool with the existing tools, we sought to 221 "Semantic Scale Network" (Rosenbusch, Wanders, & Pit, 2020). Lastly, we sought "Item 222 Response Theory" (IRT) based analysis on developing a short form of LEBA. We also conducted psychometric analysis on non-merged response options data (Supp. Table ??) and rejected the latent structure obtained as the factors were less interpretable.

226 Results

### Item Analysis

227

228

229

231

233

234

235

Table 3 summarizes the univariate descriptive statistics for the 48 items. Some of the items were skewed with high Kurtosis values. Our data violated both univariate normality (Shapiro-Wilk statistics; (Shapiro & Wilk, 1965)) and multivariate normality assumptions [Marida's test;(Mardia, 1970)]. Multivariate skew was = 583.80 (p <0.001) and multivariate kurtosis was = 2,749.15 (p <0.001). Due to these violations and ordinal nature of the response data polychoric correlations over Pearson's correlations was chosen (Desjardins & Bulut, 2018). The corrected item-total correlation ranges between .03 -.48. However, no item was discarded based on descriptive statistics or item analysis.

## Exploratory Factor Analysis

Sampling adequacy was checked using Kaiser-Meyer-Olkin (KMO) measures of sampling adequacy (Kaiser, 1974) . The overall KMO vale for 48 items was 0.63 which was above the cutoff value (.50) indicating a mediocre sample (Hutcheson, 1999). Bartlett's test of sphericity (Bartlett, 1954),  $\chi^2$  (1128) = 5042.86, p < .001 indicated the correlations between items are adequate for the EFA. However only 4.96% of the inter-item correlation coefficients were greater than .30. The absolute value of inter-item correlation ranged between .00 to .91. Figure 2 depicts the correlation matrix.

244

245

246

247

248

249

Scree plot (Figure 3) suggested a six-factor solution. Horn's parallel analysis (Horn, 1965) with 500 iterations also indicated a six-factor solution. However, the minimum average partial (MAP) method (Velicer, 1976) and Hull method (Lorenzo-Seva et al., 2011) suggested a five-factor solution. As a result, we tested both five-factor and six-factor solutions.

With the initial 48 items we conducted three rounds of EFA and gradually discarded 250 problematic items. (cross-loading items and poor factor loading (<.30) items). Finally, a 251 five-factor EFA solution with 25 items was accepted with low RMSR = 0.08 (Brown, 252 2015), all factor-loading higher than .30 and no cross-loading greater than .30. We further confirmed this five-factor latent structure by another EFA using varimax rotation with a minimum residual extraction method (Table ??). Table 4 displays the factor-loading (structural coefficients) and communality of the items. The absolute value of the factor-loading ranged from .49 to .99 indicating strong coefficients. The commonalities ranged between .11 to .99. Figure 4 depicts the obtained five-five factor structure. However, the histogram of the absolute values of non-redundant 259 residual-correlations (Figure 5) showed 26% correlations were greater than the absolute 260

value of .05, indicating a possible under-factoring. (Designations & Bulut, 2018). 261 Subsequently, we fitted a six-factor solution. However, a factor emerged with only one 262 salient variable loading in the six-factor solution, thus disqualifying the six-factor solution 263 (Table ??). Internal consistency reliability coefficient Cronbach's alpha assumes all the 264 factor-loadings of the items under a factor are equal (Graham, 2006; Novick & Lewis, 265 1967) which is not the case in our sample. Additionally Cronbach's alpha coefficient has 266 a tendency to deflate the estimates for Likert type data as the calculation is based on 267 pearson-correlation matrix which requires that response data should be in continuous of 268 nature (Gadermann, Guhn, & Zumbo, 2012; Zumbo, Gadermann, & Zeisser, 2007). 269 Subsequently to get better estimates of reliability we reported ordinal alpha which used 270 polychoric-correlation matrix and assumed that the responses data were ordered in 271 nature instead of continuous (Zumbo et al., 2007). Ordinal alpha coefficient value ranges from 0 to 1 and higher value represents better reliability. In the five-factor solution, the 273 first factor contained three items and explained 10.25% of the total variance with a internal reliability coefficient ordinal  $\alpha$  = .94. All the items in this factor stemmed from the individual's preference to use blue light filters in different light environments. The second 276 factor contained six items and explained 9.93% of the total variance with a internal reliability coefficient ordinal  $\alpha$  = .76. Items under this factor commonly investigated an 278 individual's hours spent outdoor. The third factor contained five items and explained 279 8.83% of the total variance. Items under this factor dealt with the specific behaviors 280 pertaining to using phone and smart-watch in bed. The internal consistency reliability 281 coefficient was, ordinal  $\alpha$  = .75. The fourth factor contained five items and explained 282 8.44% of the total variance with an internal consistency coefficient, ordinal  $\alpha$  = .72. 283 These five items investigated the behaviors related to individual's light exposure before 284 bedtime. Lastly, the fifth factor contained six items and explained 6.14% of the total 285 variance. This factor captured individual's morning and daytime light exposure related 286 behavior. The internal consistency reliability was, ordinal  $\alpha$  = .62 . It is essential to attain

a balance between psychometric properties and interpretability of the common themes when exploring the latent structure. As all of the emerged factors are highly interpretable 280 and relevant towards our aim to capture light exposure related behavior, regardless of the 290 apparent low reliability of the fifth factor, we retain all the five-factors with 23 items for our 291 confirmatory factor analysis (CFA). Two items showed negative factor-loading (items 44 292 and 21). Upon inspection, it was understood that these items are negatively correlated to 293 the common theme, and thus in the CFA analysis, we reversed the response code for 294 these two items. Figure 6 depicts the data distribution and endorsement pattern for the 295 included items in our LEBA tool for both the EFA and CFA sample. 296

# Confirmatory Factor Analysis

We conducted categorical confirmatory factor analysis with robust weighted least 298 square (WLSMV) estimator since our response data was of ordinary nature (Desjardins 299 & Bulut, 2018). Several indices are suggested to measure model fit which can be 300 categorized as absolute, comparative and parsimony fit indices (Brown, 2015). Absolute 301 fit assess the model fit at an absolute level using indices including  $\chi^2$  test statistics and 302 the standardized root mean square (SRMR). Parsimony fit indices including the root 303 mean square error of approximation (RMSEA) considers the number of free parameters in the model to assess the parsimony of the model. Comparative fit indices evaluate the 305 fit of the specified model solution in relation to a more restricted baseline model restricting all covariances among the idicators as zero. Comparative fit index (CFI) and 307 the Tucker Lewis index (TLI) are such two comparative fit indices. Commonly used Model fit guidelines (Hu & Bentle, 1999; Schumacker & Lomax, 2004) includes (i) Reporting of  $\chi^2$  test statistics (A non-significant test statistics is required to reflect model fit) (ii) CFI and TLI (CFI/TLI close to .95 or above/ranging between 90-95 and above) (iii) 311 RMSEA (close to .06 or below), (iv) SRMR (close to .08 or below) to estimate the model 312 fit. Table 5 summarizes the fit indices of our fitted model. Our fitted model failed to attain

an absolute fit estimated by the  $\chi^2$  test. However, the  $\chi^2$  test is sensitive to sample size and not recommended to be used as the sole index of absolute model fit (Brown, 2015). 315 Another absolute fit index we obtained in our analysis was SRMR which does not work 316 well with categorical data (C. Yu, 2002). We judged the model fit based on the 317 comparative fit indices: CFI, TLI and parsimony fit index:RMSEA. Our fitted model 318 attained acceptable fit (CFI =.94; TLI = .93); RMSEA = .06,[.05-.07, 90% CI]) with two 319 imposed equity constrain on item pairs 32-33 [I dim my mobile phone screen within 1 320 hour before attempting to fall asleep.: I dim my computer screen within 1 hour before 321 attempting to fall asleep.] and 16-17 [I wear blue-filtering, orange-tinted, and/or red-tinted 322 glasses indoors during the day.; I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.]. Items pair 32-33 stemed from the preference of 324 dimming electric device's brightness before bed time and items pair 16 and 19 stemed from the preference of using blue filtering or colored glasses during the daytime. Nevertheless, SRMR value was higher than the guideline (SRMR = .12). Further by allowing one pair of items (30-41) [I look at my smartwatch within 1 hour before 328 attempting to fall asleep.; I look at my smartwatch when I wake up at night.] to covary 329 their error variance and discarding two item (item 37 & 26) for very low r-square value, 330 our model attained best fit (CFI =.97; TLI = .96); RMSEA = .05[.04-.06, 90% CI]) and 331 SRMR value (SRMR = .09) was also close to the suggestions of Hu and Bentle (1999). 332 Internal consistency ordinal  $\alpha$  for the five factors of LEBA were .96, .83, .70, .69, .52 333 respectively. We also estimated the internal consistency reliability of the total scale using 334 Mcdonald's  $\omega$  (total) coefficient which is a better reliability estimate for multidimensional 335 constructs (Dunn, Baguley, & Brunsden, 2014; Sijtsma, 2009). McDonald's  $\omega$ (total) 336 coefficient for the total scale was .73. Figure 7 depicts the obtained CFA structure. 337

### Measurement Invariance

339

346

347

348

340

350

351

352

353

354

355

356

357

358

362

363

Measurement invariance (MI) evaluates whether a construct has the psychometric equivalence and same meaning across groups or measurement occasions (Kline, 2015; Putnick & Bornstein, 2016). We used structural equation modeling framework to assess the measurement invariance of our developed tool across two groups: native English speakers and non-native English speakers. Our measurement invariance testing involved successively comparing the nested models: configural, metric, scalar, and residual invariance models with each others (Widaman & Reise, 1997). Among these nested models configural model is the first and least restrictive model. The configural model assumes that the number of factors and item number under each factor will be equal across two groups. The metric invariance model assumes configural invariance of the fitted model and requires the factor-loadings of the items across the two groups to be equal. Having the factor-loadings equal across groups indicates each item contributes to the measured construct equivalently. Scalar invariance assumes the metric invariance of the fitted model demands the item intercepts to be equivalent across groups. This equity of item intercepts indicates the equivalence of response scale across the groups, i.e., persons with the same level of the underlying construct will score the same across the groups. The residual invariance model assumes metric invariance for the fitted model and adds the assumption of equality in error variances and covariances across the groups. This model is the highest level of MI and assures the equivalence of precision of items across the groups in measuring the underlying constructs. The invariance model fit of our tool was assessed using the fit indices including  $\chi^2$  test, CFI and TLI (close to .95 or above), RMSEA (close to .06 or below) (Hu & Bentle, 1999). We excluded SRMR from our consideration as it does not behave optimally for categorical variables (C. Yu, 2002). Table 6 summarized the fit indices. The comparison among different measurement invariance models was made using the  $\chi^2$  difference test ( $\Delta\chi^2$ ) to assess whether our obtained latent structure of "LEBA" attained the highest level of the

MI. A non-significant  $\Delta \chi^2$  test between two MI models fit indicates mode fit does not significantly decrease for the superior model (Dimitrov, 2010) thus allowing the superior 366 level of invariance model to be accepted. We started our analysis by comparing the 367 model fit of the least restrictive model:configural model to metric MI model and continued 368 successive comparisons. Table 6 indicates that our fitted model had acceptable fit 369 indices for all of the fitted MI models. The model fit did not significantly decrease across 370 the nested models up to the scalar MI model. The chi-square value difference between 371 the scalar and residual model is zero, indicating model fit remained the same for both: scalar and residual MI model, indicating the acceptability of the residual MI model. 373

## Semantic Analysis

374

375

376

377

378

379

380

381

382

383

384

385

To find out if our developed tool is overlapping with existing instruments, we subjected the items of LEBA to the "Semantic Scale Network" (SSN) analysis (Rosenbusch et al., 2020). The SSN detects semantically related scales and provides cosine similarity index ranging between -.66 to 1 (Rosenbusch et al., 2020). Pair of scales with a cosine similarity index value of 1 indicates they are perfectly semantically similar scales indicating redundancy. LEBA appeared most strongly related to scales about sleep: "Sleep Disturbance Scale For Children" (Bruni et al., 1996) and "WHO-Composite International Diagnostic Interview (CIDI): Insomnia" (WHO, 1990). The cosine similarities lie between .47 to .51. Two factors of our LEBA tool: "Using phone and smart-watch in bed" and "Using light before bedtime" dealt with light exposure related behavior pertaining to sleep quality. As such the similarity index obtained is expected.

### **Developing Short form of LEBA**

We sought the item response theory (IRT) to develop the short form of LEBA. IRT
the conventional classical test theory-based analysis by gathering information on item
quality by indices like item difficulty, item discrimination, and item information (Baker,
2017). IRT judges the item's quality on item information in relation to participants' latent

trait level ( $\theta$ ). We gathered evidence on item quality by fitting each factor of LEBA with the graded response model (Samejima, Liden, & Hambleton, 1997) to the combined EFA 392 and CFA sample (n =690). Item discrimination indicates the pattern of variation in the 393 categorical responses with the changes in latent trait level ( $\theta$ ), and item information 394 curve (IIC) indicates the amount of information an item carries along the latent trait 395 continuum. Here, we reported the item discrimination parameter and only discarded the 396 items with relatively flat item information curve (information <.2) to develop the short form 397 of LEBA. Baker (2017) categorized the item discrimination in as none = 0; very low =0.01 398 to 0.34; low = 0.35 to 0.64; moderate = 0.65 to 1.34; high = 1.35 to 1.69; very high > 1.70. 399 Table 7 summarizes the IRT parameters of our tool. Item discrimination parameters of 400 our tool fell in very high (10 items), high (4 items), moderate (4 items), and low (5 items) 401 categorizes indicating a good range of discrimination along the latent trait level ( $\theta$ ). Examination of the item information curve 8 indicated 6 items (1, 25, 9, 38, 30, & 41) had relatively flat information curves thus discarded creating a short form of LEBA with 5 factors and 17 items.

Test information curve (TIC) (Figure 9) indicate the amount of information an the 406 full-scale carry along the latent trait continuum. As we treated each factor of short-LEBA 407 as an unidmensional construct we obtain 5 TICs (Figure 9). These information curves 408 indicated except the first and fifth factors, the other three factor's TICs are roughly 400 centered on the center of the trait continuum  $(\theta)$ . The first and fifth factor had a peak to 410 the right side of the center of latent trait. Thus we conferred the LEBA tool estimated the 411 light exposure related behavior with precision near the center of trait continuum for 2nd, 412 3rd and 4th factors and near the right side of the center of trait continuum for 1st and 5th 413 factors (Baker, 2017).

Table 8 summarizes the item fit indexes of the items. All the items fitted well to the respective models as assessed by RMSEA value obtained from Signed- $\chi^2$  index

415

416

implementation. All of the items had RMSEA value ≤.06 indicating adequate fit. Figure
10 depicts the person fit of out fitted models. Person fit indicates the validity and
meaningfulness of the fitted model at the participants latent trait level (Desjardins &
Bulut, 2018). We estimated the person fit statistics using standardized fit index Zh
statistics (Drasgow, Levine, & Williams, 1985). Zh < -2 should be considered as a misfit.
Fig indicates that Zh is larger than -2 for most participants, suggesting a good fit of the
selected IRT models.

The overall we can concluded that IRT analysis indicated short form of LEBA is a psychometrically sound measure. Item fit indexes and person fit index for all five fitted model were acceptable. Items had diverse slope parameters indicating a good range of discrimination- the ability to differentiate respondents with different levels of the light exposure related behavior. All-in-all we can recommend the short form of LEBA to be used to capture light exposure related behavior.

430 Discussion

424

425

426

427

428

429

References

Aust, F., & Barth, M. (2020). papaja: Prepare reproducible APA journal articles 432 with R Markdown. Retrieved from https://github.com/crsh/papaja 433 Bajaj, A., Rosner, B., Lockley, S. W., & Schernhammer, E. S. (2011). Validation of 434 a light questionnaire with real-life photopic illuminance measurements: The 435 harvard light exposure assessment questionnaire. Cancer Epidemiology and 436 *Prevention Biomarkers*, 20(7), 1341–1349. 437 Baker, F. B. (2017). The Basics of Item Response Theory Using R (1st ed. 2017.). 438 Springer. 439 Bandalos, D. L., & Finney, S. J. (2018). Factor analysis: Exploratory and 440 confirmatory. In The reviewer's guide to quantitative methods in the social 441 sciences (pp. 98–122). Routledge. 442 Barnier, J., Briatte, F., & Larmarange, J. (2020). Questionr: Functions to make 443 surveys processing easier. Retrieved from 444 https://CRAN.R-project.org/package=questionr 445 Barth, M. (2021). tinylabels: Lightweight variable labels. Retrieved from 446 https://github.com/mariusbarth/tinylabels 447 Bartlett, M. (1954). A Note on the Multiplying Factors for Various Chi-square 448 Approximations. Journal of the Royal Statistical Society. Series B, 449 Methodological, 16(2), 296–298. 450 Bentler, P. M., & Chou, C.-P. (1987). Practical Issues in Structural Modeling. 451 Sociological Methods & Research, 16(1), 78–117. 452 https://doi.org/10.1177/0049124187016001004 453 Bevans, K. B., Meltzer, L. J., La Motte, A. de, Kratchman, A., Viél, D., & Forrest, C. B. (2019). Qualitative development and content validation of the PROMIS 455 pediatric sleep health items. Behavioral Sleep Medicine, 17(5), 657–671. 456 https://doi.org/10.1080/15402002.2018.1461102 457

458	Bossini, L., Valdagno, M., Padula, L., De Capua, A., Pacchierotti, C., &
459	Castrogiovanni, P. (2006). Sensibilità alla luce e psicopatologia: Validazione
460	del questionario per la valutazione della fotosensibilità (QVF). Med
461	Psicosomatica, 51, 167–176.
462	Brown, T. A. (2015). Confirmatory factor analysis for applied research (2nd ed.).
463	New York, NY, US: The Guilford Press.
464	Bruni, O., Ottaviano, S., Guidetti, V., Romoli, M., Innocenzi, M., Cortesi, F., &
465	Giannotti, F. (1996). The sleep disturbance scale for children (SDSC)
466	construct ion and validation of an instrument to evaluate sleep disturbances in
467	childhood and adolescence. Journal of Sleep Research, 5(4), 251–261.
468	Bryer, J., & Speerschneider, K. (2016). Likert: Analysis and visualization likert
469	items. Retrieved from https://CRAN.R-project.org/package=likert
470	Buchanan, E. M., Gillenwaters, A., Scofield, J. E., & Valentine, K. D. (2019).
471	MOTE: Measure of the Effect: Package to assist in effect size calculations and
472	their confidence intervals. Retrieved from http://github.com/doomlab/MOTE
473	Buysse, Daniel J., Reynolds III, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J.
474	(1989). The pittsburgh sleep quality index: A new instrument for psychiatric
475	practice and research. Psychiatry Research, 28(2), 193–213.
476	Buysse, Daniel J., Yu, L., Moul, D. E., Germain, A., Stover, A., Dodds, N. E.,
477	Pilkonis, P. A. (2010). Development and validation of patient-reported outcome
478	measures for sleep disturbance and sleep-related impairments. Sleep, 33(6),
479	781–792. https://doi.org/10.1093/sleep/33.6.781
480	Cattell, R. B. (1966). The Scree Test For The Number Of Factors. Multivariate
481	Behavioral Research, 1(2), 245–276.
482	https://doi.org/10.1207/s15327906mbr0102_10
483	Chalmers, R. P. (2012). mirt: A multidimensional item response theory package
40.4	for the R environment Journal of Statistical Software 48(6), 1–29

485	https://doi.org/10.18637/jss.v048.i06
486	Chang, W., Cheng, J., Allaire, J., Sievert, C., Schloerke, B., Xie, Y., Borges, B.
487	(2021). Shiny: Web application framework for r. Retrieved from
488	https://CRAN.R-project.org/package=shiny
489	Comrey, A. L., & Lee, H. B. (1992). A first course in factor analysis, 2nd ed.
490	Hillsdale, NJ, US: Lawrence Erlbaum Associates, Inc.
491	Conigrave, J. (2020). Corx: Create and format correlation matrices. Retrieved
492	from https://CRAN.R-project.org/package=corx
493	Dahl, D. B., Scott, D., Roosen, C., Magnusson, A., & Swinton, J. (2019). Xtable:
494	Export tables to LaTeX or HTML. Retrieved from
495	https://CRAN.R-project.org/package=xtable
496	Desjardins, C., & Bulut, O. (2018). Handbook of Educational Measurement and
497	Psychometrics Using R. https://doi.org/10.1201/b20498
498	Dianat, I., Sedghi, A., Bagherzade, J., Jafarabadi, M. A., & Stedmon, A. W. (2013).
499	Objective and subjective assessments of lighting in a hospital setting:
500	Implications for health, safety and performance. Ergonomics, 56(10),
501	1535–1545.
502	Dimitrov, D. M. (2010). Testing for factorial invariance in the context of construct
503	validation. Measurement and Evaluation in Counseling and Development,
504	<i>43</i> (2), 121–149.
505	Dinno, A. (2018). Paran: Horn's test of principal components/factors. Retrieved
506	from https://CRAN.R-project.org/package=paran
507	Drasgow, F., Levine, M. V., & Williams, E. A. (1985). Appropriateness
508	measurement with polychotomous item response models and standardized
509	indices. British Journal of Mathematical and Statistical Psychology, 38(1),
510	67–86.
511	Dunn, T. J., Baguley, T., & Brunsden, V. (2014). From alpha to omega: A practical

512	Solution to the pervasive problem of internal consistency estimation. Ditish
513	Journal of Psychology, 105(3), 399–412.
514	Eklund, N., & Boyce, P. (1996). The development of a reliable, valid, and simple
515	office lighting survey. Journal of the Illuminating Engineering Society, 25(2),
516	25–40.
517	Epskamp, S. (2019). semPlot: Path diagrams and visual analysis of various SEM
518	packages' output. Retrieved from
519	https://CRAN.R-project.org/package=semPlot
520	Epskamp, S., Cramer, A. O. J., Waldorp, L. J., Schmittmann, V. D., & Borsboom,
521	D. (2012). qgraph: Network visualizations of relationships in psychometric
522	data. Journal of Statistical Software, 48(4), 1–18.
523	F.lux Software LLC. (2021). F.lux (Version 4.120). Retrieved from
524	https://justgetflux.com/
525	Forrest, C. B., Meltzer, L. J., Marcus, C. L., La Motte, A. de, Kratchman, A.,
526	Buysse, D. J., Bevans, K. B. (2018). Development and validation of the
527	PROMIS pediatric sleep disturbance and sleep-related impairment item banks
528	Sleep, 41(6). https://doi.org/10.1093/sleep/zsy054
529	Fox, J., & Weisberg, S. (2019). An R companion to applied regression (Third).
530	Thousand Oaks CA: Sage. Retrieved from
531	https://socialsciences.mcmaster.ca/jfox/Books/Companion/
532	Fox, J., Weisberg, S., & Price, B. (2020). carData: Companion to applied
533	regression data sets. Retrieved from
534	https://CRAN.R-project.org/package=carData
535	Gadermann, A. M., Guhn, M., & Zumbo, B. D. (2012). Estimating ordinal reliability
536	for likert-type and ordinal item response data: A conceptual, empirical, and
537	practical guide. Practical Assessment, Research, and Evaluation, 17(1), 3.
538	Graham, J. M. (2006). Congeneric and (essentially) tau-equivalent estimates of

539	score reliability: What they are and how to use them. Educational and
540	Psychological Measurement, 66(6), 930–944.
541	Harb, F., Hidalgo, M. P., & Martau, B. (2015). Lack of exposure to natural light in
542	the workspace is associated with physiological, sleep and depressive
543	symptoms. Chronobiology International, 32(3), 368–375.
544	https://doi.org/10.3109/07420528.2014.982757
545	Harrell Jr, F. E., Charles Dupont, with contributions from, & others., many. (2021).
546	Hmisc: Harrell miscellaneous. Retrieved from
547	https://CRAN.R-project.org/package=Hmisc
548	Harris, P. A., Taylor, R., Minor, B. L., Elliott, V., Fernandez, M., O'Neal, L.,
549	others. (2019). The REDCap consortium: Building an international community
550	of software platform partners. Journal of Biomedical Informatics, 95, 103208.
551	Harris, P. A., Taylor, R., Thielke, R., Payne, J., Gonzalez, N., & Conde, J. G.
552	(2009). Research electronic data capture (REDCap)—a metadata-driven
553	methodology and workflow process for providing translational research
554	informatics support. Journal of Biomedical Informatics, 42(2), 377–381.
555	Henry, L., & Wickham, H. (2020). Purrr: Functional programming tools. Retrieved
556	from https://CRAN.R-project.org/package=purrr
557	Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis
558	Psychometrika, 30(2), 179-185. https://doi.org/10.1007/BF02289447
559	Horne, J. A., & Östberg, O. (1976). A self-assessment questionnaire to determine
560	morningness-eveningness in human circadian rhythms. International Journal
561	of Chronobiology.
562	Hu, L., & Bentle, P. M. (1999). Cutoff criteria for fit indexes in covariance structure
563	analysis: Conventional criteria versus new alternatives. Structural Equation
564	Modeling: A Multidisciplinary Journal, 6(1), 1–55.
E6E	https://doi.org/10.1080/10705519909540118

566	Hutcheson, G. D. (1999). The multivariate social scientist: Introductory statistics
567	using generalized linear models. London : SAGE.
568	Iannone, R. (2016). DiagrammeRsvg: Export DiagrammeR graphviz graphs as
569	SVG. Retrieved from https://CRAN.R-project.org/package=DiagrammeRsvg
570	lannone, R. (2021). DiagrammeR: Graph/network visualization. Retrieved from
571	https://github.com/rich-iannone/DiagrammeR
572	Jackson, D. L. (2003). Revisiting Sample Size and Number of Parameter
573	Estimates: Some Support for the N:q Hypothesis. Structural Equation
574	Modeling, 10(1), 128-141. https://doi.org/10.1207/S15328007SEM1001_6
575	Johnson, P., & Kite, B. (2020). semTable: Structural equation modeling tables.
576	Retrieved from https://CRAN.R-project.org/package=semTable
577	Johnson, P., Kite, B., & Redmon, C. (2020). Kutils: Project management tools.
578	Retrieved from https://CRAN.R-project.org/package=kutils
579	Jorgensen, T. D., Pornprasertmanit, S., Schoemann, A. M., & Rosseel, Y. (2021).
580	semTools: Useful tools for structural equation modeling. Retrieved from
581	https://CRAN.R-project.org/package=semTools
582	Kaiser, H. F. (1974). An index of factorial simplicity. Psychometrika, 39(1), 31–36
583	https://doi.org/10.1007/bf02291575
584	Kassambara, A. (2019). Ggcorrplot: Visualization of a correlation matrix using
585	'ggplot2'. Retrieved from https://CRAN.R-project.org/package=ggcorrplot
586	Kline, R. B. (2015). Principles and practice of structural equation modeling. The
587	Guilford Press.
588	Kowarik, A., & Templ, M. (2016). Imputation with the R package VIM. Journal of
589	Statistical Software, 74(7), 1–16. https://doi.org/10.18637/jss.v074.i07
590	Lishinski, A. (2021). lavaanPlot: Path diagrams for 'lavaan' models via
591	'DiagrammeR'. Retrieved from
592	https://CRAN.R-project.org/package=lavaanPlot

593	Lorenzo-Seva, U., Timmerman, M., & Kiers, H. (2011). The Hull Method for				
594	Selecting the Number of Common Factors. Multivariate Behavioral Research,				
595	46, 340-364. https://doi.org/10.1080/00273171.2011.564527				
596	Makowski, D., Ben-Shachar, M. S., Patil, I., & Lüdecke, D. (2020). Methods and				
597	algorithms for correlation analysis in r. Journal of Open Source Software,				
598	5(51), 2306. https://doi.org/10.21105/joss.02306				
599	Mardia, K. V. (1970). Measures of multivariate skewness and kurtosis with				
600	applications. Biometrika, 57(3), 519–530.				
601	https://doi.org/10.1093/biomet/57.3.519				
602	Mock, T. (2021). gtExtras: A collection of helper functions for the gt package.				
603	Retrieved from https://github.com/jthomasmock/gtExtras				
604	Müller, K., & Wickham, H. (2021). Tibble: Simple data frames. Retrieved from				
605	https://CRAN.R-project.org/package=tibble				
606	Navarro-Gonzalez, D., & Lorenzo-Seva, U. (2021). EFA.MRFA: Dimensionality				
607	assessment using minimum rank factor analysis. Retrieved from				
608	https://CRAN.R-project.org/package=EFA.MRFA				
609	Novick, M. R., & Lewis, C. (1967). Coefficient alpha and the reliability of				
610	composite measurements. Psychometrika, 32(1), 1–13.				
611	Olivier, K., Gallagher, R. A., Killgore, W. D. S., Carrazco, N., Alfonso-Miller, P.,				
612	Grandner, M. A. (2016). Development and initial validation of the assessment				
613	of sleep environment: A novel inventory for describing and quantifying the				
614	impact of environmental factors on sleep. Sleep, 39(Abstract Supplement:				
615	A367).				
616	Ooms, J. (2021a). Magick: Advanced graphics and image-processing in r.				
617	Retrieved from https://CRAN.R-project.org/package=magick				
618	Ooms, J. (2021b). Rsvg: Render SVG images into PDF, PNG, PostScript, or				
619	bitmap arrays. Retrieved from https://CRAN.R-project.org/package=rsvg				

620	Peters, GJ. (2021). Ufs: Quantitative analysis made accessible. Retrieved from
621	https://CRAN.R-project.org/package=ufs
622	Petersen, A. C., Crockett, L., Richards, M., & Boxer, A. (1988). A self-report
623	measure of pubertal status: Reliability, validity, and initial norms. Journal of
624	Youth and Adolescence, 17(2), 117–133. https://doi.org/10.1007/BF01537962
625	Pornprasertmanit, S., Miller, P., Schoemann, A., & Jorgensen, T. D. (2021).
626	Simsem: SIMulated structural equation modeling. Retrieved from
627	https://CRAN.R-project.org/package=simsem
628	Putnick, D. L., & Bornstein, M. H. (2016). Measurement invariance conventions
629	and reporting: The state of the art and future directions for psychological
630	research. Developmental Review, 41, 71-90.
631	R Core Team. (2021). R: A language and environment for statistical computing.
632	Vienna, Austria: R Foundation for Statistical Computing. Retrieved from
633	https://www.R-project.org/
634	Revelle, W. (2021). Psych: Procedures for psychological, psychometric, and
635	personality research. Evanston, Illinois: Northwestern University. Retrieved
636	from https://CRAN.R-project.org/package=psych
637	Roenneberg, T., Wirz-Justice, A., & Merrow, M. (2003). Life between clocks: Daily
638	temporal patterns of human chronotypes. Journal of Biological Rhythms,
639	<i>18</i> (1), 80–90.
640	Rosenbusch, H., Wanders, F., & Pit, I. L. (2020). The semantic scale network: An
641	online tool to detect semantic overlap of psychological scales and prevent
642	scale redundancies. Psychological Methods, 25(3), 380.
643	Rosseel, Y. (2012). lavaan: An R package for structural equation modeling.
644	Journal of Statistical Software, 48(2), 1–36. Retrieved from
645	https://www.jstatsoft.org/v48/i02/
646	Ryu C. (2021) Dlookr: Tools for data diagnosis, exploration, transformation

647	Retrieved from https://CRAN.R-project.org/package=dlookr
648	Samejima, F., Liden, W. van der, & Hambleton, R. (1997). Handbook of modern
649	item response theory. New York, NY: Springer.
650	Sarkar, D. (2008). Lattice: Multivariate data visualization with r. New York:
651	Springer. Retrieved from http://lmdvr.r-forge.r-project.org
652	Schönbrodt, F. D., & Perugini, M. (2013). At what sample size do correlations
653	stabilize? Journal of Research in Personality, 47(5), 609–612.
654	https://doi.org/10.1016/j.jrp.2013.05.009
655	Schumacker, R. E., & Lomax, R. G. (2004). A beginner's guide to structural
656	equation modeling. psychology press.
657	Shapiro, S. S., & Wilk, M. B. (1965). An analysis of variance test for normality
658	(complete samples). Biometrika, 52(3-4), 591–611.
659	https://doi.org/10.1093/biomet/52.3-4.591
660	Sijtsma, K. (2009). On the use, the misuse, and the very limited usefulness of
661	cronbach's alpha. Psychometrika, 74(1), 107.
662	Siraji, M. A. (2021). Tabledown: A companion pack for the book "basic &
663	advanced psychometrics in r". Retrieved from
664	https://github.com/masiraji/tabledown
665	Sjoberg, D. D., Curry, M., Hannum, M., Larmarange, J., Whiting, K., & Zabor, E. C
666	(2021b). Gtsummary: Presentation-ready data summary and analytic result
667	tables. Retrieved from https://CRAN.R-project.org/package=gtsummary
668	Sjoberg, D. D., Curry, M., Hannum, M., Larmarange, J., Whiting, K., & Zabor, E. C
669	(2021a). Gtsummary: Presentation-ready data summary and analytic result
670	tables. Retrieved from https://CRAN.R-project.org/package=gtsummary
671	Stauffer, R., Mayr, G. J., Dabernig, M., & Zeileis, A. (2009). Somewhere over the
672	rainbow: How to make effective use of colors in meteorological visualizations.
673	Bulletin of the American Meteorological Society, 96(2), 203–216.

674	https://doi.org/10.1175/BAMS-D-13-00155.1
675	Terry M. Therneau, & Patricia M. Grambsch. (2000). Modeling survival data:
676	Extending the Cox model. New York: Springer.
677	Ushey, K., McPherson, J., Cheng, J., Atkins, A., & Allaire, J. (2021). Packrat: A
678	dependency management system for projects and their r package
679	dependencies. Retrieved from https://CRAN.R-project.org/package=packrat
680	van Lissa, C. J. (2021). tidySEM: Tidy structural equation modeling. Retrieved
681	from https://CRAN.R-project.org/package=tidySEM
682	Velicer, W. (1976). Determining the Number of Components from the Matrix of
683	Partial Correlations. Psychometrika, 41, 321–327.
684	https://doi.org/10.1007/BF02293557
685	Venables, W. N., & Ripley, B. D. (2002). Modern applied statistics with s (Fourth).
686	New York: Springer. Retrieved from https://www.stats.ox.ac.uk/pub/MASS4/
687	Verriotto, J. D., Gonzalez, A., Aguilar, M. C., Parel, JM. A., Feuer, W. J., Smith,
688	A. R., & Lam, B. L. (2017). New methods for quantification of visual
689	photosensitivity threshold and symptoms. Translational Vision Science &
690	Technology, 6(4), 18–18.
691	Watkins, M. (2020). A Step-by-Step Guide to Exploratory Factor Analysis with R
692	and RStudio. https://doi.org/10.4324/9781003120001
693	Weinzaepflen, C., & Spitschan, M. (2021). Enlighten your clock: How your body
694	tells time. Open Science Framework. https://doi.org/10.17605/OSF.IO/ZQXVH
695	WHO. (1990). Composite international diagnostic interview.
696	Wickham, H. (2011). The split-apply-combine strategy for data analysis. Journal
697	of Statistical Software, 40(1), 1–29. Retrieved from
698	http://www.jstatsoft.org/v40/i01/
699	Wickham, H. (2016). ggplot2: Elegant graphics for data analysis. Springer-Verlag
700	New York. Retrieved from https://ggplot2.tidyverse.org

701	Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string
702	operations. Retrieved from https://CRAN.R-project.org/package=stringr
703	Wickham, H. (2021a). Forcats: Tools for working with categorical variables
704	(factors). Retrieved from https://CRAN.R-project.org/package=forcats
705	Wickham, H. (2021b). Tidyr: Tidy messy data. Retrieved from
706	https://CRAN.R-project.org/package=tidyr
707	Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R.,
708	Yutani, H. (2019). Welcome to the tidyverse. Journal of Open Source
709	Software, 4(43), 1686. https://doi.org/10.21105/joss.01686
710	Wickham, H., & Bryan, J. (2019). Readxl: Read excel files. Retrieved from
711	https://CRAN.R-project.org/package=readxl
712	Wickham, H., François, R., Henry, L., & Müller, K. (2021). Dplyr: A grammar of
713	data manipulation. Retrieved from https://CRAN.R-project.org/package=dplyr
714	Wickham, H., & Hester, J. (2021). Readr: Read rectangular text data. Retrieved
715	from https://CRAN.R-project.org/package=readr
716	Widaman, K. F., & Reise, S. P. (1997). Exploring the measurement invariance of
717	psychological instruments: Applications in the substance use domain.
718	Wilke, C. O. (2020). Cowplot: Streamlined plot theme and plot annotations for
719	'ggplot2'. Retrieved from https://CRAN.R-project.org/package=cowplot
720	Winston Chang. (2014). Extrafont: Tools for using fonts. Retrieved from
721	https://CRAN.R-project.org/package=extrafont
722	Worthington, R. L., & Whittaker, T. A. (2006). Scale Development Research: A
723	Content Analysis and Recommendations for Best Practices. The Counseling
724	Psychologist, 34(6), 806-838. https://doi.org/10.1177/0011000006288127
725	Wu, Y., & Hallett, M. (2017). Photophobia in neurologic disorders. <i>Translational</i>
726	Neurodegeneration, 6(1), 26. https://doi.org/10.1186/s40035-017-0095-3
727	Xie, Y., Wu, X., Tao, S., Wan, Y., & Tao, F. (2021). Development and validation of

728	the self-rating of biological rhythm disorder for chinese adolescents.
729	Chronobiology International, 1–7.
730	https://doi.org/10.1080/07420528.2021.1989450
731	Yu, C. (2002). Evaluating cutoff criteria of model fit indices for latent variable
732	models with binary and continuous outcomes (Thesis). ProQuest
733	Dissertations Publishing.
734	Yu, L., Buysse, D. J., Germain, A., Moul, D. E., Stover, A., Dodds, N. E.,
735	Pilkonis, P. A. (2011). Development of short forms from the PROMIS™ sleep
736	disturbance and sleep-related impairment item banks. Behavioral Sleep
737	Medicine, 10(1), 6-24. https://doi.org/10.1080/15402002.2012.636266
738	Yuan, KH., & Zhang, Z. (2020). Rsem: Robust structural equation modeling with
739	missing data and auxiliary variables. Retrieved from
740	https://CRAN.R-project.org/package=rsem
741	Zeileis, A., & Croissant, Y. (2010). Extended model formulas in R: Multiple parts
742	and multiple responses. Journal of Statistical Software, 34(1), 1–13.
743	https://doi.org/10.18637/jss.v034.i01
744	Zeileis, A., Fisher, J. C., Hornik, K., Ihaka, R., McWhite, C. D., Murrell, P.,
745	Wilke, C. O. (2020). colorspace: A toolbox for manipulating and assessing
746	colors and palettes. Journal of Statistical Software, 96(1), 1–49.
747	https://doi.org/10.18637/jss.v096.i01
748	Zeileis, A., Hornik, K., & Murrell, P. (2009). Escaping RGBland: Selecting colors
749	for statistical graphics. Computational Statistics & Data Analysis, 53(9),
750	3259-3270. https://doi.org/10.1016/j.csda.2008.11.033
751	Zhang, Z., & Yuan, KH. (2020). Coefficientalpha: Robust coefficient alpha and
752	omega with missing and non-normal data. Retrieved from
753	https://CRAN.R-project.org/package=coefficientalpha
754	Zhu, H. (2021). kableExtra: Construct complex table with 'kable' and pipe syntax.

Retrieved from https://CRAN.R-project.org/package=kableExtra

Zumbo, B. D., Gadermann, A. M., & Zeisser, C. (2007). Ordinal versions of

coefficients alpha and theta for likert rating scales. *Journal of Modern Applied*Statistical Methods, 6(1), 4.

Table 1

Releated Scales

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Visual	Verriotto	Eight-	None	5-point	Not
Light	et al.,	question		Likert	available
Sensitivity	2017	survey to		scale	
Questionna	ire-	assess			
8		the			
		presence			
		and			
		severity of			
		photosen-			
		sitivity			
		symptoms			
Office	Eklundet	30 items	Item 29	Mixed	Not
Light	al., 1996	survey to		response	available
Survey		assess		format	
		electrical			
		lighting en-			
		vironment			
		in office			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Harvard	Bajaj et	1 item	None	Semi-	Correlation
Light	al., 2011	semi-		quantitative	with
Exposure		quantitative			physical
Assess-		light ques-			measure-
ment		tionnaire			mernt
Question-					
naire					
Hospital	Dianat et	23 items	Item 16,17	5-point	Face and
Lighting	el., 2013	question-		Likert	Content
Survey		naire to		scale	validity
		assess			
		light envi-			
		ronment in			
		a hospital			
MorningnessHorne et		19 items	item	Mixed	Correlation
Eveningnessal., 1976		question-	1,2,8,13,14	response	the oral
Question-		naire to		format	tempera-
naire		under-			ture
		stand your			
		body clock			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Munich	Roenneberg	g 17 items	Time	Mixed	Correlation
Chrono-	et al.,	question-	spect	response	with
type	2003	naire to	outdoors	format	sleep-logs,
Question-		under-			actimetry,
naire		stand			and physi-
(MCTQ)		individuals			ological
		phase of			parame-
		entrain-			ters
		ment			
Sleep	Olivier	16 Factor	Subscale	5-point	Face and
Practices	et.al.,	question-	8&9	Likert	Construct
and	2016	naire		scale	validity
Attitudes		measuring			
Question-		practice,			
naire		behavior			
(SPAQ)		and			
		attitude			
		related			
		sleep			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
The	Buysse et	9 items	item 1-4	Mixed	Correlation
Pittsburgh	al., 1989	inventory		response	with
Sleep		to		format	clinical
Quality		measure			measure-
Index		sleep			ments
(PSQI)		quality			
		and			
		sleeping			
		pattern			
Self-	Xie et al.,	29 Items	Item	5-point	Construct
Rating of	2021	question-	3,6,22-25	Likert	validity
Biological		naire	and 29	scale	
Rhythm		assessing			
Disorder		four di-			
for		mensions			
Disorder		of			
for Adoles-		biological			
cents		rhythm			
(SBRDA)		disorder in			
		adoles-			
		cents			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Photosensi Assess- ment Question- naire (PAQ)	tiv <b>⊞y</b> ssini et al.,2006	dichoto- mous (yes/no) items question- naire to assess "photopho- bia" and "pho- tophilia"	All items	Binary response option	Not available

Table 2

Demographics

Variable	Overall, N = 690	1. EFA Sample, N = 428	2. CFA Sample, N = 262	p-value	q-value
Age	32.95 (14.57)	32.99 (15.11)	32.89 (13.66)	0.5	0.5
Sex				0.14	0.4
Female	325 (47%)	189 (44%)	136 (52%)		
Male	351 (51%)	230 (54%)	121 (46%)		
Other	14 (2.0%)	9 (2.1%)	5 (1.9%)		
Gender-Variant Identity	49 (7.2%)	33 (7.8%)	16 (6.2%)	0.4	0.5
Native English Speaker	320 (46%)	191 (45%)	129 (49%)	0.2	0.5
Occupational Status				0.040	0.2
Work	396 (57%)	235 (55%)	161 (61%)		
School	174 (25%)	122 (29%)	52 (20%)		
Neither	120 (17%)	71 (17%)	49 (19%)		
Occupational setting				0.3	0.5
Home office/Home schooling	303 (44%)	194 (45%)	109 (42%)		
Face-to-face work/Face-to-face schooling	109 (16%)	68 (16%)	41 (16%)		
Combination of home- and face-to-face- work/schooling	147 (21%)	94 (22%)	53 (20%)		
Neither (no work or school, or in vacation)	131 (19%)	72 (17%)	59 (23%)		

<sup>&</sup>lt;sup>1</sup> Mean (SD); n (%)

<sup>&</sup>lt;sup>2</sup> Wilcoxon rank sum test; Pearson's Chi-squared test

 $<sup>^{\</sup>rm 3}$  False discovery rate correction for multiple testing

Table 3

Descriptive Statistics

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item1	2.27	1.39	0.74	-0.81	0.81*	0.19
Item2	2.87	1.59	80.0	-1.60	0.83*	0.28
Item3	3.36	1.38	-0.48	-1.03	0.87*	0.23
Item4	1.47	1.18	2.38	4.00	0.43*	0.24
Item5	4.01	1.40	-1.22	0.07	0.70*	0.17
Item6	2.79	1.55	0.19	-1.48	0.85*	0.13
Item7	2.26	1.25	0.70	-0.60	0.85*	0.32
Item8	2.97	1.20	-0.06	-0.94	0.91*	0.25
Item9	2.94	1.03	-0.12	-0.40	0.91*	0.08
Item10	2.74	1.04	0.09	-0.74	0.91*	0.42
Item11	2.18	0.90	0.60	0.12	0.86*	0.41
Item12	2.36	1.22	0.59	-0.62	0.87*	0.48
Item13	2.73	1.46	0.20	-1.36	0.87*	0.25
Item14	2.14	1.31	0.77	-0.78	0.80*	0.28
Item15	3.26	1.09	-0.26	-0.45	0.91*	0.03
Item16	1.56	1.23	2.00	2.45	0.50*	0.28
Item17	1.54	1.21	2.07	2.75	0.49*	0.21
Item18	1.12	0.49	5.02	27.80	0.25*	0.18
Item19	1.05	0.36	7.23	52.98	0.13*	0.17
Item20	1.04	0.33	8.99	85.28	0.10*	0.16
Item21	1.14	0.59	4.79	24.05	0.25*	0.21
Item22	3.57	1.07	-0.65	-0.17	0.88*	0.20
Item23	2.56	1.27	0.33	-1.00	0.89*	0.08

Table 3 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item24	4.14	0.99	-1.23	1.14	0.79*	0.22
Item25	2.59	1.41	0.27	-1.27	0.86*	0.15
Item26	2.25	1.27	0.69	-0.64	0.84*	0.08
Item27	3.80	1.29	-0.87	-0.42	0.82*	0.17
Item28	3.76	1.14	-0.68	-0.45	0.86*	0.18
Item29	2.44	1.31	0.38	-1.14	0.86*	0.13
Item30	1.48	1.11	2.18	3.35	0.48*	0.13
Item31	3.00	1.62	-0.08	-1.61	0.83*	0.39
Item32	3.55	1.65	-0.60	-1.34	0.76*	0.33
Item33	3.62	1.64	-0.68	-1.25	0.74*	0.37
Item34	3.42	1.83	-0.45	-1.69	0.69*	0.20
Item35	3.86	1.67	-0.99	-0.85	0.65*	0.20
Item36	1.54	1.25	2.13	2.86	0.46*	0.35
Item37	1.33	0.91	3.03	8.43	0.41*	0.09
Item38	4.30	1.08	-1.79	2.53	0.67*	0.32
Item39	1.96	0.98	1.02	0.69	0.82*	0.07
Item40	2.16	1.19	0.71	-0.54	0.84*	0.25
Item41	1.31	0.81	2.75	6.92	0.43*	0.14
Item42	3.93	1.48	-1.06	-0.44	0.71*	0.15
Item43	1.64	1.18	1.79	2.02	0.60*	0.22
Item44	3.51	1.30	-0.70	-0.59	0.85*	0.40
Item45	2.22	1.48	0.71	-1.02	0.76*	0.29
Item46	1.76	1.23	1.35	0.44	0.66*	0.39
Item47	2.11	1.17	0.77	-0.39	0.83*	0.37

Table 3 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item48	2.60	1.25	0.29	-0.86	0.89*	0.36

*Note.* \*p<.001

Table 4

Factor loadings and communality of the retained items

item	PA1	PA2	PA3	PA4	PA5	Communality	Uniqueness
item16	0.99					0.993	0.007
item36	0.94					0.899	0.101
item17	8.0					0.658	0.342
item11		0.79				0.642	0.358
item10		0.76				0.592	0.408
item12		0.65				0.465	0.535
item7		0.5				0.267	0.733
item8		-0.49				0.252	0.748
item9		0.32				0.113	0.887
item27			8.0			0.658	0.342
item3			8.0			0.682	0.318
item40			0.65			0.464	0.536
item30			0.45			0.353	0.647
item41			0.36			0.329	0.671
item33				0.74		0.555	0.445
item32				0.73		0.624	0.376
item35				0.66		0.454	0.546
item37				-0.39		0.174	0.826
item38				0.38		0.178	0.822
item46					0.6	0.422	0.578
item45					0.59	0.374	0.626
item25					0.41	0.193	0.807
item4					0.41	0.219	0.781
item1					0.4	0.17	0.83
item26					0.35	0.165	0.835
% of Variance	0.1	0.1	0.09	0.08	0.06		

Note. Only loading higher than .30 is reported

Table 5

Fit indices of CFA

Model	Chi-Squre	df	CFI	TLI	RMSEA	RMSEA 90% Lower CI	RMSEA 90% Upper CI	SRMR
Five factor model:25	448.51	222.00	.94	0.93	0.06	0.05	0.07	0.12
Five factor model:23	346.59	221.00	.97	0.96	0.05	0.04	0.06	0.09

*Note.* df: Degrees of Freedom; CFI: Comparative Fit Index; TLI: Tucker Lewis Index;RMSEA:Root Mean Square Error of Approximation; CI: Confidence Interval; SRMR: Standardized Root Mean Square

Table 6

Invariance Analysis

	Chi-Square	df	CFI	TLI	RMSEA	RMSEA 90% Lower CI	RMSEA 90% Upper	Chi-Square Difference	df difference*	р
Configural	632.20	442.00	0.95	0.94	0.06	0.05	0.07	-	-	-
Metric	644.58	458.00	0.95	0.95	0.06	0.05	0.07	18.019a	16	0.323
Scalar	714.19	522.00	0.95	0.95	0.05	0.04	0.06	67.961b	64	0.344
Residual	714.19	522.00	0.95	0.95	0.05	0.04	0.06	0c	0	NA

Note. a = Metric vs Configural; b = Scalar vs Metric; c = Residual vs Scalar; d = Structural vs Residual;\* = df of model comparison

Table 7

IRT Item parameters for the LEBA Scale

	а	b1	b2	b3	b4
item16	28.55	0.78	0.90	1.06	1.40
item36	4.49	0.94	1.08	1.23	1.40
item17	2.81	0.97	1.11	1.38	1.62
item11	3.27	-0.79	0.65	1.54	2.31
item10	3.07	-1.27	-0.09	0.82	2.00
item12	1.72	-0.67	0.44	1.28	2.11
item7	1.09	-0.50	0.73	1.63	2.97
Ritem8	1.19	-2.26	-0.48	0.64	1.91
item9	0.91	-2.63	-0.96	1.11	3.49
item27	2.21	-1.88	-1.19	-0.73	0.30
item3	3.03	-1.24	-0.77	-0.20	0.66
item40	1.55	-0.51	0.46	1.32	2.22
item30	0.49	3.27	3.74	4.64	6.52
item41	0.51	3.87	4.78	6.39	8.91
item32	1.62	-1.03	-0.78	-0.42	0.16
item35	1.36	-1.09	-0.98	-0.75	-0.40
item38	0.40	-7.50	-5.58	-4.25	-0.91
item33	13.51	-0.66	-0.48	-0.24	0.13
item46	2.22	0.68	0.89	1.38	2.17
item45	1.51	0.30	0.55	1.17	1.91
item25	0.52	-1.37	-0.04	1.89	4.22
item4	0.84	2.44	2.80	3.18	3.67
item1	0.39	-0.91	1.52	3.25	5.53

*Note.* a = item discrimination parameter; b(1-4)

<sup>=</sup> response category difficulty parameter

Table 8

Item fit statistics for the fitted models

Item	Signed Chi-square	df	RMSEA	р
item16	2.01	6.00	0.00	0.92
item36	39.06	13.00	0.05	0.00
item17	25.58	13.00	0.04	0.02
item11	24.42	21.00	0.02	0.27
item10	37.39	25.00	0.03	0.05
item12	36.60	34.00	0.01	0.35
item7	47.23	40.00	0.02	0.20
Ritem8	81.87	36.00	0.04	0.00
item27	16.41	11.00	0.03	0.13
item3	15.10	11.00	0.02	0.18
item40	9.91	9.00	0.01	0.36
item32	41.38	15.00	0.05	0.00
item35	41.68	14.00	0.05	0.00
item33	47.04	14.00	0.06	0.00
item46	49.04	33.00	0.03	0.04
item45	39.55	32.00	0.02	0.17
item25	51.56	36.00	0.03	0.04
item4	35.12	35.00	0.00	0.46
item1	32.85	39.00	0.00	0.75




Figure 1. Development of long and short form of LEBA




Figure 2. Correlation plot of the items




Figure 3. Factor Identification (A) Parallel analysis (B) Scree Plot (C) Hull Method




Figure 4. Five Factor Solution




Figure 5. Histogram of residuals: five-factor solution

Items	Su	mmary	Statisti	cs	Grap	ohics		F	lesponse Patte	m	
LEBA Items	n	Mean	Median	SD	Histogram <sup>1</sup>	Density <sup>2</sup>	Never	Rarely	Sometimes	Often	Always
EFA (n = 42	B)										
item01	428	2.3	2.0	1.4		<u></u>	42.29% (181)	22.20% (95)	12.62% (54)	12.38% (53)	10.51% (45)
item03	428	3.4	4.0	1.4		<u></u>	15.89% (68)	11.45% (49)	17.29% (74)	31.07% (133)	24.30% (104
item04	428	1.5	1.0	1.2		^_	84.11% (360)	3.50% (15)	2.10% (9)	2.10% (9)	8.18% (35)
item07	428	2.3	2.0	1.2		<u></u>	35.98% (154)	27.80% (119)	17.29% (74)	12.38% (53)	6.54% (28)
item08	428	3.0	3.0	1.2		$\sim$	13.79% (59)	22.20% (95)	27.80% (119)	25.93% (111)	10.28% (44
item09	428	2.9	3.0	1.0		$\wedge$	10.28% (44)	19.63% (84)	41.82% (179)	22.43% (96)	5.84% (25)
item10	428	2.7	3.0	1.0			11.92% (51)		31.31% (134)	21.96% (94)	3.50% (15)
item11	428	2.2	2.0	0.9			22.43% (96)	46.26% (198)	23.13% (99)	7.01% (30)	1.17% (5)
item12	428	2.4	2.0	1.2				29.67% (127)	21.50% (92)	12.15% (52)	6.78% (29)
						^					
item16	428	1.6	1.0	1.2		_	79.67% (341)	4.21% (18)	3.97% (17)	4.67% (20)	7.48% (32)
item17	428	1.5	1.0	1.2		~	80.61% (345)	3.27% (14)	5.14% (22)	3.27% (14)	7.71% (33)
item25	428	2.6	3.0	1.4			34.35% (147)	13.79% (59)	22.20% (95)	17.99% (77)	11.68% (50)
item26	428	3.7	4.0	1.3			38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31)
item27	428	3.8	4.0	1.3			8.41% (36)	11.21% (48)	11.21% (48)	30.37% (130)	38.79% (166
item30	428	1.5	1.0	1.1		$\sim$	81.78% (350)	3.27% (14)	4.91% (21)	5.37% (23)	4.67% (20)
item32	428	3.6	4.0	1.6		~~	23.13% (99)	7.01% (30)	8.18% (35)	14.95% (64)	46.73% (200
item33	428	3.6	4.0	1.6		~~	21.96% (94)	7.01% (30)	7.24% (31)	14.49% (62)	49.30% (211
item35	428	3.9	5.0	1.7		$\sim$	22.90% (98)	1.87% (8)	3.74% (16)	9.35% (40)	62.15% (266
item36	428	1.5	1.0	1.3		$\wedge$	82.24% (352)	3.04% (13)	3.04% (13)	2.34% (10)	9.35% (40)
item37	428	2.3	2.0	1.3		$\overline{}$	38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31)
item38	428	4.3	5.0	1.1			5.37% (23)	3.50% (15)	5.37% (23)	27.57% (118)	58.18% (249
item40	428	2.2	2.0	1.2		<u></u>	39.49% (169)	25.00% (107)	19.63% (84)	11.45% (49)	4.44% (19)
item41	428	1.3	1.0	0.8		$\sim$	85.05% (364)	4.67% (20)	6.07% (26)	3.04% (13)	1.17% (5)
• item45	428	2.2	1.0	1.5		<u></u>	53.04% (227)	7.01% (30)	16.36% (70)	11.92% (51)	11.68% (50)
• item46	428	1.8	1.0	1.2		$\sim$	67.06% (287)	7.71% (33)	11.68% (50)	8.88% (38)	4.67% (20)
CFA (n =262	2)										
• item01	262	2.3	2.0	1.4		<u></u>	40.46% (106)	22.52% (59)	14.50% (38)	10.69% (28)	11.83% (31)
• item03	262	3.7	4.0	1.3			11.83% (31)	7.25% (19)	17.56% (46)	28.24% (74)	35.11% (92
• item04	262	1.3	1.0	0.8		^	89.31% (234)	2.29% (6)	3.44% (9)	3.05% (8)	1.91% (5)
_	262	2.1	2.0	1.2	<u> </u>	~					
item07							43.13% (113)	23.66% (62)	14.50% (38)	14.12% (37)	4.58% (12)
item08	262	3.0	3.0	1.2			14.12% (37)	22.90% (60)	20.99% (55)	32.06% (84)	9.92% (26)
item09	262	2.9	3.0	1.1			12.98% (34)	22.14% (58)	34.35% (90)	26.34% (69)	4.20% (11)
item10	262	2.6	3.0	1.1			17.56% (46)	29.39% (77)	29.01% (76)	21.37% (56)	2.67% (7)
item11	262	2.1	2.0	0.9			25.95% (68)	46.56% (122)	20.23% (53)	5.34% (14)	1.91% (5)
item12	262	2.3	2.0	1.2		$\sim$	32.06% (84)	30.92% (81)	19.08% (50)	11.45% (30)	6.49% (17)
item16	262	1.6	1.0	1.3		_	78.24% (205)	3.44% (9)	4.20% (11)	5.73% (15)	8.40% (22)
item17	262	1.6	1.0	1.2		^	80.15% (210)	3.44% (9)	5.34% (14)	2.67% (7)	8.40% (22)
item25	262	2.5	2.0	1.4		$\overline{}$	32.82% (86)	18.32% (48)	21.76% (57)	16.79% (44)	10.31% (27
item27	262	4.0	4.0	1.2			6.11% (16)	7.25% (19)	8.02% (21)	33.59% (88)	45.04% (118
item30	262	1.4	1.0	1.1		^_	83.59% (219)	2.67% (7)	4.20% (11)	6.11% (16)	3.44% (9)
item32	262	3.4	4.0	1.7		<u>~~</u>	25.95% (68)	4.20% (11)	11.45% (30)	16.79% (44)	41.60% (109
item33	262	3.1	3.0	1.7		<u>~~</u>	32.44% (85)	6.11% (16)	11.83% (31)	14.12% (37)	35.50% (93
item35	262	3.6	5.0	1.8		~~	27.48% (72)	2.67% (7)	7.25% (19)	6.49% (17)	56.11% (147
item36	262	1.6	1.0	1.3		^_	80.53% (211)	3.44% (9)	3.05% (8)	3.44% (9)	9.54% (25)
item38	262	4.3	5.0	1.1			4.20% (11)	7.63% (20)	6.49% (17)	21.37% (56)	60.31% (158
item40	262	2.5	2.0	1.3			30.92% (81)	27.10% (71)	18.70% (49)	12.21% (32)	11.07% (29
item41	262	1.2	1.0	0.7		^	90.08% (236)	3.82% (10)	2.29% (6)	2.67% (7)	1.15% (3)
_						^					
item45	262	2.0	1.0	1.4			64.12% (168)	5.34% (14)	9.54% (25)	11.83% (31)	9.16% (24)
item46	262	1.6	1.0	1.2			75.57% (198)	2.67% (7)	8.02% (21)	9.54% (25)	4.20% (11)

Figure 6. Summary Descriptives of CFA and EFA Sample




Figure 7. Five Factor CFA Model of LEBA




Figure 8. Item information curves (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatchin bed (d) Using light before bedtime (e) Using light in the morning andduring daytime




Figure 9. Test information curves (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatchin bed (d) Using light before bedtime (e) Using light in the morning andduring daytime




Figure 10. Person fit of the five fitted IRT models (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatchin bed (d) Using light before bedtime (e) Using light in the morning andduring daytime

Appendix A

SA: Confirming the five factor solution obtained using minimum residual extraction method

Table A1

Factor loadings and communality of the retained items(Minmum Residual)

item	MR1	MR2	MR3	MR4	MR5	Communality	Uniqueness
item16	1					0.996	0.004
item36	0.94					0.897	0.103
item17	8.0					0.658	0.342
item11		0.79				0.642	0.358
item10		0.76				0.592	0.408
item12		0.65				0.465	0.535
item7		0.5				0.267	0.733
item8		-0.49				0.252	0.748
item9		0.32				0.113	0.887
item27			8.0			0.659	0.341
item3			8.0			0.683	0.317
item40			0.65			0.464	0.536
item30			0.45			0.353	0.647
item41			0.36			0.329	0.671
item33				0.74		0.555	0.445
item32				0.73		0.623	0.377
item35				0.66		0.455	0.545
item37				-0.39		0.175	0.825
item38				0.38		0.178	0.822
item46					0.6	0.422	0.578
item45					0.59	0.374	0.626

Table A1 continued

item	MR1	MR2	MR3	MR4	MR5	Communality	Uniqueness
item25					0.41	0.193	0.807
item4					0.41	0.219	0.781
item1					0.4	0.17	0.83
item26					0.35	0.165	0.835
% of Variance	0.1	0.1	0.09	0.08	0.06		

Note. Only loading higher than .30 is reported

Appendix B SA: Factor analysis with six factors

Table B1

Factor loadings and communality of the retained items(six factor)

item	PA1	PA4	PA2	PA3	PA5	PA6	Communality	Uniqueness
item19	1.78						3.318	-2.318
item5							0.11	0.89
item16		1					1.004	-0.004
item36		0.91					0.86	0.14
item17		0.81					0.691	0.309
item11			0.83				0.71	0.29
item10			0.79				0.638	0.362
item12			0.63				0.465	0.535
item8			-0.5				0.269	0.731
item7			0.47				0.268	0.732
item9			0.32				0.163	0.837
item33				0.83			0.698	0.302
item32				0.75			0.666	0.334
item35				0.64			0.446	0.554
item31				0.48			0.331	0.669
item38				0.39			0.191	0.809
item37				-0.35			0.153	0.847
item3					0.85		0.748	0.252
item27					8.0		0.644	0.356
item40					0.68		0.507	0.493
item46						0.6	0.431	0.569

Table B1 continued

item	PA1	PA4	PA2	PA3	PA5	PA6	Communality	Uniqueness
item45						0.56	0.341	0.659
item4						0.43	0.265	0.735
item25						0.4	0.178	0.822
item1						0.36	0.142	0.858
item26						0.36	0.173	0.827
item13							0.087	0.913
item29							0.108	0.892
% of Variance	0.12	0.09	0.09	0.08	0.07	0.06		

Note. Only loading higher than .30 is reported

## Appendix C

## SA: Factor Analysis with Unmerged Response Option

Table ?? summarizes the univariate descriptive statistics for the 48 items with un-merged options. Some of the items were skewed with high Kurtosis values. Our data violated both univariate normality (Shapiro-Wilk statistics) and multivariate normality assumptions [Marida's test]. Multivariate skew was = 494.70 (p < 0.001) and multivariate kurtosis was 764 = 2,705.00 (p < 0.001). Due to these violations and ordinal nature of the response data 765 polychoric correlations over Pearson's correlations was chosen. Sampling adequacy 766 was checked using Kaiser-Meyer-Olkin (KMO) measures of sampling adequacy. The 767 overall KMO vale for 48 items was 0.65 which was above the cutoff value (.50) indicating 768 a mediocre sample. Bartlett's test of sphericity,  $\chi^2$  (1128) = 5515.20, p < .001 indicated 769 the correlations between items are adequate for the EFA. However only 4.34% of the 770 inter-item correlation coefficients were greater than .30. The absolute value of inter-item 771 correlation ranged between .00 to .96. Figure ?? depicts the correlation matrix. For 772 un-merged response option Horn's parallel analysis with 500 iterations indicated a 773 five-factor solution. However, Scree plot and the MAP method suggested 6-factor 774 solution. five-factor solution. As a result, we tested both five-factor and six-factor 775 solutions. The six factor solution yielded a factor with only two salient loading (Table ??. 776 Thus we reject the six factor solution. The five factor solution retained 24 items (Table ??). However the factors are less interpretable in terms of common theme. Thus we reject the five factor solution.

Table C1

Descriptive Statistics for Unmerged response options

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item1	2.16	1.51	0.49	-0.86	0.90*	.21
Item2	2.76	1.75	-0.10	-1.42	0.88*	.20

Table C1 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item3	3.34	1.43	-0.58	-0.77	0.88*	.18
Item4	1.30	1.31	1.93	2.92	0.62*	.32
Item5	3.95	1.56	-1.42	0.75	0.70*	.19
Item6	2.70	1.66	0.02	-1.33	0.90*	.18
Item7	2.23	1.28	0.60	-0.59	0.89*	.18
Item8	2.95	1.24	-0.19	-0.70	0.93*	07
Item9	2.92	1.09	-0.37	0.11	0.91*	.14
Item10	2.73	1.07	-0.03	-0.52	0.92*	.27
Item11	2.17	0.93	0.44	0.20	0.89*	.25
Item12	2.34	1.26	0.46	-0.58	0.91*	.24
Item13	2.71	1.49	0.14	-1.29	0.89*	.28
Item14	2.11	1.34	0.68	-0.78	0.84*	.24
Item15	3.26	1.11	-0.34	-0.21	0.91*	.11
Item16	1.46	1.31	1.71	1.90	0.65*	.33
Item17	1.43	1.30	1.76	2.12	0.64*	.30
Item18	0.92	0.67	2.00	9.41	0.62*	.32
Item19	0.85	0.56	1.71	10.74	0.55*	.34
Item20	0.83	0.54	1.76	13.92	0.53*	.31
Item21	0.94	0.75	2.46	10.66	0.58*	.27
Item22	3.57	1.08	-0.72	0.08	0.88*	.19
Item23	2.53	1.31	0.22	-0.91	0.92*	.11
Item24	4.13	1.01	-1.39	2.01	0.78*	.19
Item25	2.57	1.43	0.22	-1.23	0.88*	.17
Item26	2.23	1.30	0.59	-0.63	0.88*	.16

Table C1 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item27	3.78	1.34	-1.01	0.08	0.82*	.18
Item28	3.75	1.16	-0.78	-0.10	0.86*	.01
Item29	2.38	1.40	0.20	-1.04	0.92*	.11
Item30	0.94	1.42	1.66	1.69	0.68*	.24
Item31	2.91	1.76	-0.24	-1.41	0.87*	.45
Item32	3.49	1.76	-0.71	-1.06	0.78*	.43
Item33	3.56	1.75	-0.79	-0.95	0.77*	.32
Item34	3.30	2.00	-0.54	-1.50	0.74*	.34
Item35	3.80	1.79	-1.07	-0.59	0.67*	.24
Item36	1.36	1.38	1.75	2.05	0.65*	.38
Item37	1.30	0.94	2.79	7.65	0.48*	01
Item38	4.27	1.18	-2.07	4.01	0.65*	.23
Item39	1.94	1.01	0.85	0.61	0.86*	.05
Item40	2.13	1.24	0.56	-0.54	0.89*	.16
Item41	0.87	1.08	1.68	2.74	0.73*	.21
Item42	3.90	1.55	-1.15	-0.12	0.72*	.17
Item43	1.59	1.23	1.59	1.70	0.69*	.22
Item44	3.46	1.41	-0.92	-0.01	0.86*	.38
Item45	2.04	1.66	0.46	-1.12	0.87*	.29
Item46	1.57	1.40	0.97	-0.07	0.82*	.38
Item47	2.07	1.23	0.59	-0.42	0.89*	.34
Item48	2.57	1.30	0.14	-0.74	0.93*	.31

*Note.* \*p<.001






Figure C1. Factor Identification (A) Parallel analysis (B) Scree Plot [Unmerged response options]

Table C2

Factor loadings and communality of the retained items in five factor solution

[Unmerged Responses]

item	PA1	PA2	PA5	PA3	PA4	Communality	Uniqueness
item19	0.99					1.007	-0.007
item20	0.91					0.874	0.126
item18	0.82					0.711	0.289
item21	8.0					0.683	0.317
item4	0.47					0.25	0.75

Table C2 continued

item	PA1	PA2	PA5	PA3	PA4	Communality	Uniqueness
item11		0.83				0.687	0.313
item10		0.81				0.67	0.33
item12		0.56				0.371	0.629
item8		-0.44				0.206	0.794
item7		0.42				0.226	0.774
item9		0.33				0.115	0.885
item16			0.95			0.946	0.054
item17			0.74			0.595	0.405
item36	0.3		0.73			0.653	0.347
item3				0.85		0.746	0.254
item27				0.78		0.624	0.376
item40				0.71		0.512	0.488
item35					0.58	0.351	0.649
item48					0.57	0.354	0.646
item33					0.55	0.32	0.68
item47					0.52	0.294	0.706
item44					0.45	0.216	0.784
item31					0.41	0.206	0.794
item38					0.33	0.129	0.871
% of Variance	0.15	0.09	0.09	80.0	80.0		

Note. Only loading higher than .30 is reported

Table C3

Factor loadings and communality of the retained items in six factor solution [Unmerged Responses]

item	PA1	PA2	PA3	PA4	PA6	PA5	Communality	Uniqueness
item19	0.98						0.995	0.005
item20	0.92						0.904	0.096
item21	0.79						0.666	0.334
item4	0.49						0.296	0.704
item43	0.32					0.31	0.282	0.718
item10		0.81					0.67	0.33
item11		0.81					0.668	0.332
item12		0.58					0.408	0.592
item8		-0.45					0.218	0.782
item7		0.42					0.229	0.771
item9		0.33					0.115	0.885
item3			0.85				0.731	0.269
item27			0.77				0.606	0.394
item40			0.72				0.533	0.467
item35				0.64			0.426	0.574
item33				0.62			0.413	0.587
item48				0.52			0.305	0.695
item47				0.48			0.259	0.741
item31				0.39			0.206	0.794
item38				0.32			0.18	0.82
item17					0.85		0.786	0.214
item16					0.78		0.681	0.319

Table C3 continued

item	PA1	PA2	PA3	PA4	PA6	PA5	Communality	Uniqueness
item13						0.57	0.336	0.664
item14						0.5	0.356	0.644
item15						0.48	0.277	0.723
item42						0.37	0.168	0.832
item26							0.064	0.936
% of Variance	0.11	0.08	0.07	0.06	0.06	0.05		

Note. Only loading higher than .30 is reported

### Appendix D

## Items Retained in the Five Factor Solution [Unmerged Responses]

## **Five Factor Solution [Unmerged Responses] (24 Items)**

#### F1

I use light therapy applying a blue light box.

I use light therapy applying a light visor.

I use light therapy applying a white light box.

I use light therapy applying another form of light device.

I use an alarm with a dawn simulation light.

#### F2

I spend more than 3 hours per day (in total) outside.

I spend between 1 and 3 hours per day (in total) outside.

I spend as much time outside as possible.

I spend 30 minutes or less per day (in total) outside.

I go for a walk or exercise outside within 2 hours after waking up.

I spend between 30 minutes and 1 hour per day (in total) outside.

#### F3

I look at my mobile phone screen immediately after waking up.

I use my mobile phone within 1 hour before attempting to fall asleep.

I check my phone when I wake up at night.

#### F4

I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.

I seek out knowledge on how to improve my light exposure.

I dim my computer screen within 1 hour before attempting to fall asleep.

I discuss the effects of light on my body with other people.

## **Five Factor Solution [Unmerged Responses] (24 Items)**

I modify my light environment to match my current needs.

I dim my room light within 1 hour before attempting to fall asleep.

I use as little light as possible when I get up during the night.

## F5

I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.

I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.

I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.

# Appendix E

## Geographic Locations of Survey Participants

Table E1

Geographical Location

	**N =
	690**
Time zone - Country	
United States - America/New_York (UTC -04:00)	63 (9.1%)
United Kingdom - Europe/London (UTC)	57 (8.3%)
Germany - Europe/Berlin (UTC +01:00)	53 (7.7%)
India - Asia/Kolkata (UTC +05:30)	38 (5.5%)
United States - America/Los_Angeles (UTC -07:00)	37 (5.4%)
United States - America/Chicago (UTC -05:00)	30 (4.3%)
France - Europe/Paris (UTC +01:00)	22 (3.2%)
Switzerland - Europe/Zurich (UTC +01:00)	21 (3.0%)
Brazil - America/Sao_Paulo (UTC -03:00)	19 (2.8%)
Netherlands - Europe/Amsterdam (UTC +01:00)	19 (2.8%)
Canada - America/Toronto (UTC -04:00)	16 (2.3%)
Poland - Europe/Warsaw (UTC +01:00)	15 (2.2%)
Canada - America/Edmonton (UTC -06:00)	14 (2.0%)
Finland - Europe/Helsinki (UTC +02:00)	9 (1.3%)
Indonesia - Asia/Jakarta (UTC +07:00)	9 (1.3%)
Italy - Europe/Rome (UTC +01:00)	9 (1.3%)
Chile - America/Santiago (UTC -03:00)	8 (1.2%)
Russian Federation - Europe/Moscow (UTC +03:00)	8 (1.2%)
China - Asia/Shanghai (UTC +08:00)	7 (1.0%)

Table E1

Geographical Location (continued)

	**N = 690**
Malaysia - Asia/Kuala_Lumpur (UTC +08:00)	7 (1.0%)
Spain - Europe/Madrid (UTC +01:00)	7 (1.0%)
United States - America/Phoenix (UTC -07:00)	7 (1.0%)
Canada - America/Vancouver (UTC -07:00)	6 (0.9%)
New Zealand - Pacific/Auckland (UTC +13:00)	6 (0.9%)
Philippines - Asia/Manila (UTC +08:00)	6 (0.9%)
Turkey - Europe/Istanbul (UTC +03:00)	6 (0.9%)
United States - America/Denver (UTC -06:00)	6 (0.9%)
United States - America/Detroit (UTC -04:00)	6 (0.9%)
Argentina - America/Argentina/Buenos_Aires (UTC	5 (0.7%)
-03:00)	
Australia - Australia/Melbourne (UTC +11:00)	5 (0.7%)
Ireland - Europe/Dublin (UTC)	5 (0.7%)
Lithuania - Europe/Vilnius (UTC +02:00)	5 (0.7%)
South Africa - Africa/Johannesburg (UTC +02:00)	5 (0.7%)
Australia - Australia/Brisbane (UTC +10:00)	4 (0.6%)
Belgium - Europe/Brussels (UTC +01:00)	4 (0.6%)
Israel - Asia/Jerusalem (UTC +02:00)	4 (0.6%)
Sweden - Europe/Stockholm (UTC +01:00)	4 (0.6%)
United States - America/Boise (UTC -06:00)	4 (0.6%)
Czech Republic - Europe/Prague (UTC +01:00)	3 (0.4%)

Table E1

Geographical Location (continued)

**N =
690**
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
2 (0.3%)
2 (0.3%)
2 (0.3%)
2 (0.3%)
2 (0.3%)

Table E1

Geographical Location (continued)

	**N = 690**
Canada - America/Moncton (UTC -03:00)	2 (0.3%)
Cariada - America/Moncion (010 -03.00)	2 (0.370)
Colombia - America/Bogota (UTC -05:00)	2 (0.3%)
Costa Rica - America/Costa_Rica (UTC -06:00)	2 (0.3%)
Croatia - Europe/Zagreb (UTC +01:00)	2 (0.3%)
Ecuador - America/Guayaquil (UTC -05:00)	2 (0.3%)
Estonia - Europe/Tallinn (UTC +02:00)	2 (0.3%)
Hong Kong - Asia/Hong_Kong (UTC +08:00)	2 (0.3%)
Hungary - Europe/Budapest (UTC +01:00)	2 (0.3%)
Jordan - Asia/Amman (UTC +03:00)	2 (0.3%)
Latvia - Europe/Riga (UTC +02:00)	2 (0.3%)
Malaysia - Asia/Kuching (UTC +08:00)	2 (0.3%)
Mexico - America/Mexico_City (UTC -06:00)	2 (0.3%)
Nepal - Asia/Kathmandu (UTC +05:45)	2 (0.3%)
Portugal - Europe/Lisbon (UTC)	2 (0.3%)
Slovakia - Europe/Bratislava (UTC +01:00)	2 (0.3%)
Spain - Africa/Ceuta (UTC +01:00)	2 (0.3%)
Sudan - Africa/Khartoum (UTC +02:00)	2 (0.3%)
United States - America/Adak (UTC -09:00)	2 (0.3%)
United States - Pacific/Honolulu (UTC -10:00)	2 (0.3%)
Viet Nam - Asia/Ho_Chi_Minh (UTC +07:00),British -	2 (0.3%)
America/Tortola (UTC -04:00)	

Table E1

Geographical Location (continued)

	**N =
	690**
Albania - Europe/Tirane (UTC +01:00)	1 (0.1%)
Argentina - America/Argentina/Jujuy (UTC -03:00)	1 (0.1%)
Australia - Antarctica/Macquarie (UTC +11:00)	1 (0.1%)
Australia - Australia/Darwin (UTC +09:30)	1 (0.1%)
Austria - Europe/Vienna (UTC +01:00)	1 (0.1%)
Bangladesh - Asia/Dhaka (UTC +06:00)	1 (0.1%)
Brazil - America/Cuiaba (UTC -04:00)	1 (0.1%)
Brazil - America/Fortaleza (UTC -03:00)	1 (0.1%)
Bulgaria - Europe/Sofia (UTC +02:00)	1 (0.1%)
Cameroon - Africa/Douala (UTC +01:00)	1 (0.1%)
Canada - America/Blanc-Sablon (UTC -04:00)	1 (0.1%)
Canada - America/Halifax (UTC -03:00)	1 (0.1%)
Canada - America/Resolute (UTC -05:00)	1 (0.1%)
Cayman Islands - America/Cayman (UTC -05:00)	1 (0.1%)
Chile - Pacific/Easter (UTC -05:00)	1 (0.1%)
Cyprus - Asia/Famagusta (UTC +02:00)	1 (0.1%)
Guatemala - America/Guatemala (UTC -06:00)	1 (0.1%)
Korea, Republic of - Asia/Seoul (UTC +09:00)	1 (0.1%)
Macedonia	1 (0.1%)
Martinique - America/Martinique (UTC -04:00)	1 (0.1%)
Mexico - America/Monterrey (UTC -06:00)	1 (0.1%)

Table E1

Geographical Location (continued)

	**N =
	690**
Mongolia - Asia/Ulaanbaatar (UTC +08:00)	1 (0.1%)
Myanmar - Asia/Yangon (UTC +06:30)	1 (0.1%)
New Zealand - Pacific/Chatham (UTC +13:45)	1 (0.1%)
Nigeria - Africa/Lagos (UTC +01:00)	1 (0.1%)
Pakistan - Asia/Karachi (UTC +05:00)	1 (0.1%)
Panama - America/Panama (UTC -05:00)	1 (0.1%)
Russian Federation - Asia/Barnaul (UTC +07:00)	1 (0.1%)
Russian Federation - Asia/Novosibirsk (UTC +07:00)	1 (0.1%)
Russian Federation - Asia/Tomsk (UTC +07:00)	1 (0.1%)
Russian Federation - Asia/Vladivostok (UTC +10:00)	1 (0.1%)
Russian Federation - Asia/Yekaterinburg (UTC	1 (0.1%)
+05:00)	
Saudi Arabia - Asia/Riyadh (UTC +03:00)	1 (0.1%)
Singapore - Asia/Singapore (UTC +08:00)	1 (0.1%)
Spain - Atlantic/Canary (UTC)	1 (0.1%)
Tanzania	1 (0.1%)
Ukraine - Europe/Kiev (UTC +02:00)	1 (0.1%)
United States - America/Indiana/Tell_City (UTC	1 (0.1%)
-05:00)	
United States - America/North_Dakota/Center (UTC	1 (0.1%)
-05:00)	

Table E1

Geographical Location (continued)

	**N =
	690**
United States - America/North_Dakota/New_Salem	1 (0.1%)
(UTC -05:00)	
Aland Islands - Europe/Mariehamn (UTC +02:00)	0 (0%)
Afghanistan - Asia/Kabul (UTC +04:30)	0 (0%)
Algeria - Africa/Algiers (UTC +01:00)	0 (0%)
American Samoa - Pacific/Pago_Pago (UTC -11:00)	0 (0%)
Andorra - Europe/Andorra (UTC +01:00)	0 (0%)
Angola - Africa/Luanda (UTC +01:00)	0 (0%)
Anguilla - America/Anguilla (UTC -04:00)	0 (0%)
Antarctica - Antarctica/Casey (UTC +11:00)	0 (0%)
Antarctica - Antarctica/Davis (UTC +07:00)	0 (0%)
Antarctica - Antarctica/DumontDUrville (UTC +10:00)	0 (0%)
Antarctica - Antarctica/Mawson (UTC +05:00)	0 (0%)
Antarctica - Antarctica/McMurdo (UTC +13:00)	0 (0%)
Antarctica - Antarctica/Palmer (UTC -03:00)	0 (0%)
Antarctica - Antarctica/Rothera (UTC -03:00)	0 (0%)
Antarctica - Antarctica/Syowa (UTC +03:00)	0 (0%)
Antarctica - Antarctica/Troll (UTC)	0 (0%)
Antarctica - Antarctica/Vostok (UTC +06:00)	0 (0%)
Antigua and Barbuda - America/Antigua (UTC -04:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Argentina - America/Argentina/Catamarca (UTC	0 (0%)
-03:00)	
Argentina - America/Argentina/La_Rioja (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Mendoza (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Rio_Gallegos (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Salta (UTC -03:00)	0 (0%)
Argentina - America/Argentina/San_Juan (UTC	0 (0%)
-03:00)	
Argentina - America/Argentina/San_Luis (UTC	0 (0%)
-03:00)	
Argentina - America/Argentina/Tucuman (UTC	0 (0%)
-03:00)	
Argentina - America/Argentina/Ushuaia (UTC -03:00)	0 (0%)
Armenia - Asia/Yerevan (UTC +04:00)	0 (0%)
Aruba - America/Aruba (UTC -04:00)	0 (0%)
Australia - Australia/Broken_Hill (UTC +10:30)	0 (0%)
Australia - Australia/Currie (UTC +11:00)	0 (0%)
Australia - Australia/Eucla (UTC +08:45)	0 (0%)
Australia - Australia/Hobart (UTC +11:00)	0 (0%)
Australia - Australia/Lindeman (UTC +10:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Australia - Australia/Lord_Howe (UTC +11:00)	0 (0%)
Azerbaijan - Asia/Baku (UTC +04:00)	0 (0%)
Bahamas - America/Nassau (UTC -04:00)	0 (0%)
Bahrain - Asia/Bahrain (UTC +03:00)	0 (0%)
Barbados - America/Barbados (UTC -04:00)	0 (0%)
Belarus - Europe/Minsk (UTC +03:00)	0 (0%)
Belize - America/Belize (UTC -06:00)	0 (0%)
Benin - Africa/Porto-Novo (UTC +01:00)	0 (0%)
Bermuda - Atlantic/Bermuda (UTC -03:00)	0 (0%)
Bhutan - Asia/Thimphu (UTC +06:00),Plurinational	0 (0%)
State of - America/La_Paz (UTC -04:00)	
Bolivia, Sint Eustatius and Saba - America/Kralendijk	0 (0%)
(UTC -04:00)	
Bonaire	0 (0%)
Bosnia and Herzegovina - Europe/Sarajevo (UTC	0 (0%)
+01:00)	
Botswana - Africa/Gaborone (UTC +02:00)	0 (0%)
Brazil - America/Belem (UTC -03:00)	0 (0%)
Brazil - America/Boa_Vista (UTC -04:00)	0 (0%)
Brazil - America/Campo_Grande (UTC -04:00)	0 (0%)
Brazil - America/Eirunepe (UTC -05:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N =
	690**
Brazil - America/Maceio (UTC -03:00)	0 (0%)
Brazil - America/Manaus (UTC -04:00)	0 (0%)
Brazil - America/Noronha (UTC -02:00)	0 (0%)
Brazil - America/Porto_Velho (UTC -04:00)	0 (0%)
Brazil - America/Recife (UTC -03:00)	0 (0%)
Brazil - America/Rio_Branco (UTC -05:00)	0 (0%)
Brazil - America/Santarem (UTC -03:00)	0 (0%)
British Indian Ocean Territory - Indian/Chagos (UTC	0 (0%)
+06:00)	
Brunei Darussalam - Asia/Brunei (UTC +08:00)	0 (0%)
Burkina Faso - Africa/Ouagadougou (UTC)	0 (0%)
Burundi - Africa/Bujumbura (UTC +02:00)	0 (0%)
Cambodia - Asia/Phnom_Penh (UTC +07:00)	0 (0%)
Canada - America/Atikokan (UTC -05:00)	0 (0%)
Canada - America/Cambridge_Bay (UTC -06:00)	0 (0%)
Canada - America/Creston (UTC -07:00)	0 (0%)
Canada - America/Dawson (UTC -07:00)	0 (0%)
Canada - America/Dawson_Creek (UTC -07:00)	0 (0%)
Canada - America/Fort_Nelson (UTC -07:00)	0 (0%)
Canada - America/Glace_Bay (UTC -03:00)	0 (0%)
Canada - America/Goose_Bay (UTC -03:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N =
	690**
Canada - America/Inuvik (UTC -06:00)	0 (0%)
Canada - America/Iqaluit (UTC -04:00)	0 (0%)
Canada - America/Nipigon (UTC -04:00)	0 (0%)
Canada - America/Pangnirtung (UTC -04:00)	0 (0%)
Canada - America/Rainy_River (UTC -05:00)	0 (0%)
Canada - America/Rankin_Inlet (UTC -05:00)	0 (0%)
Canada - America/Regina (UTC -06:00)	0 (0%)
Canada - America/St_Johns (UTC -02:30)	0 (0%)
Canada - America/Swift_Current (UTC -06:00)	0 (0%)
Canada - America/Thunder_Bay (UTC -04:00)	0 (0%)
Canada - America/Whitehorse (UTC -07:00)	0 (0%)
Canada - America/Winnipeg (UTC -05:00)	0 (0%)
Canada - America/Yellowknife (UTC -06:00)	0 (0%)
Cape Verde - Atlantic/Cape_Verde (UTC -01:00)	0 (0%)
Central African Republic - Africa/Bangui (UTC	0 (0%)
+01:00)	
Chad - Africa/Ndjamena (UTC +01:00)	0 (0%)
Chile - America/Punta_Arenas (UTC -03:00)	0 (0%)
China - Asia/Urumqi (UTC +06:00)	0 (0%)
Christmas Island - Indian/Christmas (UTC +07:00)	0 (0%)
Cocos (Keeling) Islands - Indian/Cocos (UTC +06:30)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Comoros - Indian/Comoro (UTC +03:00)	0 (0%)
Congo - Africa/Brazzaville (UTC +01:00),the	0 (0%)
Democratic Republic of the - Africa/Kinshasa (UTC +01:00)	
Congo,the Democratic Republic of the -	0 (0%)
Africa/Lubumbashi (UTC +02:00)	
Congo	0 (0%)
Cook Islands - Pacific/Rarotonga (UTC -10:00)	0 (0%)
Cuba - America/Havana (UTC -04:00)	0 (0%)
Curaçao - America/Curacao (UTC -04:00)	0 (0%)
Cyprus - Asia/Nicosia (UTC +02:00)	0 (0%)
Côte dIvoire - Africa/Abidjan (UTC)	0 (0%)
Djibouti - Africa/Djibouti (UTC +03:00)	0 (0%)
Dominica - America/Dominica (UTC -04:00)	0 (0%)
Dominican Republic - America/Santo_Domingo (UTC	0 (0%)
-04:00)	
Ecuador - Pacific/Galapagos (UTC -06:00)	0 (0%)
Egypt - Africa/Cairo (UTC +02:00)	0 (0%)
El Salvador - America/El_Salvador (UTC -06:00)	0 (0%)
Equatorial Guinea - Africa/Malabo (UTC +01:00)	0 (0%)
Eritrea - Africa/Asmara (UTC +03:00)	0 (0%)
Ethiopia - Africa/Addis_Ababa (UTC +03:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Falkland Islands (Malvinas) - Atlantic/Stanley (UTC -03:00)	0 (0%)
Faroe Islands - Atlantic/Faroe (UTC)	0 (0%)
, ,	` ,
Fiji - Pacific/Fiji (UTC +12:00)	0 (0%)
French Guiana - America/Cayenne (UTC -03:00)	0 (0%)
French Polynesia - Pacific/Gambier (UTC -09:00)	0 (0%)
French Polynesia - Pacific/Marquesas (UTC -09:30)	0 (0%)
French Polynesia - Pacific/Tahiti (UTC -10:00)	0 (0%)
French Southern Territories - Indian/Kerguelen (UTC	0 (0%)
+05:00)	
Gabon - Africa/Libreville (UTC +01:00)	0 (0%)
Gambia - Africa/Banjul (UTC)	0 (0%)
Georgia - Asia/Tbilisi (UTC +04:00)	0 (0%)
Ghana - Africa/Accra (UTC)	0 (0%)
Gibraltar - Europe/Gibraltar (UTC +01:00)	0 (0%)
Greenland - America/Danmarkshavn (UTC)	0 (0%)
Greenland - America/Nuuk (UTC -03:00)	0 (0%)
Greenland - America/Scoresbysund (UTC -01:00)	0 (0%)
Greenland - America/Thule (UTC -03:00)	0 (0%)
Grenada - America/Grenada (UTC -04:00)	0 (0%)
Guadeloupe - America/Guadeloupe (UTC -04:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N =
	690**
Guam - Pacific/Guam (UTC +10:00)	0 (0%)
Guernsey - Europe/Guernsey (UTC)	0 (0%)
Guinea - Africa/Conakry (UTC)	0 (0%)
Guinea-Bissau - Africa/Bissau (UTC)	0 (0%)
Guyana - America/Guyana (UTC -04:00)	0 (0%)
Haiti - America/Port-au-Prince (UTC -04:00)	0 (0%)
Holy See (Vatican City State) - Europe/Vatican (UTC	0 (0%)
+01:00)	
Honduras - America/Tegucigalpa (UTC -06:00)	0 (0%)
Iceland - Atlantic/Reykjavik (UTC)	0 (0%)
Indonesia - Asia/Jayapura (UTC +09:00)	0 (0%)
Indonesia - Asia/Makassar (UTC +08:00)	0 (0%)
Indonesia - Asia/Pontianak (UTC +07:00),Islamic	0 (0%)
Republic of - Asia/Tehran (UTC +03:30)	
Iraq - Asia/Baghdad (UTC +03:00)	0 (0%)
Isle of Man - Europe/Isle_of_Man (UTC)	0 (0%)
Jamaica - America/Jamaica (UTC -05:00)	0 (0%)
Jersey - Europe/Jersey (UTC)	0 (0%)
Kazakhstan - Asia/Almaty (UTC +06:00)	0 (0%)
Kazakhstan - Asia/Aqtau (UTC +05:00)	0 (0%)
Kazakhstan - Asia/Aqtobe (UTC +05:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N =
	690**
Kazakhstan - Asia/Atyrau (UTC +05:00)	0 (0%)
Kazakhstan - Asia/Oral (UTC +05:00)	0 (0%)
Kazakhstan - Asia/Qostanay (UTC +06:00)	0 (0%)
Kazakhstan - Asia/Qyzylorda (UTC +05:00)	0 (0%)
Kenya - Africa/Nairobi (UTC +03:00)	0 (0%)
Kiribati - Pacific/Enderbury (UTC +13:00)	0 (0%)
Kiribati - Pacific/Kiritimati (UTC +14:00)	0 (0%)
Kiribati - Pacific/Tarawa (UTC +12:00), Democratic	0 (0%)
Peoples Republic of - Asia/Pyongyang (UTC +09:00)	
Korea	0 (0%)
Kuwait - Asia/Kuwait (UTC +03:00)	0 (0%)
Kyrgyzstan - Asia/Bishkek (UTC +06:00)	0 (0%)
Lao Peoples Democratic Republic - Asia/Vientiane	0 (0%)
(UTC +07:00)	
Lebanon - Asia/Beirut (UTC +02:00)	0 (0%)
Lesotho - Africa/Maseru (UTC +02:00)	0 (0%)
Liberia - Africa/Monrovia (UTC)	0 (0%)
Libya - Africa/Tripoli (UTC +02:00)	0 (0%)
Liechtenstein - Europe/Vaduz (UTC +01:00)	0 (0%)
Luxembourg - Europe/Luxembourg (UTC +01:00)	0 (0%)

Table E1

Geographical Location (continued)

**N = 690**
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)
0 (0%)

Table E1

Geographical Location (continued)

	**N =
	690**
Mexico - America/Tijuana (UTC -07:00),Federated	0 (0%)
States of - Pacific/Chuuk (UTC +10:00)	
Micronesia, Federated States of - Pacific/Kosrae	0 (0%)
(UTC +11:00)	
Micronesia, Federated States of - Pacific/Pohnpei	0 (0%)
(UTC +11:00)	
Micronesia,Republic of - Europe/Chisinau (UTC	0 (0%)
+02:00)	
Moldova	0 (0%)
Monaco - Europe/Monaco (UTC +01:00)	0 (0%)
Mongolia - Asia/Choibalsan (UTC +08:00)	0 (0%)
Mongolia - Asia/Hovd (UTC +07:00)	0 (0%)
Montenegro - Europe/Podgorica (UTC +01:00)	0 (0%)
Montserrat - America/Montserrat (UTC -04:00)	0 (0%)
Morocco - Africa/Casablanca (UTC +01:00)	0 (0%)
Mozambique - Africa/Maputo (UTC +02:00)	0 (0%)
Namibia - Africa/Windhoek (UTC +02:00)	0 (0%)
Nauru - Pacific/Nauru (UTC +12:00)	0 (0%)
New Caledonia - Pacific/Noumea (UTC +11:00)	0 (0%)
Nicaragua - America/Managua (UTC -06:00)	0 (0%)
Niger - Africa/Niamey (UTC +01:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Niue - Pacific/Niue (UTC -11:00)	0 (0%)
Norfolk Island - Pacific/Norfolk (UTC +12:00)	0 (0%)
Northern Mariana Islands - Pacific/Saipan (UTC +10:00)	0 (0%)
Oman - Asia/Muscat (UTC +04:00)	0 (0%)
Palau - Pacific/Palau (UTC +09:00),State of - Asia/Gaza (UTC +02:00)	0 (0%)
Palestine, State of - Asia/Hebron (UTC +02:00)	0 (0%)
Palestine	0 (0%)
Papua New Guinea - Pacific/Bougainville (UTC +11:00)	0 (0%)
Papua New Guinea - Pacific/Port_Moresby (UTC +10:00)	0 (0%)
Paraguay - America/Asuncion (UTC -03:00)	0 (0%)
Peru - America/Lima (UTC -05:00)	0 (0%)
Pitcairn - Pacific/Pitcairn (UTC -08:00)	0 (0%)
Portugal - Atlantic/Azores (UTC -01:00)	0 (0%)
Portugal - Atlantic/Madeira (UTC)	0 (0%)
Puerto Rico - America/Puerto_Rico (UTC -04:00)	0 (0%)
Qatar - Asia/Qatar (UTC +03:00)	0 (0%)
Russian Federation - Asia/Anadyr (UTC +12:00)	0 (0%)
Russian Federation - Asia/Chita (UTC +09:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Russian Federation - Asia/Irkutsk (UTC +08:00)	0 (0%)
Russian Federation - Asia/Kamchatka (UTC +12:00)	0 (0%)
Russian Federation - Asia/Khandyga (UTC +09:00)	0 (0%)
Russian Federation - Asia/Krasnoyarsk (UTC +07:00)	0 (0%)
Russian Federation - Asia/Magadan (UTC +11:00)	0 (0%)
Russian Federation - Asia/Novokuznetsk (UTC	0 (0%)
+07:00)	
Russian Federation - Asia/Omsk (UTC +06:00)	0 (0%)
Russian Federation - Asia/Sakhalin (UTC +11:00)	0 (0%)
Russian Federation - Asia/Srednekolymsk (UTC	0 (0%)
+11:00)	
Russian Federation - Asia/Ust-Nera (UTC +10:00)	0 (0%)
Russian Federation - Asia/Yakutsk (UTC +09:00)	0 (0%)
Russian Federation - Europe/Astrakhan (UTC +04:00)	0 (0%)
Russian Federation - Europe/Kaliningrad (UTC +02:00)	0 (0%)
Russian Federation - Europe/Kirov (UTC +03:00)	0 (0%)
Russian Federation - Europe/Samara (UTC +04:00)	0 (0%)
Russian Federation - Europe/Saratov (UTC +04:00)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Russian Federation - Europe/Ulyanovsk (UTC	0 (0%)
+04:00)	
Russian Federation - Europe/Volgograd (UTC	0 (0%)
+04:00)	
Rwanda - Africa/Kigali (UTC +02:00)	0 (0%)
Réunion - Indian/Reunion (UTC +04:00)	0 (0%)
Saint Barthélemy - America/St_Barthelemy (UTC	0 (0%)
-04:00), Ascension and Tristan da Cunha -	
Atlantic/St_Helena (UTC)	
Saint Helena	0 (0%)
Saint Kitts and Nevis - America/St_Kitts (UTC -04:00)	0 (0%)
Saint Lucia - America/St_Lucia (UTC -04:00)	0 (0%)
Saint Martin (French part) - America/Marigot (UTC	0 (0%)
-04:00)	
Saint Pierre and Miquelon - America/Miquelon (UTC	0 (0%)
-02:00)	
Saint Vincent and the Grenadines -	0 (0%)
America/St_Vincent (UTC -04:00)	
Samoa - Pacific/Apia (UTC +14:00)	0 (0%)
San Marino - Europe/San_Marino (UTC +01:00)	0 (0%)
Sao Tome and Principe - Africa/Sao_Tome (UTC)	0 (0%)
Senegal - Africa/Dakar (UTC)	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Seychelles - Indian/Mahe (UTC +04:00)	0 (0%)
Sierra Leone - Africa/Freetown (UTC)	0 (0%)
Sint Maarten (Dutch part) - America/Lower_Princes	0 (0%)
(UTC -04:00)	
Solomon Islands - Pacific/Guadalcanal (UTC +11:00)	0 (0%)
Somalia - Africa/Mogadishu (UTC +03:00)	0 (0%)
South Georgia and the South Sandwich Islands -	0 (0%)
Atlantic/South_Georgia (UTC -02:00)	
South Sudan - Africa/Juba (UTC +03:00)	0 (0%)
Sri Lanka - Asia/Colombo (UTC +05:30)	0 (0%)
Suriname - America/Paramaribo (UTC -03:00)	0 (0%)
Svalbard and Jan Mayen - Arctic/Longyearbyen (UTC	0 (0%)
+01:00)	
Swaziland - Africa/Mbabane (UTC +02:00)	0 (0%)
Syrian Arab Republic - Asia/Damascus (UTC	0 (0%)
+03:00),Province of China - Asia/Taipei (UTC +08:00)	
Tajikistan - Asia/Dushanbe (UTC +05:00),United	0 (0%)
Republic of - Africa/Dar_es_Salaam (UTC +03:00)	
Thailand - Asia/Bangkok (UTC +07:00)	0 (0%)
Timor-Leste - Asia/Dili (UTC +09:00)	0 (0%)
Togo - Africa/Lome (UTC)	0 (0%)

Table E1

Geographical Location (continued)

	**N =
	690**
Tokelau - Pacific/Fakaofo (UTC +13:00)	0 (0%)
Tonga - Pacific/Tongatapu (UTC +13:00)	0 (0%)
Trinidad and Tobago - America/Port_of_Spain (UTC	0 (0%)
-04:00)	
Tunisia - Africa/Tunis (UTC +01:00)	0 (0%)
Turkmenistan - Asia/Ashgabat (UTC +05:00)	0 (0%)
Turks and Caicos Islands - America/Grand_Turk	0 (0%)
(UTC -04:00)	
Tuvalu - Pacific/Funafuti (UTC +12:00)	0 (0%)
Uganda - Africa/Kampala (UTC +03:00)	0 (0%)
Ukraine - Europe/Simferopol (UTC +03:00)	0 (0%)
Ukraine - Europe/Uzhgorod (UTC +02:00)	0 (0%)
Ukraine - Europe/Zaporozhye (UTC +02:00)	0 (0%)
United Arab Emirates - Asia/Dubai (UTC +04:00)	0 (0%)
United States - America/Indiana/Knox (UTC -05:00)	0 (0%)
United States - America/Indiana/Marengo (UTC	0 (0%)
-04:00)	
United States - America/Indiana/Petersburg (UTC	0 (0%)
-04:00)	
United States - America/Indiana/Vevay (UTC -04:00)	0 (0%)
United States - America/Indiana/Vincennes (UTC	0 (0%)
-04:00)	

Table E1

Geographical Location (continued)

	**N = 690**
United States - America/Indiana/Winamac (UTC -04:00)	0 (0%)
United States - America/Juneau (UTC -08:00)	0 (0%)
United States - America/Kentucky/Monticello (UTC -04:00)	0 (0%)
United States - America/Menominee (UTC -05:00)	0 (0%)
United States - America/Metlakatla (UTC -08:00)	0 (0%)
United States - America/Nome (UTC -08:00)	0 (0%)
United States - America/North_Dakota/Beulah (UTC -05:00)	0 (0%)
United States - America/Sitka (UTC -08:00)	0 (0%)
United States - America/Yakutat (UTC -08:00)	0 (0%)
United States Minor Outlying Islands - Pacific/Midway (UTC -11:00)	0 (0%)
United States Minor Outlying Islands - Pacific/Wake (UTC +12:00)	0 (0%)
Uruguay - America/Montevideo (UTC -03:00)	0 (0%)
Uzbekistan - Asia/Samarkand (UTC +05:00)	0 (0%)
Uzbekistan - Asia/Tashkent (UTC +05:00)	0 (0%)
Vanuatu - Pacific/Efate (UTC +11:00),Bolivarian	0 (0%)
Republic of - America/Caracas (UTC -04:00)	
Venezuela	0 (0%)

Table E1

Geographical Location (continued)

	**N = 690**
Virgin Islands,U.S America/St_Thomas (UTC -04:00)	0 (0%)
Virgin Islands	0 (0%)
Wallis and Futuna - Pacific/Wallis (UTC +12:00)	0 (0%)
Western Sahara - Africa/El_Aaiun (UTC +01:00)	0 (0%)
Yemen - Asia/Aden (UTC +03:00)	0 (0%)
Zambia - Africa/Lusaka (UTC +02:00)	0 (0%)
Zimbabwe - Africa/Harare (UTC +02:00)	0 (0%)

## Appendix F

Disclaimer: This is a non-public version of LEBA (dated November 18, 2021) and still a work in progress. Please do not distribute!

LEBA captures light exposure-related behaviours on a 5 point Likert type scale ranging from 1 to 5 (Never/Does not apply/I don't know = 1; Rarely = 2; Sometimes = 3; Often = 4; Always = 5). The score of each factor is calculated by the summation of scores of items belonging to the corresponding factor. The following instruction is given before displaying the items: "Please indicate how often you performed the following behaviours in the past 4 weeks."

Appendix G
LEBA Long Form (23 Items)

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
1	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses indoors					
	during the day.					
2	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses outdoors					
	during the day.					
3	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses within 1					
	hour before attempting to fall					
	asleep.					
4	I spend 30 minutes or less					
	per day (in total) outside.					

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
5	I spend between 1 and 3					
	hours per day (in total)					
	outside.					
6	I spend between 30 minutes					
	and 1 hour per day (in total)					
	outside.					
7	I spend more than 3 hours					
	per day (in total) outside.					
8	I spend as much time outside					
	as possible.					
9	I go for a walk or exercise					
	outside within 2 hours after					
	waking up.					
10	I use my mobile phone within					
	1 hour before attempting to					
	fall asleep.					

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
11	I look at my mobile phone					
	screen immediately after					
	waking up.					
12	I check my phone when I					
	wake up at night.					
13	I look at my smartwatch					
	within 1 hour before					
	attempting to fall asleep.					
14	I look at my smartwatch					
	when I wake up at night.					
15	I dim my mobile phone					
	screen within 1 hour before					
	attempting to fall asleep.					
16	I use a blue-filter app on my					
	computer screen within 1					
	hour before attempting to fall					
	asleep.					

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
17	I use as little light as possible					
	when I get up during the					
	night.					
18	I dim my computer screen					
	within 1 hour before					
	attempting to fall asleep.					
19	I use tunable lights to create					
	a healthy light environment.					
20	I use LEDs to create a					
	healthy light environment.					
21	I use a desk lamp when I do					
	focused work.					
22	I use an alarm with a dawn					
	simulation light.					
23	I turn on the lights					
	immediately after waking up.					

## Latent Structure, Reliability and Structural Validity

The long form of LEBA consists 23 items with five factors.

Factor names	Items	Reliability Coefficients: ordinal alpha
F1: Wearing blue light filters	1-3	.96
F2: Spending time outdoors	4-9 (Item 4 is reversed)	.83
F3: Using phone and smartwatch in bed	10-14	.70
F4: Using light before bedtime	15-18	.69
F5: Using light in the morning and during daytime	19-23	.52
McDonald's Omega coefficient for the total scale		.73(Total scale)

LEBA -long form showed satisfactory structural validity (CFI =.97; TLI = .96; RMSEA = .05[.04-.06, 90% CI]; SRMR = .09).

## 95 How to cite:

Appendix H
LEBA Short Form (17 Items)

	Short Form (17 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
01	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses indoors					
	during the day.					
02	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses outdoors					
	during the day.					
03	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses within 1					
	hour before attempting to fall					
	asleep.					
04	I spend 30 minutes or less					
	per day (in total) outside.					

	Short Form (17 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
05	I spend between 1 and 3					
	hours per day (in total)					
	outside.					
06	I spend more than 3 hours					
	per day (in total) outside.					
07	I spend as much time outside					
	as possible.					
80	I go for a walk or exercise					
	outside within 2 hours after					
	waking up.					
09	I use my mobile phone within					
	1 hour before attempting to					
	fall asleep.					
10	I look at my mobile phone					
	screen immediately after					
	waking up.					
11	I check my phone when I					
	wake up at night.					

	Short Form (17 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
12	I dim my mobile phone					
	screen within 1 hour before					
	attempting to fall asleep.					
13	I use a blue-filter app on my					
	computer screen within 1					
	hour before attempting to fall					
	asleep.					
14	I dim my computer screen					
	within 1 hour before					
	attempting to fall asleep.					
15	I use tunable lights to create					
	a healthy light environment.					
16	I use LEDs to create a					
	healthy light environment.					
17	I use an alarm with a dawn					
	simulation light.					

## **Latent Structure, Reliability and Structural Validity**

The short form of LEBA consists 23 items with five factors.

Factor names	Items
F1: Wearing blue light filters	1-3
F2: Spending time outdoors	4-8 (Item 4 is reversed)
F3: Using phone and smart-watch in bed	9-11
F4: Using light before bedtime	12-14
F5: Using light in the morning and during daytime	15-17

798 How to cite: