Running head: LEBA 1

Light Exposure Behavior Assessment (LEBA): Development of a novel instrument to capture light exposure-related behaviours

- Mushfiqul Anwar Siraji^{1,*}, Rafael Robert Lazar^{2, 3, *}, Juliëtte van Duijnhoven^{4, 5}, Luc

 Schlangen^{5, 6}, Shamsul Haque¹, Vineetha Kalavally⁷, Céline Vetter^{8, 9}, Gena Glickman¹⁰,

 Karin Smolders^{5,6}, & Manuel Spitschan^{11, 12, 13}
- Monash University, Department of Psychology, Jeffrey Cheah School of Medicine and
 Health Sciences, Malaysia
- ² Psychiatric Hospital of the University of Basel (UPK), Centre for Chronobiology, Basel,

9 Switzerland

12

13

16

17

18

20

- University of Basel, Transfaculty Research Platform Molecular and Cognitive
 Neurosciences, Basel, Switzerland
 - ⁴ Eindhoven University of Technology, Department of the Built Environment, Building Lighting, Eindhoven, Netherlands
- ⁵ Eindhoven University of Technology, Intelligent Lighting Institute, Eindhoven,

15 Netherlands

- ⁶ Eindhoven University of Technology, Department of Industrial Engineering and Innovation Sciences, Human-Technology Interaction, Eindhoven, Netherlands
- Monash University, Department of Electrical and Computer Systems Engineering,

¹⁹ Selangor, Malaysia

⁸ University of Colorado Boulder, Department of Integrative Physiology, Boulder, USA

21	⁹ XIMES GmbH, Vienna, Austria
22	¹⁰ Uniformed Services University of the Health Sciences, Department of Psychiatry,
23	Bethesda, USA
24	¹¹ Max Planck Institute for Biological Cybernetics, Tübingen, Germany
25	¹² Technical University of Munich, Department of Sport and Health Sciences (TUM SG),
26	Munich, Germany
27	¹³ University of Oxford, Department of Experimental Psychology, Oxford, United Kingdom
28	* Joint first author

This research is supported by funding from the Welcome Trust (204686/Z/16/Z), 30 the European Training Network LIGHTCAP (project number 860613) under the Marie 31 Sk*odowska-Curie actions framework H2020-MSCA-ITN-2019, the BioClock project 32 (number 1292.19.077) of the research program Dutch Research Agenda: Onderzoek op 33 Routes door Consortia (NWA-ORC) which is (partly) financed by the Dutch Research Council (NWO), and the European Union and the nationals contributing in the context of the ECSEL Joint Undertaking programme (2021-2024) under the grant #101007319. The authors made the following contributions. Mushfigul Anwar Siraji: Formal 37 Analysis, Visualization, Writing – original draft, Writing – review & editing;; Rafael Robert 38 Lazar: Data curation, Investigation, Project administration, Visualization, Writing – 39 original draft, Writing – review & editing;; Juliëtte van Duijnhoven: Conceptualization, 40 Methodology, Investigation, Writing – review & editing; Luc Schlangen: Conceptualization, Methodology, Investigation, Writing – review & editing; Shamsul Haque: Conceptualization, Supervision, Writing – review & editing; Vineetha Kalavally: Supervision, Writing – review & editing; Céline Vetter: Conceptualization, Writing – review & editing; Gena Glickman: Conceptualization, Methodology, Writing – review & editing; Karin Smolders: Conceptualization, Methodology, Writing – review & editing; Manuel Spitschan: Conceptualization, Data curation, Investigation, Project administration, Visualization, Methodology, Writing – original draft, Writing – review & editing.

50 Abstract

Light exposure is an important driver of health and well-being. Many aspects of light 51 exposure are modulated by our behaviour. How these light-related behaviours can be shaped to optimise personal light exposure is currently unknown. Here, we present a 53 novel, self-reported and psychometrically validated instrument to capture light exposure-related behaviour, the Light Exposure Behavior Assessment (LEBA). An expert panel prepared the initial 48 item pool. Responses to these items were then collected in an online survey producing responses from an international sample (690 completed responses, 74 countries, 28 time zones). Exploratory factor analysis on an initial subset of our sample (n=428) rendered a five-factor solution with 25 items (Wearing blue light filters, spending time outdoors, using phone and smart-watch in bed, using light before bedtime, using light in the morning and during daytime). Confirmatory factor analysis on another subset of participants (n=262) yielded the best fit for the five-factor solution after discarding another two items (CFI=0.97, TLI=0.96, RMSEA=0.05, SRMR=0.09). The 63 internal consistency reliability coefficient for the total instrument was McDonald's omega =0.73. Measurement model invariance analysis between native and non-native English speakers showed our model attained the highest level of invariance (residual invariance; 66 CFI=0.95, TLI =0.95, RMSEA=0.05). Lastly, a short form of LEBA (n=18) was developed 67 using Item Response Theory on the complete sample (n=690). The psychometric 68 properties of the LEBA instrument indicate the usability to measure the light 69 exposure-related behaviours across a variety of settings and may offer a scalable solution to characterize light exposure-related behaviours in remote samples. 71

Keywords: light exposure, light-related behaviours, non-visual effects of light, psychometrics

Word count: X

Light Exposure Behavior Assessment (LEBA): Development of a novel instrument to capture light exposure-related behaviours

77 Introduction

- Light exposure is important
- Light exposure Behavior is important
- Table: Overview Existing Related Scales: items in total / items on light exposure
 (behaviour)
- Existing Scales: Review them in text
 - None of these do light exposure behavior.

84 Methods

85 Ethical approval

The cantonal ethics commission (Ethikkommission Nordwest- und Zentralschweiz, project ID Req-2021-00488) reviewed this project and issued an official clarification of responsibility (full document see Suppl. Fig X in appendix) stating: "The research project does not fall under the scope of the Human Research Act, because your project is using only anonymised data. An authorisation from the ethics committee is therefore not required and the EKNZ is not responsible for its review."

Data Availability

All code and data underlying this article is available on a public GitHub repository (https://github.com/leba-instrument/leba-manuscript).

Survey characteristics

Data was collected in a quantitative cross-sectional approach via a fully anonymous online survey hosted on REDCap (Harris et al., 2019, 2009) by way of the University of Basel sciCORE. Participants were recruited via the website of a Comic co-released with the survey(Weinzaepflen & Spitschan, 2021), social media (i.e., LinkedIn, Twitter, Facebook), mailing lists, word of mouth, the investigators' personal contacts, and supported by distribution of the survey link via f.lux software (F.lux Software LLC, 2021).

Completing the online survey took approx. 15 to 20 minutes and was not compensated. The first page of the survey comprised a participant information sheet, where participants' informed consent to participate was obtained before any of the questions were displayed. Underaged participants (<18 years) were urged to obtain assent from their parents/legal guardians, before filling in the survey. Information on the first page included the objectives of the study, inclusion criteria, estimated duration, the use, storage and sharing of the data, compensation (none), and information about the type of questions in the survey. Moreover, participants needed to confirm that they were participating the survey for the first time. To ensure high data quality, five attention check items were included in the survey (e.g., "We want to make sure you are paying attention. What is 4+5?"). The data analysed in this study was collected between 17.05.2021 and 03.09.2021. Questions incorporating retrospective recall were all aligned to the period of "past four weeks," matching the presented LEBA instrument.

In addition to the LEBA questionnaire, which is subject of the current study, the following variables and items were assessed but not included in the analysis:

Sleep disturbance and sleep-related impairment (adult and pediatric versions)
 (Bevans et al., 2019; Daniel J. Buysse et al., 2010; Forrest et al., 2018; Harb,
 Hidalgo, & Martau, 2015; L. Yu et al., 2011)

Sleep duration, timing, and latency, chronotype, social jetlag, time in bed,
 work/sleep schedule and outdoor light exposure duration (version for adults and
 adolescents) (Roenneberg, Wirz-Justice, & Merrow, 2003)

- Sleep environment (Olivier et al., 2016)
- Meal timing & caffeine consumption [custom items]
- Light sensitivity (photophobia vs. photophilia) (Wu & Hallett, 2017)
- Self-reported pubertal stage (only if younger than 18 years old) (Petersen,
 Crockett, Richards, & Boxer, 1988)

Furthermore, the following 1-item demographic variables were assessed:

- Age
- 130 Sex
- Gender identity
- Occupational Status
- COVID-19 related Occupational setting during the past four weeks
- Time zone & country of residence
 - English as native language

36 Participants

135

Table 2 summarizes the survey participants' demographic characteristics. Only participants completing the full LEBA questionnaire were included, thus there are no missing values in the item analyses. XX participants were excluded from analysis due to not passing at least one of the "attention check" items. For exploring initial factor structure (EFA), a sample of 250-300 is recommended (Comrey & Lee, 1992; Schönbrodt & Perugini, 2013). For estimating the sample size for the confirmatory factor analysis (CFA) we followed the N:q rule (Bentler & Chou, 1987; Jackson, 2003; Kline, 2015; Worthington & Whittaker, 2006), where ten participants per parameter is required

to earn trustworthiness of the result. Our sample size exceeds these requirements:

Anonymous responses from a total of n = 690 participants were included in the analysis

of the current study, split into samples for exploratory (EFA: n = 428) and confirmatory

factor analysis (CFA: n = 262). The EFA sample included participants filling out the

questionnaire from 17.05.2021 to XX.XX.XXXX , whereas participants who filled out the

questionnaire from YY.YY.YYYY to 03.09.2021 were included in the CFA analysis.

Participants indicated filling out the online survey from a diverse range of geographic locations. The ten most common country + timezone combinations included:

- United States America/New York (UTC -04:00): 63 (9.1%)
- United Kingdom Europe/London (UTC): 57 (8.3%)
- Germany Europe/Berlin (UTC +01:00): 53 (7.7%)
- India Asia/Kolkata (UTC +05:30): 38 (5.5%)
- United States America/Los Angeles (UTC -07:00): 37 (5.4%)
- United States America/Chicago (UTC -05:00): 30 (4.3%)
- France Europe/Paris (UTC +01:00): 22 (3.2%)
- Switzerland Europe/Zurich (UTC +01:00): 21 (3.0%)
- Brazil America/Sao Paulo (UTC -03:00): 19 (2.8%)
- Netherlands Europe/Amsterdam (UTC +01:00): 19 (2.8%)

For a complete list of geographic locations, see Suppl. Table X in the appendix.

Age among all participants ranged from 11 years to 84 years [EFA: min = 11, max = 84; CFA: min = 12, max = 74], with an overall mean of ~ 33 years of age [Overall: M = 32.95, SD = 14.57; EFA: M = 32.99, SD = 15.11; CFA: M = 32.89, SD = 13.66]. In total 325 (47%) of the participants indicated female sex [EFA: 189 (44%); CFA: 136 (52%)], 351 (51%) indicated male [EFA: 230 (54%); CFA: 121 (46%)] and 14 (2.0%) indicated other sex [EFA: 9 (2.1%), CFA: 5 (1.9%)]. Overall, 49 (7.2%) [EFA: 33 (7.8%); CFA: 16 (6.2%)] participants indicated a gender-variant identity. In a "Yes/No" question regarding

native language, 320 (46%) of respondents [EFA: 191 (45%); CFA: 129 (49%)] indicated to be native English speakers. For their "Occupational Status," more than half of the 172 overall sample reported that they currently work [Overall: 396 (57%); EFA: 235 (55%); 173 CFA: 161 (61%)], whereas 174 (25%) [EFA: 122 (29%); CFA: 52 (20%)] reported that 174 they go to school and 120 (17%) [EFA: 71 (17%); CFA: 49 (19%)] responded that they do 175 "Neither." With respect to the COVID-19 pandemic we asked participants to indicate their 176 occupational setting during the last four weeks: In the overall sample 303 (44%) [EFA: 177 194 (45%); CFA: 109 (42%)] of the participants indicated that they were in a home office/ 178 home schooling setting, while 109 (16%) overall [EFA: 68 (16%); CFA: 41 (16%)] 179 reported face-to-face work/schooling. Lastly, 147 (21%) overall [EFA: 94 (22%); CFA: 53 180 (20%)] reported a combination of home- and face-to-face work/schooling, whereas 131 181 (19%) overall [EFA: 72 (17%); CFA: 59 (23%)] filled in the "Neither (no work or school, or on vacation)" response option. We tested all demographic variables in Table 1 for significant group differences between the EFA and CFA sample, applying Wilcoxon rank 184 sum test for the continuous variable "Age" and Pearson's χ^2 test for all other categorical 185 variables via the gtsummary R package's "add p" function (Sjoberg et al., 2021a). The 186 p-values were corrected for multiple testing applying false discovery rate (FDR) via the 187 "add q" function of the same package. After p-value (FDR) correction for multiple testing, 188 none of the demographic variables were significantly different between the EFA sample 189 and the CFA sample (all q-values $q \ge 0.2$). 190

Item Generation

To ensure construct adequacy we thoroughly assessed the current status of
literature and identified a variety of light exposure related scales. However, no scales
specifically measuring the behavioral component of light exposure were found (Table 1).
Consequentially we pursued to introduce a new openly available scale to address this
research gap. For this purpose an expert researcher panel from the fields of

chronobiology, light research, neuroscience and psychology (including seven of the 197 authors, see authors roles) generated and collected preliminary item ideas. Special 198 attention was paid to design items circumscribed to assess light exposure behavior as 199 opposed to subjective measurements of the light environment (cf.(Eklund & Boyce, 200 1996) & (Dianat, Sedghi, Bagherzade, Jafarabadi, & Stedmon, 2013)) and 201 semi-quantitive assesments of light sources' illuminance (cf. (Bajaj, Rosner, Lockley, & 202 Schernhammer, 2011)) in order to maintain content validity. In a collective effort the 203 generated items were then peer-reviewed, amended, unified, and complemented with a 204 suitable response scale (5 point Likert-scale ranging from 1 "Never/Does not apply/I 205 don't know" to 5 "Always"). This process was finalized when all experts were in 206 agreement, resulting in 48 items to implement in the data collection. 207

208 Analytic Strategies

Figure 1 summarizes the steps of our psychometric analysis. In our analysis we 209 used R (version 4.1.0), with several R packages. Initially, our tool had six point Likert 210 type response format (0:Does not apply/I don't know; 1:Never, 2:Rarely; 3:Sometimes; 211 4:Often; 5:Always). Our purpose was to capture light exposure related behavior and 212 these two response options: "Does not apply/I don't know" and "Never" were providing 213 similar information. As such we decided to collapse them into one, making it a 5 point 214 Likert type response format. Necessary assumptions of EFA, including sample 215 adequacy, normality assumptions, quality of correlation matrix, were assessed. Our data 216 violated both the univariate and multivariate normality assumptions. Due to these violations and the ordinal nature of our response data, we used polychoric correlation 218 matrix (Desjardins & Bulut, 2018) for the EFA. We employed principal axis (PA) as factor extraction method with varimax rotation. PA is robust to the normality assumption 220 violations (Watkins, 2020). The obtained latent structure was confirmed by another factor 221 extraction method: "the minimum residuals extraction" as well. We used a combination 222

of factor identification method including scree plot (Cattell, 1966), Horn's parallel analysis (Horn, 1965), minimum average partials method (Velicer, 1976), and hull method 224 (Lorenzo-Seva, Timmerman, & Kiers, 2011) to identify factor numbers. Additionally, to 225 determine the simple structure, we followed the guidelines recommended by 226 psychometricians: (i) no factors with fewer than three items (ii) no factors with a factor 227 loading <0.3 (iii) no items with cross-loading greater than .3 across factors (Bandalos & 228 Finney, 2018). We confirmed the latent structure obtained in the EFA by conducting a 229 categorical "Confirmatory Factor Analysis" (CFA) using "robust weighted least square 230 estimator" (WLSMV). We estiablished the measurement invariance of our tool across the 231 native and non-native English speakers using structural equation model framework. To 232 assess the possible semantic overlap of our tool with the existing tools, we sought to 233 'Semantic Scale Network" (Rosenbusch, Wanders, & Pit, 2020). To assess the possible semantic overlap of our tool with the existing tools, we sought to "Semantic Scale 235 Network" (Rosenbusch et al., 2020). Lastly, we sought "Item Response Theory" (IRT) based analysis on developing a short form of LEBA. We also conducted psychometric analysis on non-merged response options data (Supp. Table D2) and rejected the latent 238 structure obtained as the factors were less interpretable.

240 Results

Item Analysis

242

245

246

247

Table 3 summarizes the univariate descriptive statistics for the 48 items. Some of the items were skewed with high Kurtosis values. Our data violated both univariate normality (Shapiro-Wilk statistics; (Shapiro & Wilk, 1965)) and multivariate normality assumptions [Marida's test;(Mardia, 1970)]. Multivariate skew was = 583.80 (p <0.001) and multivariate kurtosis was = 2,749.15 (p <0.001). Due to these violations and ordinal nature of the response data polychoric correlations over Pearson's correlations was

chosen (Desjardins & Bulut, 2018). The corrected item-total correlation ranges between
 .03 -.48. However, no item was discarded based on descriptive statistics or item analysis.

Exploratory Factor Analysis

Sampling adequacy was checked using Kaiser-Meyer-Olkin (KMO) measures of sampling adequacy (Kaiser, 1974) . The overall KMO vale for 48 items was 0.63 which was above the cutoff value (.50) indicating a mediocre sample (Hutcheson, 1999).

Bartlett's test of sphericity (Bartlett, 1954), χ^2 (1128) = 5042.86, p < .001 indicated the correlations between items are adequate for the EFA. However only 4.96% of the inter-item correlation coefficients were greater than .30. The absolute value of inter-item correlation ranged between .00 to .91. Figure 2 depicts the correlation matrix.

258

260

261

262

263

Scree plot (Figure 3) suggested a six-factor solution. Horn's parallel analysis (Horn, 1965) with 500 iterations also indicated a six-factor solution. However, the minimum average partial (MAP) method (Table A1) (Velicer, 1976) and Hull method (Lorenzo-Seva et al., 2011) (Figure 3) suggested a five-factor solution. As a result, we tested both five-factor and six-factor solutions.

With the initial 48 items we conducted three rounds of EFA and gradually discarded problematic items. (cross-loading items and poor factor loading (<.30) items). Finally, a five-factor EFA solution with 25 items was accepted with low RMSR = 0.08 (Brown, 2015), all factor-loading higher than .30 and no cross-loading greater than .30. We further confirmed this five-factor latent structure by another EFA using varimax rotation with a minimum residual extraction method (Sup.Table B1). Table 4 displays the factor-loading (structural coefficients) and communality of the items. The absolute value of the factor-loading ranged from .49 to .99 indicating strong coefficients. The

commonalities ranged between .11 to .99. Figure 4 depicts the obtained five-five factor 272 structure. However, the histogram of the absolute values of non-redundant 273 residual-correlations (Sup.Figure A1) showed 26% correlations were greater than the 274 absolute value of .05, indicating a possible under-factoring. (Designations & Bulut, 2018). 275 Subsequently, we fitted a six-factor solution. However, a factor emerged with only one 276 salient variable loading in the six-factor solution, thus disqualifying the six-factor solution 277 (Sup.Table C1). Internal consistency reliability coefficient Cronbach's alpha assumes all 278 the factor-loadings of the items under a factor are equal (Graham, 2006; Novick & Lewis, 279 1967) which is not the case in our sample. Additionally Cronbach's alpha coefficient has 280 a tendency to deflate the estimates for Likert type data as the calculation is based on 281 pearson-correlation matrix which requires that response data should be in continuous of 282 nature (Gadermann, Guhn, & Zumbo, 2012; Zumbo, Gadermann, & Zeisser, 2007). Subsequently to get better estimates of reliability we reported ordinal alpha which used polychoric-correlation matrix and assumed that the responses data were ordered in nature instead of continuous (Zumbo et al., 2007). Ordinal alpha coefficient value ranges 286 from 0 to 1 and higher value represents better reliability. In the five-factor solution, the 287 first factor contained three items and explained 10.25% of the total variance with a internal reliability coefficient ordinal α = .94. All the items in this factor stemmed from the 289 individual's preference to use blue light filters in different light environments. The second 290 factor contained six items and explained 9.93% of the total variance with a internal 291 reliability coefficient ordinal α = .76. Items under this factor commonly investigated an 292 individual's hours spent outdoor. The third factor contained five items and explained 293 8.83% of the total variance. Items under this factor dealt with the specific behaviors 294 pertaining to using phone and smart-watch in bed. The internal consistency reliability 295 coefficient was, ordinal α = .75. The fourth factor contained five items and explained 296 8.44% of the total variance with an internal consistency coefficient, ordinal α = .72. 297 These five items investigated the behaviors related to individual's light exposure before

bedtime. Lastly, the fifth factor contained six items and explained 6.14% of the total variance. This factor captured individual's morning and daytime light exposure related 300 behavior. The internal consistency reliability was, ordinal α = .62 . It is essential to attain 301 a balance between psychometric properties and interpretability of the common themes 302 when exploring the latent structure. As all of the emerged factors are highly interpretable 303 and relevant towards our aim to capture light exposure related behavior, regardless of the 304 apparent low reliability of the fifth factor, we retain all the five-factors with 23 items for our 305 confirmatory factor analysis (CFA). Two items showed negative factor-loading (items 44 and 21). Upon inspection, it was understood that these items are negatively correlated to 307 the common theme, and thus in the CFA analysis, we reversed the response code for these two items. Figure 5 depicts the data distribution and endorsement pattern for the included items in our LEBA tool for both the EFA and CFA sample.

Confirmatory Factor Analysis

311

We conducted categorical confirmatory factor analysis with robust weighted least 312 square (WLSMV) estimator since our response data was of ordinary nature (Desjardins 313 & Bulut, 2018). Several indices are suggested to measure model fit which can be 314 categorized as absolute, comparative and parsimony fit indices (Brown, 2015). Absolute 315 fit assess the model fit at an absolute level using indices including χ^2 test statistics and 316 the standardized root mean square (SRMR). Parsimony fit indices including the root 317 mean square error of approximation (RMSEA) considers the number of free parameters 318 in the model to assesses the parsimony of the model. Comparative fit indices evaluate the fit of the specified model solution in relation to a more restricted baseline model restricting all covariances among the indicators as zero. Comparative fit index (CFI) and the Tucker Lewis index (TLI) are such two comparative fit indices. Commonly used Model fit guidelines (Hu & Bentle, 1999; Schumacker & Lomax, 2004) includes (i) 323 Reporting of χ^2 test statistics (A non-significant test statistics is required to reflect model

fit) (ii) CFI and TLI (CFI/TLI close to .95 or above/ranging between 90-95 and above) (iii) RMSEA (close to .06 or below), (iv) SRMR (close to .08 or below) to estimate the model 326 fit. Table 5 summarizes the fit indices of our fitted model. Our fitted model failed to attain 327 an absolute fit estimated by the χ^2 test. However, the χ^2 test is sensitive to sample size 328 and not recommended to be used as the sole index of absolute model fit (Brown, 2015). 329 Another absolute fit index we obtained in our analysis was SRMR which does not work 330 well with categorical data (C. Yu, 2002). We judged the model fit based on the 331 comparative fit indices: CFI, TLI and parsimony fit index:RMSEA. Our fitted model 332 attained acceptable fit (CFI =.94; TLI = .93); RMSEA = .06,[.05-.07, 90% CI]) with two 333 imposed equity constrain on item pairs 32-33 [I dim my mobile phone screen within 1 334 hour before attempting to fall asleep.; I dim my computer screen within 1 hour before 335 attempting to fall asleep.] and 16-17 [I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.; I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.]. Items pair 32-33 stemed from the preference of dimming electric device's brightness before bed time and items pair 16 and 19 stemed 339 from the preference of using blue filtering or colored glasses during the daytime. 340 Nevertheless, SRMR value was higher than the guideline (SRMR = .12). Further by allowing one pair of items (30-41) [I look at my smartwatch within 1 hour before 342 attempting to fall asleep.; I look at my smartwatch when I wake up at night.] to covary 343 their error variance and discarding two item (item 37 & 26) for very low r-square value, 344 our model attained best fit (CFI =.97; TLI = .96); RMSEA = .05[.04-.06, 90% CI]) and 345 SRMR value (SRMR = .09) was also close to the suggestions of Hu and Bentle (1999). 346 Internal consistency ordinal α for the five factors of LEBA were .96, .83, .70, .69, .52 347 respectively. We also estimated the internal consistency reliability of the total scale using 348 Mcdonald's ω (total) coefficient which is a better reliability estimate for multidimensional 349 constructs (Dunn, Baguley, & Brunsden, 2014; Sijtsma, 2009). McDonald's ω (total) 350 coefficient for the total scale was .73. Figure 6 depicts the obtained CFA structure.

Measurement Invariance

Measurement invariance (MI) evaluates whether a construct has the psychometric 353 equivalence and same meaning across groups or measurement occasions (Kline, 2015; Putnick & Bornstein, 2016). We used structural equation modeling framework to assess 355 the measurement invariance of our developed tool across two groups: native English speakers and non-native English speakers. Our measurement invariance testing involved successively comparing the nested models: configural, metric, scalar, and residual invariance models with each others (Widaman & Reise, 1997). Among these 359 nested models configural model is the first and least restrictive model. The configural 360 model assumes that the number of factors and item number under each factor will be 361 equal across two groups. The metric invariance model assumes configural invariance of 362 the fitted model and requires the factor-loadings of the items across the two groups to be 363 equal. Having the factor-loadings equal across groups indicates each item contributes to 364 the measured construct equivalently. Scalar invariance assumes the metric invariance of 365 the fitted model demands the item intercepts to be equivalent across groups. This equity 366 of item intercepts indicates the equivalence of response scale across the groups, i.e., 367 persons with the same level of the underlying construct will score the same across the 368 groups. The residual invariance model assumes metric invariance for the fitted model and adds the assumption of equality in error variances and covariances across the 370 groups. This model is the highest level of MI and assures the equivalence of precision of 371 items across the groups in measuring the underlying constructs. The invariance model fit 372 of our tool was assessed using the fit indices including χ^2 test, CFI and TLI (close to .95 or above), RMSEA (close to .06 or below) (Hu & Bentle, 1999). We excluded SRMR 374 from our consideration as it does not behave optimally for categorical variables (C. Yu, 2002). Table 6 summarized the fit indices. The comparison among different measurement invariance models was made using the χ^2 difference test ($\Delta\chi^2$) to 377 assess whether our obtained latent structure of "LEBA" attained the highest level of the

MI. A non-significant $\Delta \chi^2$ test between two MI models fit indicates mode fit does not significantly decrease for the superior model (Dimitrov, 2010) thus allowing the superior 380 level of invariance model to be accepted. We started our analysis by comparing the 381 model fit of the least restrictive model:configural model to metric MI model and continued 382 successive comparisons. Table 6 indicates that our fitted model had acceptable fit 383 indices for all of the fitted MI models. The model fit did not significantly decrease across 384 the nested models up to the scalar MI model. The chi-square value difference between 385 the scalar and residual model is zero, indicating model fit remained the same for both: scalar and residual MI model, indicating the acceptability of the residual MI model. 387

Semantic Analysis

To find out if our developed tool (23 items) is overlapping with existing instruments, 389 we subjected the items of LEBA to the "Semantic Scale Network" (SSN) analysis (Rosenbusch et al., 2020). The SSN detects semantically related scales and provides cosine similarity index ranging between -.66 to 1 (Rosenbusch et al., 2020). Pair of scales with a cosine similarity index value of 1 indicates they are perfectly semantically 393 similar scales indicating redundancy. LEBA appeared most strongly related to scales 394 about sleep: "Sleep Disturbance Scale For Children" (Bruni et al., 1996) and 395 "WHO-Composite International Diagnostic Interview (CIDI): Insomnia"(WHO, 1990).The 396 cosine similarities lie between .47 to .51. Flesch-Kincaid Grade Level (Flesch, 1948) 397 analysis on the the 23 items of our scale indicated required educational grade level was 398 3.33 and with a age abobe 8.33. 390

400 ##

401

402

Developing Short form of LEBA

We sought the item response theory (IRT) to develop the short form of LEBA. IRT the conventional classical test theory-based analysis by gathering information on item

quality by indices like item difficulty, item discrimination, and item information (Baker, 404 2017). Item is judged based on item information in relation to participants' latent trait 405 level (θ). We fitted each factor of LEBA with the graded response model (Samejima, 406 Liden, & Hambleton, 1997) to the combined EFA and CFA sample (n =690). Item 407 discrimination indicates the pattern of variation in the categorical responses with the 408 changes in latent trait level (θ) , and item information curve (IIC) indicates the amount of 409 information an item carries along the latent trait continuum. Here, we reported the item 410 discrimination parameter and only discarded the items with relatively flat item information 411 curve (information <.2) to develop the short form of LEBA. Baker (2017) categorized the 412 item discrimination in as none = 0; very low =0.01 to 0.34; low = 0.35 to 0.64; moderate = 413 0.65 to 1.34; high = 1.35 to 1.69; very high > 1.70. Table 7 summarizes the IRT 414 parameters of our tool. Item discrimination parameters of our tool fell in very high (10 items), high (4 items), moderate (4 items), and low (5 items) categorizes indicating a good range of discrimination along the latent trait level (θ). Examination of the item information curve (Sup.fig A3-A6) indicated 5 items (1, 25, 38, 30, & 41) had relatively 418 flat information curves (I(θ) < .20) thus discarded creating a short form of LEBA with 5 419 factors and 18 items.

Test information curve (TIC) (Figure 7) indicate the amount of information an the full-scale carry along the latent trait continuum. As we treated each factor of short-LEBA as an unidmensional construct we obtain 5 TICs (Figure 7). These information curves indicated except the first and fifth factors, the other three factor's TICs are roughly centered on the center of the trait continuum (θ). The first and fifth factor had a peak to the right side of the center of latent trait. Thus we conferred the LEBA tool estimated the light exposure related behavior with precision near the center of trait continuum for 2nd, 3rd and 4th factors and near the right side of the center of trait continuum for 1st and 5th factors (Baker, 2017).

421

423

424

427

428

429

430

Table 8 summarizes the item fit indexes of the items. All the items fitted well to the

respective models as assessed by RMSEA value obtained from Signed- χ^2 index 431 implementation. All of the items had RMSEA value ≤.06 indicating adequate fit. Figure 432 @ref(Sup.fig:personfit) depicts the person fit of out fitted models. Person fit indicates the 433 validity and meaningfulness of the fitted model at the participants latent trait level 434 (Desjardins & Bulut, 2018). We estimated the person fit statistics using standardized fit 435 index Zh statistics (Drasgow, Levine, & Williams, 1985). Zh < -2 should be considered as 436 a misfit. Fig indicates that Zh is larger than -2 for most participants, suggesting a good fit 437 of the selected IRT models. 438

439 Discussion

440

443

444

445

446

448

We developed a self-reported tool to capture different light exposure related behavior and evaluated its psychometric properties using classical test theory and item response theory based analysis.

48 items were generated by an expert panel and administered to a large sample (n = 428 to explore the latent structure. Exploratory factor analysis revealed a five factor solution with 25 items. ("Wearing blue light filters," "Spending time outdoors," "Using phone and smart-watch in bed," "Using light before bedtime," and "Using light in the morning and during daytime"). The internal consistency reliability coefficient ordinal alpha ranged between .62.94. As all the retained factors were meaningful and contributed essentially towards our aim we retained all five factors.

A CFA on a separate sample ((n = 262 gave a five-factor solution (CFI =.97; TLI = .96); RMSEA = .05[.04-.06, 90% CI]) and SRMR = .09) after discarding two item. The internal consistency McDonald's ω_t of the five factors were satisfactory (.96, .83, .70, .69, .52) Internal consistency reliability of the total scale (23 item) was also satisfactory, McDonald's ω_t = .73. In the same sample, our measurement invariance analysis revealed that the latent structure attained the residual measurement invariance across

subgroups: male and female (CFI: .98, TLI: .98, SRMR: .98).

The "Semantic Scale Network" (SSN) analysis (Rosenbusch et al., 2020) on the 457 retained 23 items showed "LEBA" was related to "Sleep Disturbance Scale For Children" 458 (SDSC) (Bruni et al., 1996) and "WHO-Composite International Diagnostic Interview 459 (CIDI): Insomnia" (WHO, 1990). Upon inspecting the item contents we found items under: 460 "Using phone and smart-watch in bed" and "Using light before bedtime" have semantic 461 overlap with the items of SDSC ans CIDI. Items in those two scales were looking into 462 behaviors related to sleep. As such the similarity index obtained is expected. 463 Flesch-Kincaid Grade Level (Flesch, 1948) analysis on the the 23 items of our scale indicated required educational grade level was 3.33 and with a age above 8.33.

Lastly, we developed a short-LEBA (n=23) using IRT analysis. We fitted a graded response model model to the combined EFA and CFA sample (n =690). We discarded 5 items with relatively flat item information curve [I(θ) <.20]. IRT analysis indicated short form of LEBA is a psychometrically sound measure. Item fit indexes and person fit index for all five fitted model were acceptable. Items had diverse slope parameters indicating a good range of discrimination- the ability to differentiate respondents with different levels of the light exposure related behavior. Test information curve also indicated a good coverage of underlying trait continuum with precision.

Conclusion

468

469

470

471

472

473

475

476

479

"The Light exposure behavior assessment" (LEBA) gave a five solution with 25 items in an exploratory factor analysis. A confirmatory factor analysis with this 25-item scale again offered a five-factor solution, but this time two more item was discarded. The 25-item "Bangla version of Rotter's I-E scale" LEBA" was found reliable and valid. A short-form of LEBA was developed using IRT analysis. IRT analysis gave a 18 item scale with a good range of coverage across the underlying trait continuum. All-in-all, we can

recommend both forms to be used to capture individual's light exposure related behavior

References

Aust, F., & Barth, M. (2020). papaja: Prepare reproducible APA journal articles 483 with R Markdown. Retrieved from https://github.com/crsh/papaja 484 Bajaj, A., Rosner, B., Lockley, S. W., & Schernhammer, E. S. (2011). Validation of 485 a light questionnaire with real-life photopic illuminance measurements: The harvard light exposure assessment questionnaire. Cancer Epidemiology and 487 *Prevention Biomarkers*, 20(7), 1341–1349. 488 Baker, F. B. (2017). The Basics of Item Response Theory Using R (1st ed. 2017.). 489 Springer. 490 Bandalos, D. L., & Finney, S. J. (2018). Factor analysis: Exploratory and 491 confirmatory. In The reviewer's guide to quantitative methods in the social 492 sciences (pp. 98–122). Routledge. 493 Barnier, J., Briatte, F., & Larmarange, J. (2020). Questionr: Functions to make 494 surveys processing easier. Retrieved from 495 https://CRAN.R-project.org/package=questionr 496 Barth, M. (2021). tinylabels: Lightweight variable labels. Retrieved from 497 https://github.com/mariusbarth/tinylabels 498 Bartlett, M. (1954). A Note on the Multiplying Factors for Various Chi-square 499 Approximations. Journal of the Royal Statistical Society. Series B, 500 Methodological, 16(2), 296–298. 501 Bentler, P. M., & Chou, C.-P. (1987). Practical Issues in Structural Modeling. 502 Sociological Methods & Research, 16(1), 78–117. 503 https://doi.org/10.1177/0049124187016001004 504 Bevans, K. B., Meltzer, L. J., La Motte, A. de, Kratchman, A., Viél, D., & Forrest, C. 505 B. (2019). Qualitative development and content validation of the PROMIS 506 pediatric sleep health items. Behavioral Sleep Medicine, 17(5), 657–671. 507 https://doi.org/10.1080/15402002.2018.1461102 508

509	Bossini, L., Valdagno, M., Padula, L., De Capua, A., Pacchierotti, C., &
510	Castrogiovanni, P. (2006). Sensibilità alla luce e psicopatologia: Validazione
511	del questionario per la valutazione della fotosensibilità (QVF). Med
512	Psicosomatica, 51, 167–176.
513	Brown, T. A. (2015). Confirmatory factor analysis for applied research (2nd ed.).
514	New York, NY, US: The Guilford Press.
515	Bruni, O., Ottaviano, S., Guidetti, V., Romoli, M., Innocenzi, M., Cortesi, F., &
516	Giannotti, F. (1996). The sleep disturbance scale for children (SDSC)
517	construct ion and validation of an instrument to evaluate sleep disturbances in
518	childhood and adolescence. Journal of Sleep Research, 5(4), 251–261.
519	Bryer, J., & Speerschneider, K. (2016). Likert: Analysis and visualization likert
520	items. Retrieved from https://CRAN.R-project.org/package=likert
521	Buchanan, E. M., Gillenwaters, A., Scofield, J. E., & Valentine, K. D. (2019).
522	MOTE: Measure of the Effect: Package to assist in effect size calculations and
523	their confidence intervals. Retrieved from http://github.com/doomlab/MOTE
524	Buysse, Daniel J., Reynolds III, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J.
525	(1989). The pittsburgh sleep quality index: A new instrument for psychiatric
526	practice and research. Psychiatry Research, 28(2), 193–213.
527	Buysse, Daniel J., Yu, L., Moul, D. E., Germain, A., Stover, A., Dodds, N. E.,
528	Pilkonis, P. A. (2010). Development and validation of patient-reported outcome
529	measures for sleep disturbance and sleep-related impairments. Sleep, 33(6),
530	781–792. https://doi.org/10.1093/sleep/33.6.781
531	Cattell, R. B. (1966). The Scree Test For The Number Of Factors. <i>Multivariate</i>
532	Behavioral Research, 1(2), 245–276.
533	https://doi.org/10.1207/s15327906mbr0102_10
534	Chalmers, R. P. (2012). mirt: A multidimensional item response theory package
535	for the R environment. Journal of Statistical Software, 48(6), 1–29.

536	https://doi.org/10.18637/jss.v048.i06
537	Chang, W., Cheng, J., Allaire, J., Sievert, C., Schloerke, B., Xie, Y., Borges, B.
538	(2021). Shiny: Web application framework for r. Retrieved from
539	https://CRAN.R-project.org/package=shiny
540	Comrey, A. L., & Lee, H. B. (1992). A first course in factor analysis, 2nd ed.
541	Hillsdale, NJ, US: Lawrence Erlbaum Associates, Inc.
542	Conigrave, J. (2020). Corx: Create and format correlation matrices. Retrieved
543	from https://CRAN.R-project.org/package=corx
544	Dahl, D. B., Scott, D., Roosen, C., Magnusson, A., & Swinton, J. (2019). Xtable:
545	Export tables to LaTeX or HTML. Retrieved from
546	https://CRAN.R-project.org/package=xtable
547	Desjardins, C., & Bulut, O. (2018). Handbook of Educational Measurement and
548	Psychometrics Using R. https://doi.org/10.1201/b20498
549	Dianat, I., Sedghi, A., Bagherzade, J., Jafarabadi, M. A., & Stedmon, A. W. (2013).
550	Objective and subjective assessments of lighting in a hospital setting:
551	Implications for health, safety and performance. Ergonomics, 56(10),
552	1535–1545.
553	Dimitrov, D. M. (2010). Testing for factorial invariance in the context of construct
554	validation. Measurement and Evaluation in Counseling and Development,
555	<i>43</i> (2), 121–149.
556	Dinno, A. (2018). Paran: Horn's test of principal components/factors. Retrieved
557	from https://CRAN.R-project.org/package=paran
558	Drasgow, F., Levine, M. V., & Williams, E. A. (1985). Appropriateness
559	measurement with polychotomous item response models and standardized
560	indices. British Journal of Mathematical and Statistical Psychology, 38(1),
561	67–86.
562	Dunn, T. J., Baguley, T., & Brunsden, V. (2014). From alpha to omega: A practical

563	solution to the pervasive problem of internal consistency estimation. British
564	Journal of Psychology, 105(3), 399–412.
565	Eklund, N., & Boyce, P. (1996). The development of a reliable, valid, and simple
566	office lighting survey. Journal of the Illuminating Engineering Society, 25(2),
567	25–40.
568	Epskamp, S. (2019). semPlot: Path diagrams and visual analysis of various SEM
569	packages' output. Retrieved from
570	https://CRAN.R-project.org/package=semPlot
571	Epskamp, S., Cramer, A. O. J., Waldorp, L. J., Schmittmann, V. D., & Borsboom,
572	D. (2012). qgraph: Network visualizations of relationships in psychometric
573	data. Journal of Statistical Software, 48(4), 1–18.
574	Flesch, R. (1948). A new readability yardstick. Journal of Applied Psychology,
575	32(3), 221.
576	F.lux Software LLC. (2021). F.lux (Version 4.120). Retrieved from
577	https://justgetflux.com/
578	Forrest, C. B., Meltzer, L. J., Marcus, C. L., La Motte, A. de, Kratchman, A.,
579	Buysse, D. J., Bevans, K. B. (2018). Development and validation of the
580	PROMIS pediatric sleep disturbance and sleep-related impairment item banks.
581	Sleep, 41(6). https://doi.org/10.1093/sleep/zsy054
582	Fox, J., & Weisberg, S. (2019). An R companion to applied regression (Third).
583	Thousand Oaks CA: Sage. Retrieved from
584	https://socialsciences.mcmaster.ca/jfox/Books/Companion/
585	Fox, J., Weisberg, S., & Price, B. (2020). carData: Companion to applied
586	regression data sets. Retrieved from
587	https://CRAN.R-project.org/package=carData
588	Gadermann, A. M., Guhn, M., & Zumbo, B. D. (2012). Estimating ordinal reliability
E90	for likert-type and ordinal item response data: A conceptual empirical and

590	practical guide. Practical Assessment, Research, and Evaluation, 17(1), 3.
591	Graham, J. M. (2006). Congeneric and (essentially) tau-equivalent estimates of
592	score reliability: What they are and how to use them. Educational and
593	Psychological Measurement, 66(6), 930–944.
594	Harb, F., Hidalgo, M. P., & Martau, B. (2015). Lack of exposure to natural light in
595	the workspace is associated with physiological, sleep and depressive
596	symptoms. Chronobiology International, 32(3), 368–375.
597	https://doi.org/10.3109/07420528.2014.982757
598	Harrell Jr, F. E., Charles Dupont, with contributions from, & others., many. (2021).
599	Hmisc: Harrell miscellaneous. Retrieved from
600	https://CRAN.R-project.org/package=Hmisc
601	Harris, P. A., Taylor, R., Minor, B. L., Elliott, V., Fernandez, M., O'Neal, L.,
602	others. (2019). The REDCap consortium: Building an international community
603	of software platform partners. Journal of Biomedical Informatics, 95, 103208.
604	Harris, P. A., Taylor, R., Thielke, R., Payne, J., Gonzalez, N., & Conde, J. G.
605	(2009). Research electronic data capture (REDCap)—a metadata-driven
606	methodology and workflow process for providing translational research
607	informatics support. Journal of Biomedical Informatics, 42(2), 377–381.
608	Henry, L., & Wickham, H. (2020). Purrr: Functional programming tools. Retrieved
609	from https://CRAN.R-project.org/package=purrr
610	Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis.
611	Psychometrika, 30(2), 179–185. https://doi.org/10.1007/BF02289447
612	Horne, J. A., & Östberg, O. (1976). A self-assessment questionnaire to determine
613	morningness-eveningness in human circadian rhythms. International Journal
614	of Chronobiology.
615	Hu, L., & Bentle, P. M. (1999). Cutoff criteria for fit indexes in covariance structure
616	analysis: Conventional criteria versus new alternatives. Structural Equation

617	Modeling: A Multidisciplinary Journal, 6(1), 1–55.
618	https://doi.org/10.1080/10705519909540118
619	Hutcheson, G. D. (1999). The multivariate social scientist: Introductory statistics
620	using generalized linear models. London: SAGE.
621	lannone, R. (2016). DiagrammeRsvg: Export DiagrammeR graphviz graphs as
622	SVG. Retrieved from https://CRAN.R-project.org/package=DiagrammeRsvg
623	lannone, R. (2021). DiagrammeR: Graph/network visualization. Retrieved from
624	https://github.com/rich-iannone/DiagrammeR
625	Irribarra, D. T., & Freund, R. (2014). Wright map: IRT item-person map with
626	ConQuest integration. Retrieved from http://github.com/david-ti/wrightmap
627	Jackson, D. L. (2003). Revisiting Sample Size and Number of Parameter
628	Estimates: Some Support for the N:q Hypothesis. Structural Equation
629	Modeling, 10(1), 128-141. https://doi.org/10.1207/S15328007SEM1001_6
630	Johnson, P., & Kite, B. (2020). semTable: Structural equation modeling tables.
631	Retrieved from https://CRAN.R-project.org/package=semTable
632	Johnson, P., Kite, B., & Redmon, C. (2020). Kutils: Project management tools.
633	Retrieved from https://CRAN.R-project.org/package=kutils
634	Jorgensen, T. D., Pornprasertmanit, S., Schoemann, A. M., & Rosseel, Y. (2021).
635	semTools: Useful tools for structural equation modeling. Retrieved from
636	https://CRAN.R-project.org/package=semTools
637	Kaiser, H. F. (1974). An index of factorial simplicity. Psychometrika, 39(1), 31–36
638	https://doi.org/10.1007/bf02291575
639	Kassambara, A. (2019). Ggcorrplot: Visualization of a correlation matrix using
640	'ggplot2'. Retrieved from https://CRAN.R-project.org/package=ggcorrplot
641	Kline, R. B. (2015). Principles and practice of structural equation modeling. The
642	Guilford Press.
642	Kowarik A & Templ M (2016) Imputation with the R package VIM Journal of

644	Statistical Software, 74(7), 1–16. https://doi.org/10.18637/jss.v074.i07
645	Lishinski, A. (2021). lavaanPlot: Path diagrams for 'lavaan' models via
646	'DiagrammeR'. Retrieved from
647	https://CRAN.R-project.org/package=lavaanPlot
648	Lorenzo-Seva, U., Timmerman, M., & Kiers, H. (2011). The Hull Method for
649	Selecting the Number of Common Factors. Multivariate Behavioral Research,
650	46, 340-364. https://doi.org/10.1080/00273171.2011.564527
651	Makowski, D., Ben-Shachar, M. S., Patil, I., & Lüdecke, D. (2020). Methods and
652	algorithms for correlation analysis in r. Journal of Open Source Software,
653	5(51), 2306. https://doi.org/10.21105/joss.02306
654	Mardia, K. V. (1970). Measures of multivariate skewness and kurtosis with
655	applications. Biometrika, 57(3), 519-530.
656	https://doi.org/10.1093/biomet/57.3.519
657	Michalke, M. (2020a). koRpus.lang.en: Language support for 'koRpus' package:
658	english. Retrieved from https://reaktanz.de/?c=hacking&s=koRpus
659	Michalke, M. (2020b). Sylly: Hyphenation and syllable counting for text analysis.
660	Retrieved from https://reaktanz.de/?c=hacking&s=sylly
661	Michalke, M. (2021). koRpus: Text analysis with emphasis on POS tagging,
662	readability, and lexical diversity. Retrieved from
663	https://reaktanz.de/?c=hacking&s=koRpus
664	Mock, T. (2021). gtExtras: A collection of helper functions for the gt package.
665	Retrieved from https://github.com/jthomasmock/gtExtras
666	Müller, K., & Wickham, H. (2021). Tibble: Simple data frames. Retrieved from
667	https://CRAN.R-project.org/package=tibble
668	Navarro-Gonzalez, D., & Lorenzo-Seva, U. (2021). EFA.MRFA: Dimensionality
669	assessment using minimum rank factor analysis. Retrieved from
670	https://CRAN.R-project.org/package=EFA.MRFA

671	Neuwirth, E. (2014). RColorBrewer: ColorBrewer palettes. Retrieved from
672	https://CRAN.R-project.org/package=RColorBrewer
673	Novick, M. R., & Lewis, C. (1967). Coefficient alpha and the reliability of
674	composite measurements. Psychometrika, 32(1), 1–13.
675	Olivier, K., Gallagher, R. A., Killgore, W. D. S., Carrazco, N., Alfonso-Miller, P.,
676	Grandner, M. A. (2016). Development and initial validation of the assessment
677	of sleep environment: A novel inventory for describing and quantifying the
678	impact of environmental factors on sleep. Sleep, 39(Abstract Supplement:
679	A367).
680	Ooms, J. (2021a). Magick: Advanced graphics and image-processing in r.
681	Retrieved from https://CRAN.R-project.org/package=magick
682	Ooms, J. (2021b). Rsvg: Render SVG images into PDF, PNG, PostScript, or
683	bitmap arrays. Retrieved from https://CRAN.R-project.org/package=rsvg
684	Peters, GJ. (2021). <i>Ufs: Quantitative analysis made accessible</i> . Retrieved from
685	https://CRAN.R-project.org/package=ufs
686	Petersen, A. C., Crockett, L., Richards, M., & Boxer, A. (1988). A self-report
687	measure of pubertal status: Reliability, validity, and initial norms. Journal of
688	Youth and Adolescence, 17(2), 117–133. https://doi.org/10.1007/BF01537962
689	Pornprasertmanit, S., Miller, P., Schoemann, A., & Jorgensen, T. D. (2021).
690	Simsem: SIMulated structural equation modeling. Retrieved from
691	https://CRAN.R-project.org/package=simsem
692	Putnick, D. L., & Bornstein, M. H. (2016). Measurement invariance conventions
693	and reporting: The state of the art and future directions for psychological
694	research. Developmental Review, 41, 71–90.
695	R Core Team. (2021). R: A language and environment for statistical computing.
696	Vienna, Austria: R Foundation for Statistical Computing. Retrieved from
697	https://www.R-project.org/

698	Reveile, vv. (2021). Psych. Procedures for psychological, psychometric, and
699	personality research. Evanston, Illinois: Northwestern University. Retrieved
700	from https://CRAN.R-project.org/package=psych
701	Roenneberg, T., Wirz-Justice, A., & Merrow, M. (2003). Life between clocks: Daily
702	temporal patterns of human chronotypes. Journal of Biological Rhythms,
703	<i>18</i> (1), 80–90.
704	Rosenbusch, H., Wanders, F., & Pit, I. L. (2020). The semantic scale network: An
705	online tool to detect semantic overlap of psychological scales and prevent
706	scale redundancies. Psychological Methods, 25(3), 380.
707	Rosseel, Y. (2012). lavaan: An R package for structural equation modeling.
708	Journal of Statistical Software, 48(2), 1–36. Retrieved from
709	https://www.jstatsoft.org/v48/i02/
710	Ryu, C. (2021). Dlookr: Tools for data diagnosis, exploration, transformation.
711	Retrieved from https://CRAN.R-project.org/package=dlookr
712	Samejima, F., Liden, W. van der, & Hambleton, R. (1997). Handbook of modern
713	item response theory. New York, NY: Springer.
714	Sarkar, D. (2008). Lattice: Multivariate data visualization with r. New York:
715	Springer. Retrieved from http://lmdvr.r-forge.r-project.org
716	Schönbrodt, F. D., & Perugini, M. (2013). At what sample size do correlations
717	stabilize? Journal of Research in Personality, 47(5), 609–612.
718	https://doi.org/10.1016/j.jrp.2013.05.009
719	Schumacker, R. E., & Lomax, R. G. (2004). A beginner's guide to structural
720	equation modeling. psychology press.
721	Shapiro, S. S., & Wilk, M. B. (1965). An analysis of variance test for normality
722	(complete samples). Biometrika, 52(3-4), 591–611.
723	https://doi.org/10.1093/biomet/52.3-4.591
724	Sijtsma, K. (2009). On the use, the misuse, and the very limited usefulness of

725	cronbach's alpha. <i>Psychometrika</i> , 74(1), 107.
726	Siraji, M. A. (2021). Tabledown: A companion pack for the book "basic &
727	advanced psychometrics in r". Retrieved from
728	https://github.com/masiraji/tabledown
729	Sjoberg, D. D., Curry, M., Hannum, M., Larmarange, J., Whiting, K., & Zabor, E. C
730	(2021b). Gtsummary: Presentation-ready data summary and analytic result
731	tables. Retrieved from https://CRAN.R-project.org/package=gtsummary
732	Sjoberg, D. D., Curry, M., Hannum, M., Larmarange, J., Whiting, K., & Zabor, E. C
733	(2021a). Gtsummary: Presentation-ready data summary and analytic result
734	tables. Retrieved from https://CRAN.R-project.org/package=gtsummary
735	Stauffer, R., Mayr, G. J., Dabernig, M., & Zeileis, A. (2009). Somewhere over the
736	rainbow: How to make effective use of colors in meteorological visualizations.
737	Bulletin of the American Meteorological Society, 96(2), 203–216.
738	https://doi.org/10.1175/BAMS-D-13-00155.1
739	Terry M. Therneau, & Patricia M. Grambsch. (2000). Modeling survival data:
740	Extending the Cox model. New York: Springer.
741	Ushey, K., McPherson, J., Cheng, J., Atkins, A., & Allaire, J. (2021). Packrat: A
742	dependency management system for projects and their r package
743	dependencies. Retrieved from https://CRAN.R-project.org/package=packrat
744	van Lissa, C. J. (2021). tidySEM: Tidy structural equation modeling. Retrieved
745	from https://CRAN.R-project.org/package=tidySEM
746	Velicer, W. (1976). Determining the Number of Components from the Matrix of
747	Partial Correlations. Psychometrika, 41, 321–327.
748	https://doi.org/10.1007/BF02293557
749	Venables, W. N., & Ripley, B. D. (2002). Modern applied statistics with s (Fourth).
750	New York: Springer. Retrieved from https://www.stats.ox.ac.uk/pub/MASS4/
751	Verriotto, J. D., Gonzalez, A., Aguilar, M. C., Parel, JM. A., Feuer, W. J., Smith,

752	A. R., & Lam, B. L. (2017). New methods for quantification of visual
753	photosensitivity threshold and symptoms. Translational Vision Science &
754	Technology, 6(4), 18–18.
755	Watkins, M. (2020). A Step-by-Step Guide to Exploratory Factor Analysis with R
756	and RStudio. https://doi.org/10.4324/9781003120001
757	Weinzaepflen, C., & Spitschan, M. (2021). Enlighten your clock: How your body
758	tells time. Open Science Framework. https://doi.org/10.17605/OSF.IO/ZQXVF
759	WHO. (1990). Composite international diagnostic interview.
760	Wickham, H. (2011). The split-apply-combine strategy for data analysis. Journal
761	of Statistical Software, 40(1), 1–29. Retrieved from
762	http://www.jstatsoft.org/v40/i01/
763	Wickham, H. (2016). ggplot2: Elegant graphics for data analysis. Springer-Verlag
764	New York. Retrieved from https://ggplot2.tidyverse.org
765	Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string
766	operations. Retrieved from https://CRAN.R-project.org/package=stringr
767	Wickham, H. (2021a). Forcats: Tools for working with categorical variables
768	(factors). Retrieved from https://CRAN.R-project.org/package=forcats
769	Wickham, H. (2021b). Tidyr: Tidy messy data. Retrieved from
770	https://CRAN.R-project.org/package=tidyr
771	Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R.,
772	Yutani, H. (2019). Welcome to the tidyverse. Journal of Open Source
773	Software, 4(43), 1686. https://doi.org/10.21105/joss.01686
774	Wickham, H., & Bryan, J. (2019). Readxl: Read excel files. Retrieved from
775	https://CRAN.R-project.org/package=readxl
776	Wickham, H., François, R., Henry, L., & Müller, K. (2021). Dplyr: A grammar of
777	data manipulation. Retrieved from https://CRAN.R-project.org/package=dplyr
778	Wickham, H., & Hester, J. (2021). Readr: Read rectangular text data. Retrieved

779	from https://CRAN.R-project.org/package=readr
780	Widaman, K. F., & Reise, S. P. (1997). Exploring the measurement invariance of
781	psychological instruments: Applications in the substance use domain.
782	Wilke, C. O. (2020). Cowplot: Streamlined plot theme and plot annotations for
783	'ggplot2'. Retrieved from https://CRAN.R-project.org/package=cowplot
784	Winston Chang. (2014). Extrafont: Tools for using fonts. Retrieved from
785	https://CRAN.R-project.org/package=extrafont
786	Worthington, R. L., & Whittaker, T. A. (2006). Scale Development Research: A
787	Content Analysis and Recommendations for Best Practices. The Counseling
788	Psychologist, 34(6), 806-838. https://doi.org/10.1177/0011000006288127
789	Wu, Y., & Hallett, M. (2017). Photophobia in neurologic disorders. <i>Translational</i>
790	Neurodegeneration, 6(1), 26. https://doi.org/10.1186/s40035-017-0095-3
791	Xie, Yihui. (2015). Dynamic documents with R and knitr (2nd ed.). Boca Raton,
792	Florida: Chapman; Hall/CRC. Retrieved from https://yihui.org/knitr/
793	Xie, Yang, Wu, X., Tao, S., Wan, Y., & Tao, F. (2021). Development and validation
794	of the self-rating of biological rhythm disorder for chinese adolescents.
795	Chronobiology International, 1–7.
796	https://doi.org/10.1080/07420528.2021.1989450
797	Yu, C. (2002). Evaluating cutoff criteria of model fit indices for latent variable
798	models with binary and continuous outcomes (Thesis). ProQuest
799	Dissertations Publishing.
800	Yu, L., Buysse, D. J., Germain, A., Moul, D. E., Stover, A., Dodds, N. E.,
801	Pilkonis, P. A. (2011). Development of short forms from the PROMIS™ sleep
802	disturbance and sleep-related impairment item banks. Behavioral Sleep
803	Medicine, 10(1), 6-24. https://doi.org/10.1080/15402002.2012.636266
804	Yuan, KH., & Zhang, Z. (2020). Rsem: Robust structural equation modeling with
805	missing data and auxiliary variables. Retrieved from

806	https://CRAN.R-project.org/package=rsem
807	Zeileis, A., & Croissant, Y. (2010). Extended model formulas in R: Multiple parts
808	and multiple responses. Journal of Statistical Software, 34(1), 1–13.
809	https://doi.org/10.18637/jss.v034.i01
810	Zeileis, A., Fisher, J. C., Hornik, K., Ihaka, R., McWhite, C. D., Murrell, P.,
811	Wilke, C. O. (2020). colorspace: A toolbox for manipulating and assessing
812	colors and palettes. Journal of Statistical Software, 96(1), 1–49.
813	https://doi.org/10.18637/jss.v096.i01
814	Zeileis, A., Hornik, K., & Murrell, P. (2009). Escaping RGBland: Selecting colors
815	for statistical graphics. Computational Statistics & Data Analysis, 53(9),
816	3259-3270. https://doi.org/10.1016/j.csda.2008.11.033
817	Zhang, Z., & Yuan, KH. (2020). Coefficientalpha: Robust coefficient alpha and
818	omega with missing and non-normal data. Retrieved from
819	https://CRAN.R-project.org/package=coefficientalpha
820	Zhu, H. (2021). kableExtra: Construct complex table with 'kable' and pipe syntax
821	Retrieved from https://CRAN.R-project.org/package=kableExtra
822	Zumbo, B. D., Gadermann, A. M., & Zeisser, C. (2007). Ordinal versions of
823	coefficients alpha and theta for likert rating scales. Journal of Modern Applied
824	Statistical Methods, 6(1), 4.

Table 1

Releated Scales

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Visual	Verriotto	Eight-	None	5-point	Not
Light	et al.,	question		Likert	available
Sensitivity	2017	survey to		scale	
Questionna	ire-	assess			
8		the			
		presence			
		and			
		severity of			
		photosen-			
		sitivity			
		symptoms			
Office	Eklundet	30 items	Item 29	Mixed	Not
Light	al., 1996	survey to		response	available
Survey		assess		format	
		electrical			
		lighting en-			
		vironment			
		in office			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Harvard	Bajaj et	1 item	None	Semi-	Correlation
Light	al., 2011	semi-		quantitative	
	ai., 2011			quantitative	
Exposure		quantitative			physical
Assess-		light ques-			measure-
ment		tionnaire			mernt
Question-					
naire					
Hospital	Dianat et	23 items	Item 16,17	5-point	Face and
Lighting	el., 2013	question-		Likert	Content
Survey		naire to		scale	validity
		assess			
		light envi-			
		ronment in			
		a hospital			
Morningnes	sHorne et	19 items	item	Mixed	Correlation
Eveningnes	sal., 1976	question-	1,2,8,13,14	response	the oral
Question-		naire to		format	tempera-
naire		under-			ture
		stand your			
		body clock			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Munich	Roenneberg	g 17 items	Time	Mixed	Correlation
Chrono-	et al.,	question-	spect	response	with
type	2003	naire to	outdoors	format	sleep-logs,
Question-		under-			actimetry,
naire		stand			and physi-
(MCTQ)		individuals			ological
		phase of			parame-
		entrain-			ters
		ment			
Sleep	Olivier	16 Factor	Subscale	5-point	Face and
Practices	et.al.,	question-	8&9	Likert	Construct
and	2016	naire		scale	validity
Attitudes		measuring			
Question-		practice,			
naire		behavior			
(SPAQ)		and			
		attitude			
		related			
		sleep			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
The	Buysse et	9 items	item 1-4	Mixed	Correlation
Pittsburgh	al., 1989	inventory		response	with
Sleep		to		format	clinical
Quality		measure			measure-
Index		sleep			ments
(PSQI)		quality			
		and			
		sleeping			
		pattern			
Self-	Xie et al.,	29 Items	Item	5-point	Construct
Rating of	2021	question-	3,6,22-25	Likert	validity
Biological		naire	and 29	scale	
Rhythm		assessing			
Disorder		four di-			
for		mensions			
Disorder		of			
for Adoles-		biological			
cents		rhythm			
(SBRDA)		disorder in			
		adoles-			
		cents			

Table 1

Releated Scales (continued)

Name	Author	Description	Relevant Items	Scale type	Validity evidences
Photosensi Assess- ment Question- naire (PAQ)	tiv Ety ssini et	16 dichoto- mous (yes/no) items question- naire to assess "photopho- bia" and "pho- tophilia"	All items	Binary response option	Not available

Table 2

Demographic Characteristics

Variable	Overall, N = 690	1. EFA Sample, N = 428	2. CFA Sample, N = 262	p-value	q-value
Age	32.95 (14.57)	32.99 (15.11)	32.89 (13.66)	0.5	0.5
Sex				0.14	0.4
Female	325 (47%)	189 (44%)	136 (52%)		
Male	351 (51%)	230 (54%)	121 (46%)		
Other	14 (2.0%)	9 (2.1%)	5 (1.9%)		
Gender-Variant Identity	49 (7.2%)	33 (7.8%)	16 (6.2%)	0.4	0.5
Native English Speaker	320 (46%)	191 (45%)	129 (49%)	0.2	0.5
Occupational Status				0.040	0.2
Work	396 (57%)	235 (55%)	161 (61%)		
School	174 (25%)	122 (29%)	52 (20%)		
Neither	120 (17%)	71 (17%)	49 (19%)		
Occupational setting				0.3	0.5
Home office/Home schooling	303 (44%)	194 (45%)	109 (42%)		
Face-to-face work/Face-to-face schooling	109 (16%)	68 (16%)	41 (16%)		
Combination of home- and face-to-face- work/schooling	147 (21%)	94 (22%)	53 (20%)		
Neither (no work or school, or in vacation)	131 (19%)	72 (17%)	59 (23%)		

¹ Mean (SD); n (%)

² False discovery rate correction for multiple testing

³ Wilcoxon rank sum test

⁴ Pearson's Chi-squared test

Table 3

Descriptive Statistics

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item1	2.27	1.39	0.74	-0.81	0.81*	0.19
Item2	2.87	1.59	80.0	-1.60	0.83*	0.28
Item3	3.36	1.38	-0.48	-1.03	0.87*	0.23
Item4	1.47	1.18	2.38	4.00	0.43*	0.24
Item5	4.01	1.40	-1.22	0.07	0.70*	0.17
Item6	2.79	1.55	0.19	-1.48	0.85*	0.13
Item7	2.26	1.25	0.70	-0.60	0.85*	0.32
Item8	2.97	1.20	-0.06	-0.94	0.91*	0.25
Item9	2.94	1.03	-0.12	-0.40	0.91*	0.08
Item10	2.74	1.04	0.09	-0.74	0.91*	0.42
Item11	2.18	0.90	0.60	0.12	0.86*	0.41
Item12	2.36	1.22	0.59	-0.62	0.87*	0.48
Item13	2.73	1.46	0.20	-1.36	0.87*	0.25
Item14	2.14	1.31	0.77	-0.78	0.80*	0.28
Item15	3.26	1.09	-0.26	-0.45	0.91*	0.03
Item16	1.56	1.23	2.00	2.45	0.50*	0.28
Item17	1.54	1.21	2.07	2.75	0.49*	0.21
Item18	1.12	0.49	5.02	27.80	0.25*	0.18
Item19	1.05	0.36	7.23	52.98	0.13*	0.17
Item20	1.04	0.33	8.99	85.28	0.10*	0.16
Item21	1.14	0.59	4.79	24.05	0.25*	0.21
Item22	3.57	1.07	-0.65	-0.17	0.88*	0.20
Item23	2.56	1.27	0.33	-1.00	0.89*	0.08

Table 3 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item24	4.14	0.99	-1.23	1.14	0.79*	0.22
Item25	2.59	1.41	0.27	-1.27	0.86*	0.15
Item26	2.25	1.27	0.69	-0.64	0.84*	0.08
Item27	3.80	1.29	-0.87	-0.42	0.82*	0.17
Item28	3.76	1.14	-0.68	-0.45	0.86*	0.18
Item29	2.44	1.31	0.38	-1.14	0.86*	0.13
Item30	1.48	1.11	2.18	3.35	0.48*	0.13
Item31	3.00	1.62	-0.08	-1.61	0.83*	0.39
Item32	3.55	1.65	-0.60	-1.34	0.76*	0.33
Item33	3.62	1.64	-0.68	-1.25	0.74*	0.37
Item34	3.42	1.83	-0.45	-1.69	0.69*	0.20
Item35	3.86	1.67	-0.99	-0.85	0.65*	0.20
Item36	1.54	1.25	2.13	2.86	0.46*	0.35
Item37	1.33	0.91	3.03	8.43	0.41*	0.09
Item38	4.30	1.08	-1.79	2.53	0.67*	0.32
Item39	1.96	0.98	1.02	0.69	0.82*	0.07
Item40	2.16	1.19	0.71	-0.54	0.84*	0.25
Item41	1.31	0.81	2.75	6.92	0.43*	0.14
Item42	3.93	1.48	-1.06	-0.44	0.71*	0.15
Item43	1.64	1.18	1.79	2.02	0.60*	0.22
Item44	3.51	1.30	-0.70	-0.59	0.85*	0.40
Item45	2.22	1.48	0.71	-1.02	0.76*	0.29
Item46	1.76	1.23	1.35	0.44	0.66*	0.39
Item47	2.11	1.17	0.77	-0.39	0.83*	0.37

Table 3 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item48	2.60	1.25	0.29	-0.86	0.89*	0.36

Note. *p<.001

Table 4

Factor loadings and communality of the retained items

item	PA1	PA2	PA3	PA4	PA5	Communality	Uniqueness
item16	0.99					0.993	0.007
item36	0.94					0.899	0.101
item17	8.0					0.658	0.342
item11		0.79				0.642	0.358
item10		0.76				0.592	0.408
item12		0.65				0.465	0.535
item7		0.5				0.267	0.733
item8		-0.49				0.252	0.748
item9		0.32				0.113	0.887
item27			8.0			0.658	0.342
item3			8.0			0.682	0.318
item40			0.65			0.464	0.536
item30			0.45			0.353	0.647
item41			0.36			0.329	0.671
item33				0.74		0.555	0.445
item32				0.73		0.624	0.376
item35				0.66		0.454	0.546
item37				-0.39		0.174	0.826
item38				0.38		0.178	0.822
item46					0.6	0.422	0.578
item45					0.59	0.374	0.626
item25					0.41	0.193	0.807
item4					0.41	0.219	0.781
item1					0.4	0.17	0.83
item26					0.35	0.165	0.835
% of Variance	0.1	0.1	0.09	0.08	0.06		

Note. Only loading higher than .30 is reported

Table 5

Fit indices of CFA

Model	Chi-Squre	df	CFI	TLI	RMSEA	RMSEA 90% Lower CI	RMSEA 90% Upper CI	SRMR
Five factor model:25	448.51	222.00	.94	0.93	0.06	0.05	0.07	0.12
Five factor model:23	346.59	221.00	.97	0.96	0.05	0.04	0.06	0.09

Note. df: Degrees of Freedom; CFI: Comparative Fit Index; TLI: Tucker Lewis Index;RMSEA:Root Mean Square Error of Approximation; CI: Confidence Interval; SRMR: Standardized Root Mean Square

Table 6

Invariance Analysis

	Chi-Square	df	CFI	TLI	RMSEA	RMSEA 90% Lower CI	RMSEA 90% Upper	Chi-Square Difference	df difference*	р
Configural	632.20	442.00	0.95	0.94	0.06	0.05	0.07	-	-	-
Metric	644.58	458.00	0.95	0.95	0.06	0.05	0.07	18.019a	16	0.323
Scalar	714.19	522.00	0.95	0.95	0.05	0.04	0.06	67.961b	64	0.344
Residual	714.19	522.00	0.95	0.95	0.05	0.04	0.06	0c	0	NA

Note. a = Metric vs Configural; b = Scalar vs Metric; c = Residual vs Scalar; d = Structural vs Residual;* = df of model comparison

Table 7

IRT Item parameters for the LEBA Scale

	а	b1	b2	b3	b4
item16	28.13	0.78	0.90	1.06	1.40
item36	4.49	0.94	1.08	1.23	1.40
item17	2.81	0.97	1.11	1.38	1.62
item11	3.27	-0.79	0.65	1.54	2.31
item10	3.07	-1.27	-0.09	0.82	2.00
item12	1.72	-0.67	0.44	1.28	2.11
item7	1.09	-0.50	0.73	1.63	2.97
Ritem8	1.19	-2.26	-0.48	0.64	1.91
item9	0.91	-2.63	-0.96	1.11	3.49
item27	2.21	-1.88	-1.19	-0.73	0.30
item3	3.03	-1.24	-0.77	-0.20	0.66
item40	1.55	-0.51	0.46	1.32	2.22
item30	0.49	3.27	3.74	4.64	6.52
item41	0.51	3.87	4.78	6.39	8.91
item32	1.62	-1.03	-0.78	-0.42	0.16
item35	1.37	-1.09	-0.98	-0.75	-0.40
item38	0.40	-7.48	-5.56	-4.23	-0.90
item33	12.31	-0.66	-0.48	-0.24	0.13
item46	2.22	0.68	0.89	1.38	2.17
item45	1.51	0.30	0.55	1.17	1.91
item25	0.52	-1.37	-0.04	1.89	4.22
item4	0.84	2.44	2.80	3.18	3.67
item1	0.39	-0.91	1.52	3.25	5.53

Note. a = item discrimination parameter; b(1-4)

= response category difficulty parameter

Table 8

Item fit statistics for the fitted models

Item	Signed Chi-square	df	RMSEA	р
item16	2.02	6.00	0.00	0.92
item36	39.07	13.00	0.05	0.00
item17	25.58	13.00	0.04	0.02
item11	55.03	27.00	0.04	0.00
item10	53.19	30.00	0.03	0.01
item12	34.39	42.00	0.00	0.79
item7	67.45	46.00	0.03	0.02
Ritem8	140.90	46.00	0.05	0.00
item9	131.19	45.00	0.05	0.00
item27	16.41	11.00	0.03	0.13
item3	15.09	11.00	0.02	0.18
item40	9.92	9.00	0.01	0.36
item32	41.33	15.00	0.05	0.00
item35	41.71	14.00	0.05	0.00
item33	46.89	14.00	0.06	0.00
item46	19.00	15.00	0.02	0.21
item45	15.05	15.00	0.00	0.45
item25	31.60	15.00	0.04	0.01




Figure 1. Development of long and short form of LEBA





Figure 2. Correlation plot of the items






Figure 4. Five Factor Solution

Items		of CFA	Statistic	s	Grat	ohics		F	Response Patte	m	
LEBA Items			Median		Histogram ¹	Density ²	Never	Rarely	Sometimes	Often	Always
EFA (n = 42											
• item01	428	2.3	2.0	1.4		<u></u>	42.29% (181)	22.20% (95)	12.62% (54)	12.38% (53)	10.51% (45
• item03	428	3.4	4.0	1.4		<u></u>	15.89% (68)	11.45% (49)	17.29% (74)	31.07% (133)	24.30% (10-
item04	428	1.5	1.0	1.2		^_	84.11% (360)	3.50% (15)	2.10% (9)	2.10% (9)	8.18% (35)
item07	428	2.3	2.0	1.2		\sim	35.98% (154)	27.80% (119)	17.29% (74)	12.38% (53)	6.54% (28)
item08	428	3.0	3.0	1.2		$\overline{}$	13.79% (59)	22.20% (95)	27.80% (119)	25.93% (111)	10.28% (44
item09	428	2.9	3.0	1.0		<u> </u>	10.28% (44)	19.63% (84)	41.82% (179)	22.43% (96)	5.84% (25
item10	428	2.7	3.0	1.0		$\overline{}$	11.92% (51)	31.31% (134)	31.31% (134)	21.96% (94)	3.50% (15
item11	428	2.2	2.0	0.9		<u></u>	22.43% (96)	46.26% (198)	23.13% (99)	7.01% (30)	1.17% (5)
item12	428	2.4	2.0	1.2		<u></u>	29.91% (128)	29.67% (127)	21.50% (92)	12.15% (52)	6.78% (29
item16	428	1.6	1.0	1.2		^_	79.67% (341)	4.21% (18)	3.97% (17)	4.67% (20)	7.48% (32
item17	428	1.5	1.0	1.2		^_	80.61% (345)	3.27% (14)	5.14% (22)	3.27% (14)	7.71% (33)
item25	428	2.6	3.0	1.4		$\overline{}$	34.35% (147)	13.79% (59)	22.20% (95)	17.99% (77)	11.68% (50
item26	428	3.7	4.0	1.3		<u></u>	38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31)
item27	428	3.8	4.0	1.3		\sim	8.41% (36)	11.21% (48)	11.21% (48)	30.37% (130)	38.79% (16
item30	428	1.5	1.0	1.1		^_	81.78% (350)	3.27% (14)	4.91% (21)	5.37% (23)	4.67% (20)
item32	428	3.6	4.0	1.6		~~	23.13% (99)	7.01% (30)	8.18% (35)	14.95% (64)	46.73% (20
item33	428	3.6	4.0	1.6		~~	21.96% (94)	7.01% (30)	7.24% (31)	14.49% (62)	49.30% (21
item35	428	3.9	5.0	1.7		~~	22.90% (98)	1.87% (8)	3.74% (16)	9.35% (40)	62.15% (26
item36	428	1.5	1.0	1.3		^_	82.24% (352)	3.04% (13)	3.04% (13)	2.34% (10)	9.35% (40
• item37	428	2.3	2.0	1.3		<u></u>	38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31
item38	428	4.3	5.0	1.1			5.37% (23)	3.50% (15)	5.37% (23)	27.57% (118)	58.18% (24
item40	428	2.2	2.0	1.2		<u></u>	39.49% (169)	25.00% (107)	19.63% (84)	11.45% (49)	4.44% (19
item41	428	1.3	1.0	0.8		^_	85.05% (364)	4.67% (20)	6.07% (26)	3.04% (13)	1.17% (5)
■ item45	428	2.2	1.0	1.5		<u></u>	53.04% (227)	7.01% (30)	16.36% (70)	11.92% (51)	11.68% (50
• item46	428	1.8	1.0	1.2		<u></u>	67.06% (287)	7.71% (33)	11.68% (50)	8.88% (38)	4.67% (20)
CFA (n =26	2)										
● item01	262	2.3	2.0	1.4		<u></u>	40.46% (106)	22.52% (59)	14.50% (38)	10.69% (28)	11.83% (3
• item03	262	3.7	4.0	1.3		\sim	11.83% (31)	7.25% (19)	17.56% (46)	28.24% (74)	35.11% (92
item04	262	1.3	1.0	0.8		\wedge	89.31% (234)	2.29% (6)	3.44% (9)	3.05% (8)	1.91% (5)
item07	262	2.1	2.0	1.2		<u></u>	43.13% (113)	23.66% (62)	14.50% (38)	14.12% (37)	4.58% (12
item08	262	3.0	3.0	1.2		$\overline{}$	14.12% (37)	22.90% (60)	20.99% (55)	32.06% (84)	9.92% (26
item09	262	2.9	3.0	1.1		\sim	12.98% (34)	22.14% (58)	34.35% (90)	26.34% (69)	4.20% (11
item10	262	2.6	3.0	1.1		\sim	17.56% (46)	29.39% (77)	29.01% (76)	21.37% (56)	2.67% (7)
item11	262	2.1	2.0	0.9		<u></u>	25.95% (68)	46.56% (122)	20.23% (53)	5.34% (14)	1.91% (5)
item12	262	2.3	2.0	1.2		\sim	32.06% (84)	30.92% (81)	19.08% (50)	11.45% (30)	6.49% (17
item16	262	1.6	1.0	1.3		\sim	78.24% (205)	3.44% (9)	4.20% (11)	5.73% (15)	8.40% (22
item17	262	1.6	1.0	1.2		^_	80.15% (210)	3.44% (9)	5.34% (14)	2.67% (7)	8.40% (22
item25	262	2.5	2.0	1.4			32.82% (86)	18.32% (48)	21.76% (57)	16.79% (44)	10.31% (27
item27	262	4.0	4.0	1.2			6.11% (16)	7.25% (19)	8.02% (21)	33.59% (88)	45.04% (11
item30	262	1.4	1.0	1.1		\sim	83.59% (219)	2.67% (7)	4.20% (11)	6.11% (16)	3.44% (9)
• item32	262	3.4	4.0	1.7		~	25.95% (68)	4.20% (11)	11.45% (30)	16.79% (44)	41.60% (10
item33	262	3.1	3.0	1.7		~	32.44% (85)	6.11% (16)	11.83% (31)	14.12% (37)	35.50% (9
item35	262	3.6	5.0	1.8		~	27.48% (72)	2.67% (7)	7.25% (19)	6.49% (17)	56.11% (14
item36	262	1.6	1.0	1.3		^	80.53% (211)	3.44% (9)	3.05% (8)	3.44% (9)	9.54% (25
item38	262	4.3	5.0	1.1			4.20% (11)	7.63% (20)	6.49% (17)	21.37% (56)	60.31% (15
item40	262	2.5	2.0	1.3			30.92% (81)	27.10% (71)	18.70% (49)	12.21% (32)	11.07% (29
item41	262	1.2	1.0	0.7		^					
_						^	90.08% (236)	3.82% (10)	2.29% (6)	2.67% (7)	1.15% (3)
item45	262	2.0	1.0	1.4		^	64.12% (168)	5.34% (14)	9.54% (25)	11.83% (31)	9.16% (24
item46	262	1.6	1.0	1.2			75.57% (198)	2.67% (7)	8.02% (21)	9.54% (25)	4.20% (11

Figure 5. Summary Descriptives of CFA and EFA Sample




Figure 6. Five Factor CFA Model of LEBA




Figure 7. Test information curves (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatchin bed (d) Using light before bedtime (e) Using light in the morning andduring daytime

Table A1

MAP Statistics

MAP Statistic	dof	chisq	fit	RMSEA	BIC	eChisq	SRMR
0.01	1,080.00	4,344.31	0.18	0.08	-2,199.54	8,678.73	0.09
0.01	1,033.00	3,735.35	0.30	0.08	-2,523.72	6,414.94	0.08
0.01	987.00	3,065.44	0.38	0.07	-2,914.91	5,022.94	0.07
0.01	942.00	2,661.78	0.45	0.07	-3,045.92	3,969.03	0.06
0.01	898.00	2,237.56	0.51	0.06	-3,203.53	2,971.15	0.06
0.01	855.00	2,040.02	0.56	0.06	-3,140.53	2,441.92	0.05
0.01	813.00	1,861.69	0.59	0.05	-3,064.37	2,063.72	0.05
0.01	772.00	1,620.64	0.62	0.05	-3,057.00	1,707.87	0.04

Appendix A




Figure A1. Histogram of residuals: five-factor solution




Figure A2. Item information curve of LEBA F1

F2: Spending time outdoors




Figure A3. Item information curve of LEBA F1

F3: Using phone and smart-watch in bed




Figure A4. Item information curve of LEBA F1

F4: Using light before bedtime




Figure A5. Item information curve of LEBA F1

F5: Using light...daytime




Figure A6. Item information curve of LEBA F1




Figure A7. Person fit of the five fitted IRT models (a) Wearing blue light filters (b) Spending time outdoors (c) Using phone and smartwatchin bed (d) Using light before bedtime (e) Using light in the morning andduring daytime

Appendix B

Table B1

Factor loadings and communality of the retained items(Minmum Residual)

item	MR1	MR2	MR3	MR4	MR5	Communality	Uniqueness
item16	1					0.996	0.004
item36	0.94					0.897	0.103
item17	8.0					0.658	0.342
item11		0.79				0.642	0.358
item10		0.76				0.592	0.408
item12		0.65				0.465	0.535
item7		0.5				0.267	0.733
item8		-0.49				0.252	0.748
item9		0.32				0.113	0.887
item27			8.0			0.659	0.341
item3			8.0			0.683	0.317
item40			0.65			0.464	0.536
item30			0.45			0.353	0.647
item41			0.36			0.329	0.671
item33				0.74		0.555	0.445
item32				0.73		0.623	0.377
item35				0.66		0.455	0.545
item37				-0.39		0.175	0.825
item38				0.38		0.178	0.822
item46					0.6	0.422	0.578
item45					0.59	0.374	0.626

Table B1 continued

item	MR1	MR2	MR3	MR4	MR5	Communality	Uniqueness
item25					0.41	0.193	0.807
item4					0.41	0.219	0.781
item1					0.4	0.17	0.83
item26					0.35	0.165	0.835
% of Variance	0.1	0.1	0.09	0.08	0.06		

Note. Only loading higher than .30 is reported

Appendix C
Factor analysis with six factors

Table C1

Factor loadings and communality of the retained items(six factor)

item	PA1	PA4	PA2	PA3	PA5	PA6	Communality	Uniqueness
item19	1.78						3.318	-2.318
item5							0.11	0.89
item16		1					1.004	-0.004
item36		0.91					0.86	0.14
item17		0.81					0.691	0.309
item11			0.83				0.71	0.29
item10			0.79				0.638	0.362
item12			0.63				0.465	0.535
item8			-0.5				0.269	0.731
item7			0.47				0.268	0.732
item9			0.32				0.163	0.837
item33				0.83			0.698	0.302
item32				0.75			0.666	0.334
item35				0.64			0.446	0.554
item31				0.48			0.331	0.669
item38				0.39			0.191	0.809
item37				-0.35			0.153	0.847
item3					0.85		0.748	0.252
item27					8.0		0.644	0.356
item40					0.68		0.507	0.493
item46						0.6	0.431	0.569

Table C1 continued

item	PA1	PA4	PA2	PA3	PA5	PA6	Communality	Uniqueness
item45						0.56	0.341	0.659
item4						0.43	0.265	0.735
item25						0.4	0.178	0.822
item1						0.36	0.142	0.858
item26						0.36	0.173	0.827
item13							0.087	0.913
item29							0.108	0.892
% of Variance	0.12	0.09	0.09	0.08	0.07	0.06		

Note. Only loading higher than .30 is reported

Appendix D

Factor Analysis with Unmerged Response Option

Table D1 summarizes the univariate descriptive statistics for the 48 items with 827 un-merged options. Some of the items were skewed with high Kurtosis values. Our data 828 violated both univariate normality (Shapiro-Wilk statistics) and multivariate normality 829 assumptions [Marida's test]. Multivariate skew was = 494.70 (p < 0.001) and multivariate kurtosis was = 2,705.00 (p < 0.001). Due to these violations and ordinal nature of the 831 response data polychoric correlations over Pearson's correlations was chosen. Sampling adequacy was checked using Kaiser-Meyer-Olkin (KMO) measures of sampling adequacy. The overall KMO vale for 48 items was 0.65 which was above the cutoff value (.50) indicating a mediocre sample. Bartlett's test of sphericity, χ^2 (1128) = 5515.20, p < .001 indicated the correlations between items are adequate for the EFA. 836 However only 4.34% of the inter-item correlation coefficients were greater than .30. The 837 absolute value of inter-item correlation ranged between .00 to .96. Figure D1 depicts the 838 correlation matrix. For un-merged response option Horn's parallel analysis with 500 839 iterations indicated a five-factor solution. However, Scree plot and the MAP method 840 suggested 6-factor solution. five-factor solution. As a result, we tested both five-factor 841 and six-factor solutions. The six factor solution yielded a factor with only two salient 842 loading (Table D3. Thus we reject the six factor solution. The five factor solution retained 843 24 items (Table D2). However the factors are less interpretable in terms of common theme. Thus we reject the five factor solution.

Table D1

Descriptive Statistics for Unmerged response options

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item1	2.16	1.51	0.49	-0.86	0.90*	.21

Table D1 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item2	2.76	1.75	-0.10	-1.42	0.88*	.20
Item3	3.34	1.43	-0.58	-0.77	0.88*	.18
Item4	1.30	1.31	1.93	2.92	0.62*	.32
Item5	3.95	1.56	-1.42	0.75	0.70*	.19
Item6	2.70	1.66	0.02	-1.33	0.90*	.18
Item7	2.23	1.28	0.60	-0.59	0.89*	.18
Item8	2.95	1.24	-0.19	-0.70	0.93*	07
Item9	2.92	1.09	-0.37	0.11	0.91*	.14
Item10	2.73	1.07	-0.03	-0.52	0.92*	.27
Item11	2.17	0.93	0.44	0.20	0.89*	.25
Item12	2.34	1.26	0.46	-0.58	0.91*	.24
Item13	2.71	1.49	0.14	-1.29	0.89*	.28
Item14	2.11	1.34	0.68	-0.78	0.84*	.24
Item15	3.26	1.11	-0.34	-0.21	0.91*	.11
Item16	1.46	1.31	1.71	1.90	0.65*	.33
Item17	1.43	1.30	1.76	2.12	0.64*	.30
Item18	0.92	0.67	2.00	9.41	0.62*	.32
Item19	0.85	0.56	1.71	10.74	0.55*	.34
Item20	0.83	0.54	1.76	13.92	0.53*	.31
Item21	0.94	0.75	2.46	10.66	0.58*	.27
Item22	3.57	1.08	-0.72	0.08	0.88*	.19
Item23	2.53	1.31	0.22	-0.91	0.92*	.11
Item24	4.13	1.01	-1.39	2.01	0.78*	.19
Item25	2.57	1.43	0.22	-1.23	0.88*	.17

Table D1 continued

	Mean	SD	Skew	Kurtosis	Shapiro-Wilk Statistics	Item-Total Correlation
Item26	2.23	1.30	0.59	-0.63	0.88*	.16
Item27	3.78	1.34	-1.01	0.08	0.82*	.18
Item28	3.75	1.16	-0.78	-0.10	0.86*	.01
Item29	2.38	1.40	0.20	-1.04	0.92*	.11
Item30	0.94	1.42	1.66	1.69	0.68*	.24
Item31	2.91	1.76	-0.24	-1.41	0.87*	.45
Item32	3.49	1.76	-0.71	-1.06	0.78*	.43
Item33	3.56	1.75	-0.79	-0.95	0.77*	.32
Item34	3.30	2.00	-0.54	-1.50	0.74*	.34
Item35	3.80	1.79	-1.07	-0.59	0.67*	.24
Item36	1.36	1.38	1.75	2.05	0.65*	.38
Item37	1.30	0.94	2.79	7.65	0.48*	01
Item38	4.27	1.18	-2.07	4.01	0.65*	.23
Item39	1.94	1.01	0.85	0.61	0.86*	.05
Item40	2.13	1.24	0.56	-0.54	0.89*	.16
Item41	0.87	1.08	1.68	2.74	0.73*	.21
Item42	3.90	1.55	-1.15	-0.12	0.72*	.17
Item43	1.59	1.23	1.59	1.70	0.69*	.22
Item44	3.46	1.41	-0.92	-0.01	0.86*	.38
Item45	2.04	1.66	0.46	-1.12	0.87*	.29
Item46	1.57	1.40	0.97	-0.07	0.82*	.38
Item47	2.07	1.23	0.59	-0.42	0.89*	.34
Item48	2.57	1.30	0.14	-0.74	0.93*	.31

Note. *p<.001




Figure D1. Correlation plot of the items [Unmerged response options]

Table D2

Factor loadings and communality of the retained items in five factor solution

[Unmerged Responses]

item	PA1	PA2	PA5	PA3	PA4	Communality	Uniqueness
item19	0.99					1.007	-0.007
item20	0.91					0.874	0.126
item18	0.82					0.711	0.289
item21	0.8					0.683	0.317

Table D2 continued

item	PA1	PA2	PA5	PA3	PA4	Communality	Uniqueness
item4	0.47					0.25	0.75
item11		0.83				0.687	0.313
item10		0.81				0.67	0.33
item12		0.56				0.371	0.629
item8		-0.44				0.206	0.794
item7		0.42				0.226	0.774
item9		0.33				0.115	0.885
item16			0.95			0.946	0.054
item17			0.74			0.595	0.405
item36	0.3		0.73			0.653	0.347
item3				0.85		0.746	0.254
item27				0.78		0.624	0.376
item40				0.71		0.512	0.488
item35					0.58	0.351	0.649
item48					0.57	0.354	0.646
item33					0.55	0.32	0.68
item47					0.52	0.294	0.706
item44					0.45	0.216	0.784
item31					0.41	0.206	0.794
item38					0.33	0.129	0.871
% of Variance	0.15	0.09	0.09	80.0	80.0		

Note. Only loading higher than .30 is reported




Figure D2. Factor Identification (A) Parallel analysis (B) Scree Plot [Unmerged response options]

Table D3

Factor loadings and communality of the retained items in six factor solution [Unmerged Responses]

item	PA1	PA2	PA3	PA4	PA6	PA5	Communality	Uniqueness
item19	0.98						0.995	0.005
item20	0.92						0.904	0.096
item21	0.79						0.666	0.334
item4	0.49						0.296	0.704
item43	0.32					0.31	0.282	0.718
item10		0.81					0.67	0.33

Table D3 continued

item	PA1	PA2	PA3	PA4	PA6	PA5	Communality	Uniqueness
item11		0.81					0.668	0.332
item12		0.58					0.408	0.592
item8		-0.45					0.218	0.782
item7		0.42					0.229	0.771
item9		0.33					0.115	0.885
item3			0.85				0.731	0.269
item27			0.77				0.606	0.394
item40			0.72				0.533	0.467
item35				0.64			0.426	0.574
item33				0.62			0.413	0.587
item48				0.52			0.305	0.695
item47				0.48			0.259	0.741
item31				0.39			0.206	0.794
item38				0.32			0.18	0.82
item17					0.85		0.786	0.214
item16					0.78		0.681	0.319
item13						0.57	0.336	0.664
item14						0.5	0.356	0.644
item15						0.48	0.277	0.723
item42						0.37	0.168	0.832
item26							0.064	0.936
% of Variance	0.11	0.08	0.07	0.06	0.06	0.05		

Note. Only loading higher than .30 is reported

848

Appendix E

Items Retained in the Five Factor Solution [Unmerged Responses]

Five Factor Solution [Unmerged Responses] (24 Items)

F1

I use light therapy applying a blue light box.

I use light therapy applying a light visor.

I use light therapy applying a white light box.

I use light therapy applying another form of light device.

I use an alarm with a dawn simulation light.

F2

I spend more than 3 hours per day (in total) outside.

I spend between 1 and 3 hours per day (in total) outside.

I spend as much time outside as possible.

I spend 30 minutes or less per day (in total) outside.

I go for a walk or exercise outside within 2 hours after waking up.

I spend between 30 minutes and 1 hour per day (in total) outside.

F3

I look at my mobile phone screen immediately after waking up.

I use my mobile phone within 1 hour before attempting to fall asleep.

I check my phone when I wake up at night.

F4

I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.

I seek out knowledge on how to improve my light exposure.

I dim my computer screen within 1 hour before attempting to fall asleep.

I discuss the effects of light on my body with other people.

Five Factor Solution [Unmerged Responses] (24 Items)

I modify my light environment to match my current needs.

I dim my room light within 1 hour before attempting to fall asleep.

I use as little light as possible when I get up during the night.

F5

I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.

I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.

I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.

Appendix F Geographic Locations of Survey Participants

Table F1

Geographical Location

	**N =
	690**
Time zone - Country	
United States - America/New_York (UTC -04:00)	63 (9.1%)
United Kingdom - Europe/London (UTC)	57 (8.3%)
Germany - Europe/Berlin (UTC +01:00)	53 (7.7%)
India - Asia/Kolkata (UTC +05:30)	38 (5.5%)
United States - America/Los_Angeles (UTC -07:00)	37 (5.4%)
United States - America/Chicago (UTC -05:00)	30 (4.3%)
France - Europe/Paris (UTC +01:00)	22 (3.2%)
Switzerland - Europe/Zurich (UTC +01:00)	21 (3.0%)
Brazil - America/Sao_Paulo (UTC -03:00)	19 (2.8%)
Netherlands - Europe/Amsterdam (UTC +01:00)	19 (2.8%)
Canada - America/Toronto (UTC -04:00)	16 (2.3%)
Poland - Europe/Warsaw (UTC +01:00)	15 (2.2%)
Canada - America/Edmonton (UTC -06:00)	14 (2.0%)
Finland - Europe/Helsinki (UTC +02:00)	9 (1.3%)
Indonesia - Asia/Jakarta (UTC +07:00)	9 (1.3%)
Italy - Europe/Rome (UTC +01:00)	9 (1.3%)
Chile - America/Santiago (UTC -03:00)	8 (1.2%)
Russian Federation - Europe/Moscow (UTC +03:00)	8 (1.2%)
China - Asia/Shanghai (UTC +08:00)	7 (1.0%)

Table F1

Geographical Location (continued)

	N = 690
Malaysia - Asia/Kuala_Lumpur (UTC +08:00)	7 (1.0%)
Spain - Europe/Madrid (UTC +01:00)	7 (1.0%)
United States - America/Phoenix (UTC -07:00)	7 (1.0%)
Canada - America/Vancouver (UTC -07:00)	6 (0.9%)
New Zealand - Pacific/Auckland (UTC +13:00)	6 (0.9%)
Philippines - Asia/Manila (UTC +08:00)	6 (0.9%)
Turkey - Europe/Istanbul (UTC +03:00)	6 (0.9%)
United States - America/Denver (UTC -06:00)	6 (0.9%)
United States - America/Detroit (UTC -04:00)	6 (0.9%)
Argentina - America/Argentina/Buenos_Aires (UTC	5 (0.7%)
-03:00)	
Australia - Australia/Melbourne (UTC +11:00)	5 (0.7%)
Ireland - Europe/Dublin (UTC)	5 (0.7%)
Lithuania - Europe/Vilnius (UTC +02:00)	5 (0.7%)
South Africa - Africa/Johannesburg (UTC +02:00)	5 (0.7%)
Australia - Australia/Brisbane (UTC +10:00)	4 (0.6%)
Belgium - Europe/Brussels (UTC +01:00)	4 (0.6%)
Israel - Asia/Jerusalem (UTC +02:00)	4 (0.6%)
Sweden - Europe/Stockholm (UTC +01:00)	4 (0.6%)
United States - America/Boise (UTC -06:00)	4 (0.6%)
Czech Republic - Europe/Prague (UTC +01:00)	3 (0.4%)

Table F1

Geographical Location (continued)

**N =
690**
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
3 (0.4%)
2 (0.3%)
2 (0.3%)
2 (0.3%)
2 (0.3%)
2 (0.3%)

Table F1

Geographical Location (continued)

	N = 690
Canada - America/Moncton (UTC -03:00)	2 (0.3%)
Colombia - America/Bogota (UTC -05:00)	2 (0.3%)
Costa Rica - America/Costa_Rica (UTC -06:00)	2 (0.3%)
Croatia - Europe/Zagreb (UTC +01:00)	2 (0.3%)
Ecuador - America/Guayaquil (UTC -05:00)	2 (0.3%)
Estonia - Europe/Tallinn (UTC +02:00)	2 (0.3%)
Hong Kong - Asia/Hong_Kong (UTC +08:00)	2 (0.3%)
Hungary - Europe/Budapest (UTC +01:00)	2 (0.3%)
Jordan - Asia/Amman (UTC +03:00)	2 (0.3%)
Latvia - Europe/Riga (UTC +02:00)	2 (0.3%)
Malaysia - Asia/Kuching (UTC +08:00)	2 (0.3%)
Mexico - America/Mexico_City (UTC -06:00)	2 (0.3%)
Nepal - Asia/Kathmandu (UTC +05:45)	2 (0.3%)
Portugal - Europe/Lisbon (UTC)	2 (0.3%)
Slovakia - Europe/Bratislava (UTC +01:00)	2 (0.3%)
Spain - Africa/Ceuta (UTC +01:00)	2 (0.3%)
Sudan - Africa/Khartoum (UTC +02:00)	2 (0.3%)
United States - America/Adak (UTC -09:00)	2 (0.3%)
United States - Pacific/Honolulu (UTC -10:00)	2 (0.3%)
Viet Nam - Asia/Ho_Chi_Minh (UTC +07:00),British -	2 (0.3%)
America/Tortola (UTC -04:00)	

Table F1

Geographical Location (continued)

	**N =
	690**
Albania - Europe/Tirane (UTC +01:00)	1 (0.1%)
Argentina - America/Argentina/Jujuy (UTC -03:00)	1 (0.1%)
Australia - Antarctica/Macquarie (UTC +11:00)	1 (0.1%)
Australia - Australia/Darwin (UTC +09:30)	1 (0.1%)
Austria - Europe/Vienna (UTC +01:00)	1 (0.1%)
Bangladesh - Asia/Dhaka (UTC +06:00)	1 (0.1%)
Brazil - America/Cuiaba (UTC -04:00)	1 (0.1%)
Brazil - America/Fortaleza (UTC -03:00)	1 (0.1%)
Bulgaria - Europe/Sofia (UTC +02:00)	1 (0.1%)
Cameroon - Africa/Douala (UTC +01:00)	1 (0.1%)
Canada - America/Blanc-Sablon (UTC -04:00)	1 (0.1%)
Canada - America/Halifax (UTC -03:00)	1 (0.1%)
Canada - America/Resolute (UTC -05:00)	1 (0.1%)
Cayman Islands - America/Cayman (UTC -05:00)	1 (0.1%)
Chile - Pacific/Easter (UTC -05:00)	1 (0.1%)
Cyprus - Asia/Famagusta (UTC +02:00)	1 (0.1%)
Guatemala - America/Guatemala (UTC -06:00)	1 (0.1%)
Korea, Republic of - Asia/Seoul (UTC +09:00)	1 (0.1%)
Macedonia	1 (0.1%)
Martinique - America/Martinique (UTC -04:00)	1 (0.1%)
Mexico - America/Monterrey (UTC -06:00)	1 (0.1%)

Table F1

Geographical Location (continued)

	**N =
	690**
Mongolia - Asia/Ulaanbaatar (UTC +08:00)	1 (0.1%)
Myanmar - Asia/Yangon (UTC +06:30)	1 (0.1%)
New Zealand - Pacific/Chatham (UTC +13:45)	1 (0.1%)
Nigeria - Africa/Lagos (UTC +01:00)	1 (0.1%)
Pakistan - Asia/Karachi (UTC +05:00)	1 (0.1%)
Panama - America/Panama (UTC -05:00)	1 (0.1%)
Russian Federation - Asia/Barnaul (UTC +07:00)	1 (0.1%)
Russian Federation - Asia/Novosibirsk (UTC +07:00)	1 (0.1%)
Russian Federation - Asia/Tomsk (UTC +07:00)	1 (0.1%)
Russian Federation - Asia/Vladivostok (UTC +10:00)	1 (0.1%)
Russian Federation - Asia/Yekaterinburg (UTC	1 (0.1%)
+05:00)	
Saudi Arabia - Asia/Riyadh (UTC +03:00)	1 (0.1%)
Singapore - Asia/Singapore (UTC +08:00)	1 (0.1%)
Spain - Atlantic/Canary (UTC)	1 (0.1%)
Tanzania	1 (0.1%)
Ukraine - Europe/Kiev (UTC +02:00)	1 (0.1%)
United States - America/Indiana/Tell_City (UTC	1 (0.1%)
-05:00)	
United States - America/North_Dakota/Center (UTC	1 (0.1%)
-05:00)	

Table F1

Geographical Location (continued)

	**N =
	690**
United States - America/North_Dakota/New_Salem	1 (0.1%)
(UTC -05:00)	
Aland Islands - Europe/Mariehamn (UTC +02:00)	0 (0%)
Afghanistan - Asia/Kabul (UTC +04:30)	0 (0%)
Algeria - Africa/Algiers (UTC +01:00)	0 (0%)
American Samoa - Pacific/Pago_Pago (UTC -11:00)	0 (0%)
Andorra - Europe/Andorra (UTC +01:00)	0 (0%)
Angola - Africa/Luanda (UTC +01:00)	0 (0%)
Anguilla - America/Anguilla (UTC -04:00)	0 (0%)
Antarctica - Antarctica/Casey (UTC +11:00)	0 (0%)
Antarctica - Antarctica/Davis (UTC +07:00)	0 (0%)
Antarctica - Antarctica/DumontDUrville (UTC +10:00)	0 (0%)
Antarctica - Antarctica/Mawson (UTC +05:00)	0 (0%)
Antarctica - Antarctica/McMurdo (UTC +13:00)	0 (0%)
Antarctica - Antarctica/Palmer (UTC -03:00)	0 (0%)
Antarctica - Antarctica/Rothera (UTC -03:00)	0 (0%)
Antarctica - Antarctica/Syowa (UTC +03:00)	0 (0%)
Antarctica - Antarctica/Troll (UTC)	0 (0%)
Antarctica - Antarctica/Vostok (UTC +06:00)	0 (0%)
Antigua and Barbuda - America/Antigua (UTC -04:00)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Argentina - America/Argentina/Catamarca (UTC -03:00)	0 (0%)
Argentina - America/Argentina/La_Rioja (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Mendoza (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Rio_Gallegos (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Salta (UTC -03:00)	0 (0%)
Argentina - America/Argentina/San_Juan (UTC -03:00)	0 (0%)
Argentina - America/Argentina/San_Luis (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Tucuman (UTC -03:00)	0 (0%)
Argentina - America/Argentina/Ushuaia (UTC -03:00)	0 (0%)
Armenia - Asia/Yerevan (UTC +04:00)	0 (0%)
Aruba - America/Aruba (UTC -04:00)	0 (0%)
Australia - Australia/Broken_Hill (UTC +10:30)	0 (0%)
Australia - Australia/Currie (UTC +11:00)	0 (0%)
Australia - Australia/Eucla (UTC +08:45)	0 (0%)
Australia - Australia/Hobart (UTC +11:00)	0 (0%)
Australia - Australia/Lindeman (UTC +10:00)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Australia - Australia/Lord_Howe (UTC +11:00)	0 (0%)
Azerbaijan - Asia/Baku (UTC +04:00)	0 (0%)
Bahamas - America/Nassau (UTC -04:00)	0 (0%)
Bahrain - Asia/Bahrain (UTC +03:00)	0 (0%)
Barbados - America/Barbados (UTC -04:00)	0 (0%)
Belarus - Europe/Minsk (UTC +03:00)	0 (0%)
Belize - America/Belize (UTC -06:00)	0 (0%)
Benin - Africa/Porto-Novo (UTC +01:00)	0 (0%)
Bermuda - Atlantic/Bermuda (UTC -03:00)	0 (0%)
Bhutan - Asia/Thimphu (UTC +06:00),Plurinational	0 (0%)
State of - America/La_Paz (UTC -04:00)	
Bolivia, Sint Eustatius and Saba - America/Kralendijk	0 (0%)
(UTC -04:00)	
Bonaire	0 (0%)
Bosnia and Herzegovina - Europe/Sarajevo (UTC	0 (0%)
+01:00)	
Botswana - Africa/Gaborone (UTC +02:00)	0 (0%)
Brazil - America/Belem (UTC -03:00)	0 (0%)
Brazil - America/Boa_Vista (UTC -04:00)	0 (0%)
Brazil - America/Campo_Grande (UTC -04:00)	0 (0%)
Brazil - America/Eirunepe (UTC -05:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Brazil - America/Maceio (UTC -03:00)	0 (0%)
Brazil - America/Manaus (UTC -04:00)	0 (0%)
Brazil - America/Noronha (UTC -02:00)	0 (0%)
Brazil - America/Porto_Velho (UTC -04:00)	0 (0%)
Brazil - America/Recife (UTC -03:00)	0 (0%)
Brazil - America/Rio_Branco (UTC -05:00)	0 (0%)
Brazil - America/Santarem (UTC -03:00)	0 (0%)
British Indian Ocean Territory - Indian/Chagos (UTC	0 (0%)
+06:00)	
Brunei Darussalam - Asia/Brunei (UTC +08:00)	0 (0%)
Burkina Faso - Africa/Ouagadougou (UTC)	0 (0%)
Burundi - Africa/Bujumbura (UTC +02:00)	0 (0%)
Cambodia - Asia/Phnom_Penh (UTC +07:00)	0 (0%)
Canada - America/Atikokan (UTC -05:00)	0 (0%)
Canada - America/Cambridge_Bay (UTC -06:00)	0 (0%)
Canada - America/Creston (UTC -07:00)	0 (0%)
Canada - America/Dawson (UTC -07:00)	0 (0%)
Canada - America/Dawson_Creek (UTC -07:00)	0 (0%)
Canada - America/Fort_Nelson (UTC -07:00)	0 (0%)
Canada - America/Glace_Bay (UTC -03:00)	0 (0%)
Canada - America/Goose_Bay (UTC -03:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Canada - America/Inuvik (UTC -06:00)	0 (0%)
Canada - America/Iqaluit (UTC -04:00)	0 (0%)
Canada - America/Nipigon (UTC -04:00)	0 (0%)
Canada - America/Pangnirtung (UTC -04:00)	0 (0%)
Canada - America/Rainy_River (UTC -05:00)	0 (0%)
Canada - America/Rankin_Inlet (UTC -05:00)	0 (0%)
Canada - America/Regina (UTC -06:00)	0 (0%)
Canada - America/St_Johns (UTC -02:30)	0 (0%)
Canada - America/Swift_Current (UTC -06:00)	0 (0%)
Canada - America/Thunder_Bay (UTC -04:00)	0 (0%)
Canada - America/Whitehorse (UTC -07:00)	0 (0%)
Canada - America/Winnipeg (UTC -05:00)	0 (0%)
Canada - America/Yellowknife (UTC -06:00)	0 (0%)
Cape Verde - Atlantic/Cape_Verde (UTC -01:00)	0 (0%)
Central African Republic - Africa/Bangui (UTC	0 (0%)
+01:00)	
Chad - Africa/Ndjamena (UTC +01:00)	0 (0%)
Chile - America/Punta_Arenas (UTC -03:00)	0 (0%)
China - Asia/Urumqi (UTC +06:00)	0 (0%)
Christmas Island - Indian/Christmas (UTC +07:00)	0 (0%)
Cocos (Keeling) Islands - Indian/Cocos (UTC +06:30)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Comoros - Indian/Comoro (UTC +03:00)	0 (0%)
Congo - Africa/Brazzaville (UTC +01:00),the	0 (0%)
Democratic Republic of the - Africa/Kinshasa (UTC +01:00)	
Congo,the Democratic Republic of the -	0 (0%)
Africa/Lubumbashi (UTC +02:00)	
Congo	0 (0%)
Cook Islands - Pacific/Rarotonga (UTC -10:00)	0 (0%)
Cuba - America/Havana (UTC -04:00)	0 (0%)
Curaçao - America/Curacao (UTC -04:00)	0 (0%)
Cyprus - Asia/Nicosia (UTC +02:00)	0 (0%)
Côte dIvoire - Africa/Abidjan (UTC)	0 (0%)
Djibouti - Africa/Djibouti (UTC +03:00)	0 (0%)
Dominica - America/Dominica (UTC -04:00)	0 (0%)
Dominican Republic - America/Santo_Domingo (UTC	0 (0%)
-04:00)	
Ecuador - Pacific/Galapagos (UTC -06:00)	0 (0%)
Egypt - Africa/Cairo (UTC +02:00)	0 (0%)
El Salvador - America/El_Salvador (UTC -06:00)	0 (0%)
Equatorial Guinea - Africa/Malabo (UTC +01:00)	0 (0%)
Eritrea - Africa/Asmara (UTC +03:00)	0 (0%)
Ethiopia - Africa/Addis_Ababa (UTC +03:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Falkland Islands (Malvinas) - Atlantic/Stanley (UTC	0 (0%)
-03:00)	
Faroe Islands - Atlantic/Faroe (UTC)	0 (0%)
Fiji - Pacific/Fiji (UTC +12:00)	0 (0%)
French Guiana - America/Cayenne (UTC -03:00)	0 (0%)
French Polynesia - Pacific/Gambier (UTC -09:00)	0 (0%)
French Polynesia - Pacific/Marquesas (UTC -09:30)	0 (0%)
French Polynesia - Pacific/Tahiti (UTC -10:00)	0 (0%)
French Southern Territories - Indian/Kerguelen (UTC	0 (0%)
+05:00)	
Gabon - Africa/Libreville (UTC +01:00)	0 (0%)
Gambia - Africa/Banjul (UTC)	0 (0%)
Georgia - Asia/Tbilisi (UTC +04:00)	0 (0%)
Ghana - Africa/Accra (UTC)	0 (0%)
Gibraltar - Europe/Gibraltar (UTC +01:00)	0 (0%)
Greenland - America/Danmarkshavn (UTC)	0 (0%)
Greenland - America/Nuuk (UTC -03:00)	0 (0%)
Greenland - America/Scoresbysund (UTC -01:00)	0 (0%)
Greenland - America/Thule (UTC -03:00)	0 (0%)
Grenada - America/Grenada (UTC -04:00)	0 (0%)
Guadeloupe - America/Guadeloupe (UTC -04:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Guam - Pacific/Guam (UTC +10:00)	0 (0%)
Guernsey - Europe/Guernsey (UTC)	0 (0%)
Guinea - Africa/Conakry (UTC)	0 (0%)
Guinea-Bissau - Africa/Bissau (UTC)	0 (0%)
Guyana - America/Guyana (UTC -04:00)	0 (0%)
Haiti - America/Port-au-Prince (UTC -04:00)	0 (0%)
Holy See (Vatican City State) - Europe/Vatican (UTC	0 (0%)
+01:00)	
Honduras - America/Tegucigalpa (UTC -06:00)	0 (0%)
Iceland - Atlantic/Reykjavik (UTC)	0 (0%)
Indonesia - Asia/Jayapura (UTC +09:00)	0 (0%)
Indonesia - Asia/Makassar (UTC +08:00)	0 (0%)
Indonesia - Asia/Pontianak (UTC +07:00),Islamic	0 (0%)
Republic of - Asia/Tehran (UTC +03:30)	
Iraq - Asia/Baghdad (UTC +03:00)	0 (0%)
Isle of Man - Europe/Isle_of_Man (UTC)	0 (0%)
Jamaica - America/Jamaica (UTC -05:00)	0 (0%)
Jersey - Europe/Jersey (UTC)	0 (0%)
Kazakhstan - Asia/Almaty (UTC +06:00)	0 (0%)
Kazakhstan - Asia/Aqtau (UTC +05:00)	0 (0%)
Kazakhstan - Asia/Aqtobe (UTC +05:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Kazakhstan - Asia/Atyrau (UTC +05:00)	0 (0%)
Kazakhstan - Asia/Oral (UTC +05:00)	0 (0%)
Kazakhstan - Asia/Qostanay (UTC +06:00)	0 (0%)
Kazakhstan - Asia/Qyzylorda (UTC +05:00)	0 (0%)
Kenya - Africa/Nairobi (UTC +03:00)	0 (0%)
Kiribati - Pacific/Enderbury (UTC +13:00)	0 (0%)
Kiribati - Pacific/Kiritimati (UTC +14:00)	0 (0%)
Kiribati - Pacific/Tarawa (UTC +12:00), Democratic	0 (0%)
Peoples Republic of - Asia/Pyongyang (UTC +09:00)	
Korea	0 (0%)
Kuwait - Asia/Kuwait (UTC +03:00)	0 (0%)
Kyrgyzstan - Asia/Bishkek (UTC +06:00)	0 (0%)
Lao Peoples Democratic Republic - Asia/Vientiane	0 (0%)
(UTC +07:00)	
Lebanon - Asia/Beirut (UTC +02:00)	0 (0%)
Lesotho - Africa/Maseru (UTC +02:00)	0 (0%)
Liberia - Africa/Monrovia (UTC)	0 (0%)
Libya - Africa/Tripoli (UTC +02:00)	0 (0%)
Liechtenstein - Europe/Vaduz (UTC +01:00)	0 (0%)
Luxembourg - Europe/Luxembourg (UTC +01:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Macao - Asia/Macau (UTC +08:00),the Former	0 (0%)
Yugoslav Republic of - Europe/Skopje (UTC +01:00)	
Madagascar - Indian/Antananarivo (UTC +03:00)	0 (0%)
Malawi - Africa/Blantyre (UTC +02:00)	0 (0%)
Maldives - Indian/Maldives (UTC +05:00)	0 (0%)
Mali - Africa/Bamako (UTC)	0 (0%)
Malta - Europe/Malta (UTC +01:00)	0 (0%)
Marshall Islands - Pacific/Kwajalein (UTC +12:00)	0 (0%)
Marshall Islands - Pacific/Majuro (UTC +12:00)	0 (0%)
Mauritania - Africa/Nouakchott (UTC)	0 (0%)
Mauritius - Indian/Mauritius (UTC +04:00)	0 (0%)
Mayotte - Indian/Mayotte (UTC +03:00)	0 (0%)
Mexico - America/Bahia_Banderas (UTC -06:00)	0 (0%)
Mexico - America/Cancun (UTC -05:00)	0 (0%)
Mexico - America/Chihuahua (UTC -07:00)	0 (0%)
Mexico - America/Hermosillo (UTC -07:00)	0 (0%)
Mexico - America/Matamoros (UTC -05:00)	0 (0%)
Mexico - America/Mazatlan (UTC -07:00)	0 (0%)
Mexico - America/Merida (UTC -06:00)	0 (0%)
Mexico - America/Ojinaga (UTC -06:00)	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Mexico - America/Tijuana (UTC -07:00),Federated	0 (0%)
States of - Pacific/Chuuk (UTC +10:00)	
Micronesia, Federated States of - Pacific/Kosrae	0 (0%)
(UTC +11:00)	
Micronesia, Federated States of - Pacific/Pohnpei	0 (0%)
(UTC +11:00)	
Micronesia,Republic of - Europe/Chisinau (UTC	0 (0%)
+02:00)	
Moldova	0 (0%)
Monaco - Europe/Monaco (UTC +01:00)	0 (0%)
Mongolia - Asia/Choibalsan (UTC +08:00)	0 (0%)
Mongolia - Asia/Hovd (UTC +07:00)	0 (0%)
Montenegro - Europe/Podgorica (UTC +01:00)	0 (0%)
Montserrat - America/Montserrat (UTC -04:00)	0 (0%)
Morocco - Africa/Casablanca (UTC +01:00)	0 (0%)
Mozambique - Africa/Maputo (UTC +02:00)	0 (0%)
Namibia - Africa/Windhoek (UTC +02:00)	0 (0%)
Nauru - Pacific/Nauru (UTC +12:00)	0 (0%)
New Caledonia - Pacific/Noumea (UTC +11:00)	0 (0%)
Nicaragua - America/Managua (UTC -06:00)	0 (0%)
Niger - Africa/Niamey (UTC +01:00)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Niue - Pacific/Niue (UTC -11:00)	0 (0%)
Norfolk Island - Pacific/Norfolk (UTC +12:00)	0 (0%)
Northern Mariana Islands - Pacific/Saipan (UTC +10:00)	0 (0%)
Oman - Asia/Muscat (UTC +04:00)	0 (0%)
Palau - Pacific/Palau (UTC +09:00),State of - Asia/Gaza (UTC +02:00)	0 (0%)
Palestine, State of - Asia/Hebron (UTC +02:00)	0 (0%)
Palestine	0 (0%)
Papua New Guinea - Pacific/Bougainville (UTC +11:00)	0 (0%)
Papua New Guinea - Pacific/Port_Moresby (UTC +10:00)	0 (0%)
Paraguay - America/Asuncion (UTC -03:00)	0 (0%)
Peru - America/Lima (UTC -05:00)	0 (0%)
Pitcairn - Pacific/Pitcairn (UTC -08:00)	0 (0%)
Portugal - Atlantic/Azores (UTC -01:00)	0 (0%)
Portugal - Atlantic/Madeira (UTC)	0 (0%)
Puerto Rico - America/Puerto_Rico (UTC -04:00)	0 (0%)
Qatar - Asia/Qatar (UTC +03:00)	0 (0%)
Russian Federation - Asia/Anadyr (UTC +12:00)	0 (0%)
Russian Federation - Asia/Chita (UTC +09:00)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Russian Federation - Asia/Irkutsk (UTC +08:00)	0 (0%)
Russian Federation - Asia/Kamchatka (UTC +12:00)	0 (0%)
Russian Federation - Asia/Khandyga (UTC +09:00)	0 (0%)
Russian Federation - Asia/Krasnoyarsk (UTC +07:00)	0 (0%)
Russian Federation - Asia/Magadan (UTC +11:00)	0 (0%)
Russian Federation - Asia/Novokuznetsk (UTC	0 (0%)
+07:00)	
Russian Federation - Asia/Omsk (UTC +06:00)	0 (0%)
Russian Federation - Asia/Sakhalin (UTC +11:00)	0 (0%)
Russian Federation - Asia/Srednekolymsk (UTC	0 (0%)
+11:00)	
Russian Federation - Asia/Ust-Nera (UTC +10:00)	0 (0%)
Russian Federation - Asia/Yakutsk (UTC +09:00)	0 (0%)
Russian Federation - Europe/Astrakhan (UTC +04:00)	0 (0%)
Russian Federation - Europe/Kaliningrad (UTC	0 (0%)
+02:00)	
Russian Federation - Europe/Kirov (UTC +03:00)	0 (0%)
Russian Federation - Europe/Samara (UTC +04:00)	0 (0%)
Russian Federation - Europe/Saratov (UTC +04:00)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Russian Federation - Europe/Ulyanovsk (UTC	0 (0%)
+04:00)	
Russian Federation - Europe/Volgograd (UTC	0 (0%)
+04:00)	
Rwanda - Africa/Kigali (UTC +02:00)	0 (0%)
Réunion - Indian/Reunion (UTC +04:00)	0 (0%)
Saint Barthélemy - America/St_Barthelemy (UTC	0 (0%)
-04:00), Ascension and Tristan da Cunha -	
Atlantic/St_Helena (UTC)	
Saint Helena	0 (0%)
Saint Kitts and Nevis - America/St_Kitts (UTC -04:00)	0 (0%)
Saint Lucia - America/St_Lucia (UTC -04:00)	0 (0%)
Saint Martin (French part) - America/Marigot (UTC	0 (0%)
-04:00)	
Saint Pierre and Miquelon - America/Miquelon (UTC	0 (0%)
-02:00)	
Saint Vincent and the Grenadines -	0 (0%)
America/St_Vincent (UTC -04:00)	
Samoa - Pacific/Apia (UTC +14:00)	0 (0%)
San Marino - Europe/San_Marino (UTC +01:00)	0 (0%)
Sao Tome and Principe - Africa/Sao_Tome (UTC)	0 (0%)
Senegal - Africa/Dakar (UTC)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Seychelles - Indian/Mahe (UTC +04:00)	0 (0%)
Sierra Leone - Africa/Freetown (UTC)	0 (0%)
Sint Maarten (Dutch part) - America/Lower_Princes	0 (0%)
(UTC -04:00)	
Solomon Islands - Pacific/Guadalcanal (UTC +11:00)	0 (0%)
Somalia - Africa/Mogadishu (UTC +03:00)	0 (0%)
South Georgia and the South Sandwich Islands -	0 (0%)
Atlantic/South_Georgia (UTC -02:00)	
South Sudan - Africa/Juba (UTC +03:00)	0 (0%)
Sri Lanka - Asia/Colombo (UTC +05:30)	0 (0%)
Suriname - America/Paramaribo (UTC -03:00)	0 (0%)
Svalbard and Jan Mayen - Arctic/Longyearbyen (UTC	0 (0%)
+01:00)	
Swaziland - Africa/Mbabane (UTC +02:00)	0 (0%)
Syrian Arab Republic - Asia/Damascus (UTC	0 (0%)
+03:00),Province of China - Asia/Taipei (UTC +08:00)	
Tajikistan - Asia/Dushanbe (UTC +05:00),United	0 (0%)
Republic of - Africa/Dar_es_Salaam (UTC +03:00)	
Thailand - Asia/Bangkok (UTC +07:00)	0 (0%)
Timor-Leste - Asia/Dili (UTC +09:00)	0 (0%)
Togo - Africa/Lome (UTC)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
Tokelau - Pacific/Fakaofo (UTC +13:00)	0 (0%)
Tonga - Pacific/Tongatapu (UTC +13:00)	0 (0%)
Trinidad and Tobago - America/Port_of_Spain (UTC -04:00)	0 (0%)
Tunisia - Africa/Tunis (UTC +01:00)	0 (0%)
Turkmenistan - Asia/Ashgabat (UTC +05:00)	0 (0%)
Turks and Caicos Islands - America/Grand_Turk (UTC -04:00)	0 (0%)
Tuvalu - Pacific/Funafuti (UTC +12:00)	0 (0%)
Uganda - Africa/Kampala (UTC +03:00)	0 (0%)
Ukraine - Europe/Simferopol (UTC +03:00)	0 (0%)
Ukraine - Europe/Uzhgorod (UTC +02:00)	0 (0%)
Ukraine - Europe/Zaporozhye (UTC +02:00)	0 (0%)
United Arab Emirates - Asia/Dubai (UTC +04:00)	0 (0%)
United States - America/Indiana/Knox (UTC -05:00)	0 (0%)
United States - America/Indiana/Marengo (UTC -04:00)	0 (0%)
United States - America/Indiana/Petersburg (UTC -04:00)	0 (0%)
United States - America/Indiana/Vevay (UTC -04:00)	0 (0%)
United States - America/Indiana/Vincennes (UTC -04:00)	0 (0%)

Table F1

Geographical Location (continued)

	N = 690
United States - America/Indiana/Winamac (UTC -04:00)	0 (0%)
United States - America/Juneau (UTC -08:00)	0 (0%)
United States - America/Kentucky/Monticello (UTC -04:00)	0 (0%)
United States - America/Menominee (UTC -05:00)	0 (0%)
United States - America/Metlakatla (UTC -08:00)	0 (0%)
United States - America/Nome (UTC -08:00)	0 (0%)
United States - America/North_Dakota/Beulah (UTC -05:00)	0 (0%)
United States - America/Sitka (UTC -08:00)	0 (0%)
United States - America/Yakutat (UTC -08:00)	0 (0%)
United States Minor Outlying Islands - Pacific/Midway (UTC -11:00)	0 (0%)
United States Minor Outlying Islands - Pacific/Wake (UTC +12:00)	0 (0%)
Uruguay - America/Montevideo (UTC -03:00)	0 (0%)
Uzbekistan - Asia/Samarkand (UTC +05:00)	0 (0%)
Uzbekistan - Asia/Tashkent (UTC +05:00)	0 (0%)
Vanuatu - Pacific/Efate (UTC +11:00),Bolivarian	0 (0%)
Republic of - America/Caracas (UTC -04:00)	
Venezuela	0 (0%)

Table F1

Geographical Location (continued)

	**N =
	690**
Virgin Islands,U.S America/St_Thomas (UTC -04:00)	0 (0%)
Virgin Islands	0 (0%)
Wallis and Futuna - Pacific/Wallis (UTC +12:00)	0 (0%)
Western Sahara - Africa/EI_Aaiun (UTC +01:00)	0 (0%)
Yemen - Asia/Aden (UTC +03:00)	0 (0%)
Zambia - Africa/Lusaka (UTC +02:00)	0 (0%)
Zimbabwe - Africa/Harare (UTC +02:00)	0 (0%)

Appendix G

Disclaimer: This is a non-public version of LEBA (dated January 3, 2022) and still a work in progress. Please do not distribute!

LEBA captures light exposure-related behaviours on a 5 point Likert type scale
ranging from 1 to 5 (Never/Does not apply/I don't know = 1; Rarely = 2; Sometimes = 3;

Often = 4; Always = 5). The score of each factor is calculated by the summation of
scores of items belonging to the corresponding factor. The following instruction is given
before displaying the items: "Please indicate how often you performed the following
behaviours in the past 4 weeks."

Appendix H
LEBA Long Form (23 Items)

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
1	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses indoors					
	during the day.					
2	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses outdoors					
	during the day.					
3	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses within 1					
	hour before attempting to fall					
	asleep.					
4	I spend 30 minutes or less					
	per day (in total) outside.					

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
5	I spend between 1 and 3					
	hours per day (in total)					
	outside.					
6	I spend between 30 minutes					
	and 1 hour per day (in total)					
	outside.					
7	I spend more than 3 hours					
	per day (in total) outside.					
8	I spend as much time outside					
	as possible.					
9	I go for a walk or exercise					
	outside within 2 hours after					
	waking up.					
10	I use my mobile phone within					
	1 hour before attempting to					
	fall asleep.					

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
11	I look at my mobile phone					
	screen immediately after					
	waking up.					
12	I check my phone when I					
	wake up at night.					
13	I look at my smartwatch					
	within 1 hour before					
	attempting to fall asleep.					
14	I look at my smartwatch					
	when I wake up at night.					
15	I dim my mobile phone					
	screen within 1 hour before					
	attempting to fall asleep.					
16	I use a blue-filter app on my					
	computer screen within 1					
	hour before attempting to fall					
	asleep.					

	Items	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
17	I use as little light as possible					
	when I get up during the					
	night.					
18	I dim my computer screen					
	within 1 hour before					
	attempting to fall asleep.					
19	I use tunable lights to create					
	a healthy light environment.					
20	I use LEDs to create a					
	healthy light environment.					
21	I use a desk lamp when I do					
	focused work.					
22	I use an alarm with a dawn					
	simulation light.					
23	I turn on the lights					
	immediately after waking up.					

Latent Structure, Reliability and Structural Validity

The long form of LEBA consists 23 items with five factors.

Factor names	Items	Reliability Coefficients: ordinal alpha
F1: Wearing blue light filters	1-3	.96
F2: Spending time outdoors	4-9 (Item 4 is reversed)	.83
F3: Using phone and smartwatch in bed	10-14	.70
F4: Using light before bedtime	15-18	.69
F5: Using light in the morning and during daytime	19-23	.52
McDonald's Omega coefficient for the total scale		.73(Total scale)

LEBA -long form showed satisfactory structural validity (CFI =.97; TLI = .96; RMSEA = .05[.04-.06, 90% CI]; SRMR = .09).

How to cite:

Appendix I LEBA Short Form (18 Items)

	Short Form (18 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
	Short Form (To items)	Nevel/Does not apply/1 don't know	Talely	Joineumes	Oileii	Aiways
01	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses indoors					
	during the day.					
02	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses outdoors					
	during the day.					
03	I wear blue-filtering,					
	orange-tinted, and/or					
	red-tinted glasses within 1					
	hour before attempting to fall					
	asleep.					
04	I spend 30 minutes or less					
	per day (in total) outside.					

	Short Form (18 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
05	I spend between 30 minutes					
	and 1 hour per day (in total)					
	outside.					
06	I spend between 1 and 3					
	hours per day (in total)					
	outside.					
07	I spend more than 3 hours					
	per day (in total) outside.					
80	I spend as much time outside					
	as possible.					
09	I go for a walk or exercise					
	outside within 2 hours after					
	waking up.					
10	I use my mobile phone within					
	1 hour before attempting to					
	fall asleep.					

	Short Form (18 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
11	I look at my mobile phone					
	screen immediately after					
	waking up.					
12	I check my phone when I					
	wake up at night.					
13	I dim my mobile phone					
	screen within 1 hour before					
	attempting to fall asleep.					
14	I use a blue-filter app on my					
	computer screen within 1					
	hour before attempting to fall					
	asleep.					
15	I dim my computer screen					
	within 1 hour before					
	attempting to fall asleep.					
16	I use tunable lights to create					
	a healthy light environment.					

	Short Form (18 Items)	Never/Does not apply/I don't know	Rarely	Sometimes	Often	Always
17	I use LEDs to create a					
	healthy light environment.					
18	I use an alarm with a dawn					
	simulation light.					

862 Latent Structure, Reliability and Structural Validity

The short form of LEBA consists 23 items with five factors.

Factor names	Items
F1: Wearing blue light filters	1-3
F2: Spending time outdoors	4-8 (Item 4 is reversed)
F3: Using phone and smart-watch in bed	9-11
F4: Using light before bedtime	12-14
F5: Using light in the morning and during daytime	15-17

How to cite: