


Лабораторная работа № 1



```
EXPLORED  ...  Untitled-1 X
✓ OPEN EDITORS
  X  Untitled-1
✓ PROJECT GIT
  text1.txt  U
  text2.txt  U

1  Generate code (Ctrl+I), or select a language (Ctrl+K M). Start typing to dismiss or don't show this again.

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS
PS C:\Users\1\OneDrive\Desktop\project git> git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    text1.txt
    text2.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\1\OneDrive\Desktop\project git>

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS
PS C:\Users\1\OneDrive\Desktop\project git> git add .
PS C:\Users\1\OneDrive\Desktop\project git> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   text1.txt
    new file:   text2.txt

PS C:\Users\1\OneDrive\Desktop\project git> git commit -m "first commit"
[master (root-commit) cd89ca2] first commit
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 text1.txt
 create mode 100644 text2.txt
PS C:\Users\1\OneDrive\Desktop\project git>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\1\OneDrive\Desktop\project git> git add .
PS C:\Users\1\OneDrive\Desktop\project git> git status
On branch master
```

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: text1.txt

new file: text2.txt

```
PS C:\Users\1\OneDrive\Desktop\project git> git commit -m "first commit"
```

[master (root-commit) cd89ca2] first commit

2 files changed, 0 insertions(+), 0 deletions(-)

create mode 100644 text1.txt

create mode 100644 text2.txt

```
PS C:\Users\1\OneDrive\Desktop\project git> git status
```

On branch master

nothing to commit, working tree clean

```
PS C:\Users\1\OneDrive\Desktop\project git> █
```

▼ OPEN EDITORS

✕ ≡ text1.txt

▼ PROJECT GIT

≡ gitignore.txt A

≡ text1.txt

≡ text2.txt

```
PS C:\Users\1\OneDrive\Desktop\project git> git add .
warning: in the working copy of 'gitignore.txt', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\1\OneDrive\Desktop\project git> █
```

```
PS C:\Users\1\OneDrive\Desktop\project git> git commit -m "second commit"
```

[master 71c44c5] second commit

1 file changed, 418 insertions(+)

create mode 100644 gitignore.txt

```
PS C:\Users\1\OneDrive\Desktop\project git> █
```

```
PS C:\Users\1\OneDrive\Desktop\project git> git commit -m "second commit"
[master 71c44c5] second commit
 1 file changed, 418 insertions(+)
 create mode 100644 gitignore.txt
PS C:\Users\1\OneDrive\Desktop\project git> git commit -am "test change"
On branch master
nothing to commit, working tree clean
PS C:\Users\1\OneDrive\Desktop\project git> git log
commit 71c44c5c54cb39a71a10654e4d5a9f3fe019dd84 (HEAD -> master)
Author: Ангелина Кузнецова <kuznetsova_angelina@internet.ru>
Date:   Fri Sep 19 23:07:52 2025 +0300

    second commit

commit cd89ca2e58ea4b3823d6237883469e9d3c3e6bcf
Author: Ангелина Кузнецова <kuznetsova_angelina@internet.ru>
Date:   Fri Sep 19 22:46:45 2025 +0300

    first commit
PS C:\Users\1\OneDrive\Desktop\project git> █
```

```
PS C:\Users\1\OneDrive\Desktop\project git> git log --oneline --graph --all
* 71c44c5 (HEAD -> testing, master) second commit
* cd89ca2 first commit
PS C:\Users\1\OneDrive\Desktop\project git> █
```