[redacted]

GROSS DESCRIPTION:
Specimen:
FSA subcarinal lymph node
FSB right lung for margin check and distribution
#1 portion of 6th right rib

FS Diagnosis:
FSA anthracotic node x2, one 0.3cm. in diameter and the other 0.5cm. in diameter

BxB Specimen consists of a right lung measuring 21x17x8.5cm. The hilum shows a grossly tumor replaced lymph node measuring 3.5x2x1.5cm. adjacent to the bronchus which has a resection margin which is grossly free of tumor. Cross section reveals a tumor mass which occupies nearly the entire right middle lobe measuring 8x8cm. by approximately 5.5cm. The tumor obstructs the bronchi and causes mucus plugs distally. Mucus plugging is observed in the right middle lobe and right lower lobe. There are large areas of necrosis, yellow coloration in addition to grey white coloration and the tumor has pushing margins overall. It grows against branches of the pulmonary artery and compresses them. 3cm. from the bronchial resection margin it grows into the bronchial lumen. Areas of uninvolved lung appear to be grossly unremarkable with no satellites observed. The main tumor extends from central to peripheral, grows to the pleura but does not extend through it grossly. However, there is extensive pleural reaction with retraction and discoloration with fibrinoid exudate.
FSA Two anthracotic lymph nodes with measurements as above. Submitted in toto.
FSB A cross sectional segment of bronchus with attached lymph node measuring 2.4x1.6x0.3cm. Submitted in toto.
BxA An irregular brown and tan segment of soft tissue measuring 0.7x0.3x0.2cm. Submitted in toto.
#1 Portion of 6th rib measuring 5.5x1.5x1.2cm. It shows a smooth periosteum with attachments of skeletal muscle and fascia with resection margins unremarkable showing cancellous bone. One section

[redacted]

submitted following decal.
SUMMARY: FSA-nodes; FSB-bronchial resection margin; BxA-subcarinal nodes; BxB1-bronchial resection margin; BxB2 & 3-hilar nodes; BxB4 & 5-tumor bronchial interface; BxB6-tumor lung interface; BxB7 through 9-tumor pleural interface; BxB10-non tumor lung.

[redacted]

MICROSCOPIC DESCRIPTION:
Sections from the lung show an infiltrating halfway differentiated squamous cell carcinoma. The tumor infiltrates a segmental bronchus, has penetrated it and ulcerated the mucosa. It is compressing the segmental artery which is not infiltrated by the tumor. There are 5 para-arterial lymph nodes, one of which shows metastatic tumor. The lung adjacent to the tumor shows interstitial follicular pneumonia and early acute supporative pneumonia. The pleura is thick and hemorrahgic and abutted, but not infiltrated by the tumor.
FSA Four small lymph nodes negative for tumr.
FSB Bronchus with chronic inflammation. A parabronchial lymph node with metastatic tumor is present. Another one with no tumor is also seen.

DIAGNOSIS:
1) RIGHT LUNG WITH HALFWAY DIFFERENTIATED SQUAMOUS CELL CARCINOMA OF MIDDLE LOBE INFILTRATING SEGMENTAL BRONCHUS
2) METASTATIC SQUAMOUS CELL CARCINOMA TO ONE OUT OF FIVE PARA-SEGMENTAL PULMONARY ARTERY LYMPH NODES, RIGHT MIDDLE LOBE
3) BRONCHIAL STUMP WITH NO TUMOR, BUT WITH METASTASIS TO ONE OUT OF TWO PARABRONCHIAL LYMPH NODES
4) SUBCARINAL LYMPH NODE WITH NO TUMOR [redacted]
5) RIB SECTION ON DECALCIFICATION

[redacted]