


```
File Edit Selection View Go Run Terminal Help
OOPseconactget

EXPLORER
OOPSECONDACTGET
index.php

index.php x
index.php > html > head > style > label
2 <html lang="en">
3 <head>
8 <style>
69 button{type=submit;:hover {
71 }
72
73 form {
74     background-color: #f2f2f2;
75     max-width: 650px;
76     margin: auto;
77     border: 1px solid #ccc;
78     border-radius: 4px;
79     box-sizing: border-box;
80     padding: 20px;
81
82 }
83
84 h2 {
85     font-size: 30px;
86     color: #101010;
87     text-align: center;
88 }
89
90 .collected-info {
91     width: 50%;
92     padding: 20px;
93     border: 1px solid #ccc;
94     border-radius: 6px;
95     box-sizing: border-box;
96     margin: 30px auto;
97 }
98
99 .collected-info p {
100     margin-bottom: 10px;
101 }
102
103 </style>
104 </head>
105 <body>
106
107 <h2>Student Information Form</h2>
108 <form action="" method="get">
109 <label for="first_name">1. First Name:</label>
110 <input type="text" id="first_name" name="first_name" required>
111
112 </form>
113 </body>
114 </html>

OUTLINE
TIMELINE

Ln 19, Col 10 Spaces: 4 UTF-8 CRLF PHP Go Live
```

```
File Edit Selection View Go Run Terminal Help
OOPseconact

EXPLORER
OOPSECONDACT
index.php
studentformpost.php

index.php x
index.php > html > body > form > input#course_year
2 <html lang="en">
3 <head>
8 <style>
101 </style>
102 </head>
103 <body>
104
105 <h2>Student Information Form</h2>
106
107 <form action="studentformpost.php" method="post" onsubmit="return validateForm()">
108 <label for="first_name">1. First Name:</label>
109 <input type="text" id="first_name" name="first_name" required>
110
111 <label for="middle_name">2. Middle Name:</label>
112 <input type="text" id="middle_name" name="middle_name">
113
114 <label for="last_name">3. Last Name:</label>
115 <input type="text" id="last_name" name="last_name" required>
116
117 <label for="birthday">4. Date of Birth:</label>
118 <input type="date" id="birthday" name="birthday" required>
119
120 <label for="age">4. Age:</label>
121 <input type="text" id="age" name="age" required>
122
123 <label for="course_year">5. Course and Year:</label>
124 <input type="text" id="course_year" name="course_year" required>
125
126 <label>6. Enrolled:</label>
127 <input type="radio" name="enrolled" value="Yes" required> Yes
128 <input type="radio" name="enrolled" value="No" required> No
129
130 <label for="subject">7. Subject:</label>
131 <input type="text" id="subject" name="subject" required>
132
133 <label for="grade">8. Grade:</label>
134 <input type="number" steps="0.1" id="grade" name="grade" required>
135
136 <button type="submit">Submit</button>
137 </form>
138 </body>
139 </html>

OUTLINE
TIMELINE

Ln 124, Col 73 Spaces: 4 UTF-8 CRLF PHP Go Live
```

The image shows a Visual Studio Code editor window with a dark theme. The Explorer sidebar on the left shows a project named 'OOPSECONDGET' with a file named 'index.php'. The main editor area displays the content of 'index.php', which is an HTML form for student information. The form includes fields for First Name, Middle Name, Last Name, Birthday, Age, Course Year, Enrolled status, Subject, and Grade. The PHP code at the bottom checks the request method and processes the first name input.

```
1 <?php
2 <html lang="en">
3 <head>
4 </head>
5 </style>
6 </head>
7 <body>
8
9 <h2>Student Information Form</h2>
10 <form action="" method="get">
11 <label for="first_name">1. First Name:</label>
12 <input type="text" id="first_name" name="first_name" required>
13
14 <label for="middle_name">2. Middle Name:</label>
15 <input type="text" id="middle_name" name="middle_name">
16
17 <label for="last_name">3. Last Name:</label>
18 <input type="text" id="last_name" name="last_name" required>
19
20 <label for="birthday">4. Date of Birth:</label>
21 <input type="date" id="birthday" name="birthday" required>
22
23 <label for="age">4. Age:</label>
24 <input type="text" id="age" name="age" required>
25
26 <label for="course_year">5. Course and Year:</label>
27 <input type="text" id="course_year" name="course_year" required>
28
29 <label>6. Enrolled:</label>
30 <input type="radio" name="enrolled" value="Yes" required> Yes
31 <input type="radio" name="enrolled" value="No" required> No
32
33 <label for="subject">7. Subject:</label>
34 <input type="text" id="subject" name="subject" required>
35
36 <label for="grade">8. Grade:</label>
37 <input type="number" step="0.1" id="grade" name="grade" required>
38
39 <button type="submit">Submit</button>
40 </form>
41
42 </php>
43
44 <?php
45 if ($_SERVER['REQUEST_METHOD'] === 'GET') {
46     if (isset($_GET['first_name'])) {
47         // Process first name input
48     }
49 }
```

The screenshot shows a VS Code editor with a dark theme. The Explorer sidebar on the left shows a project named 'OOPSECONDCONTACTGET' with a file 'index.php'. The main editor area displays the code for 'index.php'. The code is a PHP script that handles a GET request, collects user information, and displays it in an HTML form. The code is as follows:

```

101 index.php > <html> <head> <style> <?php label
102 <html lang="en">
103 <body>
104 <form action="" method="get">
105 <input type="number" step="0.1" id="grade" name="grade" required>
106
107 <button type="submit">Submit</button>
108 </form>
109
110 <?php
111 if ($_SERVER['REQUEST_METHOD'] === 'GET') {
112     if (isset($_GET['first_name'])) {
113         $first_name = $_GET['first_name'];
114         $middle_name = $_GET['middle_name'];
115         $last_name = $_GET['last_name'];
116         $birthday = $_GET['birthday'];
117         $age = $_GET['age'];
118         $course_year = $_GET['course_year'];
119         $enrolled = $_GET['enrolled'];
120         $subject = $_GET['subject'];
121         $grade = $_GET['grade'];
122
123         echo "<div class='collected-info'>";
124         echo "<h2>Collected Information:</h2>";
125         echo "<p> First Name: $first_name</p>";
126         echo "<p> Middle Name: $middle_name</p>";
127         echo "<p> Last Name: $last_name</p>";
128         echo "<p> Age: $age</p>";
129         echo "<p> Date of Birth: $birthday</p>";
130         echo "<p> Course and Year: $course_year</p>";
131         echo "<p> Enrolled: $enrolled</p>";
132         echo "<p> Subject: $subject</p>";
133         echo "<p> Grade: $grade</p>";
134         echo "</div>";
135     }
136 }
137
138 </body>
139 </html>

```

The status bar at the bottom indicates the current line is 19, column 10, with 3 spaces, UTF-8 encoding, CRLF line endings, and PHP file type. The 'Go Live' extension icon is also visible.

OUTPUT:

The screenshot shows a web browser window with two tabs: 'Student Form in GET' and 'Student Form in POST'. The address bar displays a URL with query parameters: `http://localhost/OOPsecondactget/?first_name=Angelique&middle_name=Magbiro&last_name=Secretario&birthday=2024-02-03&age=20&course_year=BSIT-2&enrolled=Yes&subject=Object+Oriented+Programming&grade=1.4`. The browser's bookmark bar includes 'To-do', 'Classes', 'DWCL Online', and 'Colorful Lively Arts...'. The main content area is titled 'Student Information Form' and contains a form with the following fields:

- 1. First Name:
- 2. Middle Name:
- 3. Last Name:
- 4. Date of Birth:
- 4. Age:
- 5. Course and Year:
- 6. Enrolled: ☐ Yes ☐ No
- 7. Subject:
- 8. Grade:
-

The screenshot shows the same web browser window as above, but the form is now filled with data. The fields are populated as follows:

- 1. First Name:
- 2. Middle Name:
- 3. Last Name:
- 4. Date of Birth:
- 4. Age:
- 5. Course and Year:
- 6. Enrolled: ☒ Yes ☐ No
- 7. Subject:
- 8. Grade:
-

Student Form in GET

Student Form in POST

http://localhost/OOPsecontactget/?first_name=Angelique&middle_name=Magbiro&last_name=Secretario&birthday=2024-02-03&age=20&course_year=BSIT-2&enrolled=Yes&subject=Object+Oriented+Programming&grade=1.4

6. Enrolled:
☐ Yes ☒ No

7. Subject:

8. Grade:

Submit

Collected Information:

First Name: Angelique
Middle Name: Magbiro
Last Name: Secretario
Age: 20
Date of Birth: 2024-02-03
Course and Year: BSIT-2
Enrolled: Yes
Subject: Object Oriented Programming
Grade: 1.4

SUPERGLOBALS (POST)

SOURCE CODE:

```
File Edit Selection View Go Run Terminal Help
OOPsecontact
EXPLORER
  OOPSECONDUCT
    index.php
    studentformpost.php
index.php x
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@200;400;500&display=swap" rel="stylesheet">
7   <title>Student Form in POST</title>
8   <style>
9     body {
10       font-family: 'Poppins', sans-serif;
11       background-color: #ffffff;
12       color: #202020;
13       margin: 0;
14       padding: 0;
15     }
16     label {
17       display: block;
18       margin-bottom: 10px;
19     }
20     input[type="text"], select {
21       width: 100%;
22       padding: 10px 15px;
23       margin: 8px 0;
24       display: inline-block;
25       border: 1px solid #ccc;
26       border-radius: 4px;
27       box-sizing: border-box;
28     }
29     input[type="number"], select {
30       width: 100%;
31       padding: 10px 15px;
32       margin: 8px 0;
33       display: inline-block;
34       border: 1px solid #ccc;
35       border-radius: 4px;
36       box-sizing: border-box;
37     }
38     input[type="date"], select {
39       width: 100%;
40       padding: 10px 15px;
41       margin: 8px 0;
42       display: inline-block;
43       border: 1px solid #ccc;
44       border-radius: 4px;
45       box-sizing: border-box;
46     }
47   </style>
48   <body>
49     <div>
50       <div>
51         <div>Student Form in POST</div>
52       </div>
53     </div>
54   </body>
55 </html>
```

```
File Edit Selection View Go Run Terminal Help
index.php x studentformpost.php
index.php x html > style > form
2 <html lang="en">
3 <head>
8 <style>
31 input[type=number], select {
38   box-sizing: border-box;
39 }
40
41 input[type=date], select {
42   width: 100%;
43   padding: 10px 15px;
44   margin: 8px 0;
45   display: inline-block;
46   border: 1px solid #ccc;
47   border-radius: 4px;
48   box-sizing: border-box;
49 }
50
51 input[type=radio], select {
52   padding: 10px 15px;
53   display: inline;
54   margin: 8px;
55 }
56
57 button[type=submit] {
58   width: 100%;
59   background-color: #3399FF;
60   color: white;
61   padding: 14px 20px;
62   margin: 8px 0;
63   border: none;
64   border-radius: 4px;
65   cursor: pointer;
66   font-size: 20px;
67 }
68
69 button[type=submit]:hover {
70   background-color: #0080FF;
71 }
72
73 form {
74   background-color: #f2f2f2;
75   max-width: 650px;
76   margin: auto;
77   border: 1px solid #ccc;
78   border-radius: 4px;
79   box-sizing: border-box;
80   padding: 20px;
81   margin-bottom: 20px;
82 }
83
84 </style>
85 </head>
86 <body>
87
88 <h2>Student Information Form</h2>
89
90 <form action="studentformpost.php" method="post" onsubmit="return validateForm()">
91   <label for="first_name">1. First Name:</label>
92   <input type="text" id="first_name" name="first_name" required>
93
94   <label for="middle_name">2. Middle Name:</label>
95   <input type="text" id="middle_name" name="middle_name">
96
97   <label for="last_name">3. Last Name:</label>
98   <input type="text" id="last_name" name="last_name" required>
99
100   <label for="birthday">4. Date of Birth:</label>
101   <input type="date" id="birthday" name="birthday" required>
102
103   <label for="age">4. Age:</label>
104   <input type="text" id="age" name="age" required>
105
106   <label for="course_year">5. Course and Year:</label>
107   <input type="text" id="course_year" name="course_year" required>
108
109   <label>6. Enrolled:</label>
110   <input type="radio" name="enrolled" value="Yes" required> Yes
```

```
File Edit Selection View Go Run Terminal Help
index.php x studentformpost.php
index.php x html > style > form
2 <html lang="en">
3 <head>
8 <style>
73 form {
74   background-color: #f2f2f2;
75   max-width: 650px;
76   margin: auto;
77   border: 1px solid #ccc;
78   border-radius: 4px;
79   box-sizing: border-box;
80   padding: 20px;
81   margin-bottom: 20px;
82 }
83
84 </style>
85 </head>
86 <body>
87
88 <h2>Student Information Form</h2>
89
90 <form action="studentformpost.php" method="post" onsubmit="return validateForm()">
91   <label for="first_name">1. First Name:</label>
92   <input type="text" id="first_name" name="first_name" required>
93
94   <label for="middle_name">2. Middle Name:</label>
95   <input type="text" id="middle_name" name="middle_name">
96
97   <label for="last_name">3. Last Name:</label>
98   <input type="text" id="last_name" name="last_name" required>
99
100   <label for="birthday">4. Date of Birth:</label>
101   <input type="date" id="birthday" name="birthday" required>
102
103   <label for="age">4. Age:</label>
104   <input type="text" id="age" name="age" required>
105
106   <label for="course_year">5. Course and Year:</label>
107   <input type="text" id="course_year" name="course_year" required>
108
109   <label>6. Enrolled:</label>
110   <input type="radio" name="enrolled" value="Yes" required> Yes
```

This screenshot shows the VS Code editor with the file `studentformpost.php` open. The code defines an HTML form for student information. The form includes fields for first name, middle name, last name, birthday, age, course year, enrollment status (radio buttons), subject, and grade. Each field is accompanied by a label and a required validation message. The form is styled with a dark theme and includes a submit button.

```
1 <html lang="en">
2 <head>
3 <style>
4
5 </style>
6 </head>
7 <body>
8
9 <h2>Student Information Form</h2>
10
11 <form action="studentformpost.php" method="post" onsubmit="return validateForm()">
12   <label for="first_name">1. First Name:</label>
13   <input type="text" id="first_name" name="first_name" required>
14
15   <label for="middle_name">2. Middle Name:</label>
16   <input type="text" id="middle_name" name="middle_name">
17
18   <label for="last_name">3. Last Name:</label>
19   <input type="text" id="last_name" name="last_name" required>
20
21   <label for="birthday">4. Date of Birth:</label>
22   <input type="date" id="birthday" name="birthday" required>
23
24   <label for="age">4. Age:</label>
25   <input type="text" id="age" name="age" required>
26
27   <label for="course_year">5. Course and Year:</label>
28   <input type="text" id="course_year" name="course_year" required>
29
30   <label>6. Enrolled:</label>
31   <input type="radio" name="enrolled" value="Yes" required> Yes
32   <input type="radio" name="enrolled" value="No" required> No
33
34   <label for="subject">7. Subject:</label>
35   <input type="text" id="subject" name="subject" required>
36
37   <label for="grade">8. Grade:</label>
38   <input type="number" step="0.1" id="grade" name="grade" required>
39
40   <button type="submit">Submit</button>
41 </form>
42 </body>
43 </html>
```

This screenshot shows the VS Code editor with the file `studentformpost.php` open, displaying the CSS and PHP code. The CSS includes a meta charset declaration, a meta name declaration, a link href declaration, a title declaration, a body declaration, a style declaration, a collected-info declaration, and a collected-info p declaration. The PHP code is a POST request handler that processes the form data and stores it in variables.

```
1 <doctype html>
2 <html lang="en">
3 <head>
4   <meta ch
5   <meta na
6   <link hr
7   <title>C (Edge 12, Firefox 1, Safari 1, Chrome 1, IE 3, Opera 3)
8 </head>
9 <body>
10   <style>
11     Syntax: <family-name>
12     MDN Reference
13     font-family: 'Poppins', sans-serif;
14   }
15   h2 {
16     font-size: 30px;
17     color: #3399FF;
18     text-align: center;
19   }
20   .collected-info {
21     width: 50%;
22     padding: 20px;
23     border-radius: 8px;
24     box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
25     margin: 30px auto;
26   }
27   .collected-info p {
28     margin-bottom: 10px;
29   }
30 </style>
31 <?php
32 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
33
34   $first_name = $_POST['first_name'];
35   $middle_name = $_POST['middle_name'];
36   $last_name = $_POST['last_name'];
37   $age = $_POST['age'];
38   $birthday = $_POST['birthday'];
39   $course_year = $_POST['course_year'];
40   $enrolled = $_POST['enrolled'];
41   $subject = $_POST['subject'];
42   $grade = $_POST['grade'];
43 }
```


Student Form in GET x Student Form in POST x +

← → ↻ http://localhost/OOPseconnect/ ☆ 📁 All Bookmarks

To-do 📅 Classes 🌐 DWCL Online 🎨 Colorful Lively Arts...

Student Information Form

1. First Name:
Angelique

2. Middle Name:
Magbiro

3. Last Name:
Secretario

4. Date of Birth:
03/02/2024

4. Age:
20

5. Course and Year:
BSIT-2

6. Enrolled:
☒ Yes ☐ No

7. Subject:
Object Oriented Programming

8. Grade:
1.0

Submit

Student Form in GET x Collected Information x RGB Color Codes Chart x +

← → ↻ http://localhost/OOPseconnect/studentform.php ☆ 📁 All Bookmarks

To-do 📅 Classes 🌐 DWCL Online 🎨 Colorful Lively Arts...

Student Information:

First Name: Angelique
Middle Name: Magbiro
Last Name: Secretario
Age: 20
Date of Birth: 2024-02-03
Course and Year: BSIT-2
Enrolled: Yes
Subject: Object Oriented Programming
Grade: 1.0