




Deliverable 2




As you can see I installed my ubuntu server and now I can run it to create my website.




My server is ready to go and now I can login.




As you can see in here, Im displaying all the specs of my vm.



Here I ran a status command to make sure that Apache is working properly.



After testing my website using my ip address I start to see some progress on my website development.



Ubuntu Server-Web Server (Snapshot 2 Apache Installed) [Running] - Oracle VM Virtual... — □ ×


File Machine View Input Devices Help

```
webmaster@webserver:~$ sudo systemctl status ssh
● ssh.service - OpenBSD Secure Shell server
  Loaded: loaded (/lib/systemd/system/ssh.service; enabled; vendor preset: enabled)
  Active: active (running) since Wed 2022-12-21 03:49:13 UTC; 1h 15min ago
    Docs: man:sshd(8)
          man:sshd_config(5)
   Main PID: 750 (sshd)
      Tasks: 1 (limit: 1030)
     Memory: 4.4M
        CPU: 59ms
      CGroup: /system.slice/ssh.service
              └─750 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"


Dec 21 03:49:13 webserver systemd[1]: Starting OpenBSD Secure Shell server...
Dec 21 03:49:13 webserver sshd[750]: Server listening on 0.0.0.0 port 22.
Dec 21 03:49:13 webserver sshd[750]: Server listening on :: port 22.
Dec 21 03:49:13 webserver systemd[1]: Started OpenBSD Secure Shell server.
webmaster@webserver:~$ sudo systemctl ssh.service
Unknown command verb ssh.service.
webmaster@webserver:~$ sudo systemctl status ssh.service
● ssh.service - OpenBSD Secure Shell server
  Loaded: loaded (/lib/systemd/system/ssh.service; enabled; vendor preset: enabled)
  Active: active (running) since Wed 2022-12-21 03:49:13 UTC; 1h 23min ago
    Docs: man:sshd(8)
          man:sshd_config(5)
   Main PID: 750 (sshd)
      Tasks: 1 (limit: 1030)
     Memory: 4.4M
        CPU: 59ms
      CGroup: /system.slice/ssh.service
              └─750 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Dec 21 03:49:13 webserver systemd[1]: Starting OpenBSD Secure Shell server...
Dec 21 03:49:13 webserver sshd[750]: Server listening on 0.0.0.0 port 22.
Dec 21 03:49:13 webserver sshd[750]: Server listening on :: port 22.
Dec 21 03:49:13 webserver systemd[1]: Started OpenBSD Secure Shell server.
webmaster@webserver:~$ _
```


Here I'm checking the status of my ssh.



Here I choosed a free website template. I copy the link and using a git command I unzip it and created my website.



As you can see my private website is done.



At Your Service