THE OPERATING VISION

One property. Every provider.

A detailed resource and workflow guide for HomeBack 1, HomeBack 2, and ADPA.

A clear path from loss to recovery.

Define the work. Preserve the evidence.
Connect the handoffs. Keep the homeowner informed.

11 provider roles • Shared LifeWorth™ evidence • Practical build requirements

Prepared for **Angelo Daniel** and **José Mavarez**
Prepared by **Susie** | October 21, 2026

> **Document status:** Proposed product and operating specification. This guide expands the provider breakdown requested by Angelo. It does not certify that these features are implemented or that any provider is approved, licensed, available, or retained.

Audience: homeowners, service providers, ADPA operations, and the HomeBack development team. Professional methods, project-specific requirements, and required qualifications remain the responsibility of the appropriate qualified parties.

01 / HOW TO USE THIS GUIDE

The provider resource system

A shared operating structure with separate responsibilities, agreements, and access.

What HomeBack should accomplish

For every service, the homeowner should understand who is involved, why the service is needed, what happens next, what it may cost, and what evidence will show completion. Each provider should see its assigned work, dependencies, documents, and next action.

Pages	Contents
03-04	Shared lifecycle, service directory, and responsibility boundaries
05-15	Eleven detailed provider profiles: process, records, handoff, and completion
16-17	Cross-provider dependencies and the LifeWorth evidence model
18-19	Resource pages, provider workspace, permissions, and financial tracking
20-21	Illustrative loss walkthrough and developer acceptance checklist
22	Source notes and implementation decisions

One foundation, three entry paths

HomeBack 1: A homeowner starts before a loss, builds a LifeWorth record, and later connects that record to a claim.
HomeBack 2: A contractor or restoration professional starts after a loss and obtains its own work agreement; the homeowner may separately choose an ADPA referral.
ADPA: A separately retained public adjuster uses the shared evidence system for claim documentation and representation.

> **LifeWorth is central in all three paths.** It supplies room and belongings evidence before a loss, supports post-loss capture when no prior inventory exists, and connects contents, building observations, and supporting documents to the recovery workflow.

Implementation boundary

The steps, fields, statuses, and completion gates below are proposed requirements. José should map them to the current application, identify gaps, and confirm what can be configured versus what requires development. This guide is not a review of the current codebase.

02 / SHARED LIFECYCLE

Every assignment needs a next action

Use a common service lifecycle, while preserving each provider's specialized tasks.

Stage	Required action and owner
1. Referral received	Coordinator records the requested service, source, homeowner consent to contact, property, affected areas, and urgency.
2. Inspection scheduled	Provider confirms appointment, access contact, and prerequisites. Homeowner receives a clear appointment summary.
3. Scope submitted	Provider uploads findings, proposed work, exclusions, pricing, and supporting evidence.
4. Awaiting authorization	Authorized customer reviews and signs the provider-specific agreement or scope. Store signer, document version, and date.
5. Scheduled	Provider identifies start date, responsible supervisor, expected duration, and outstanding dependencies.
6. In progress	Provider completes tasks, records progress, and requests approval for material scope changes.
7. Awaiting report / clearance	Record the specific missing deliverable, responsible party, affected area, and follow-up date. Skip if not applicable.
8. Completed	Provider submits the completion package; designated reviewer checks it and records deficiencies or acceptance.
9. Invoice submitted	Invoice is linked to the authorized scope, supporting records, changes, and any remaining dispute.

Model the exceptions: Emergency work may proceed under appropriate authorization before a complete final estimate. Support declined, cancelled, paused, no-access, and reopened assignments. Every pause needs a reason, owner, and next review date.

Separate status tracks

Work status describes the job. Coverage status describes the carrier's recorded position. Payment status describes money received or owed. A signed contract, submitted invoice, or completed job must not automatically update the other tracks.

03 / SERVICE DIRECTORY

Who does what

One company may hold multiple qualified roles; each assignment still needs a defined scope.

Provider	Primary responsibility	Key handoff
Public adjuster / ADPA	Policyholder claim representation	Evidence-backed submissions and claim decisions
General contractor	Repair planning and reconstruction	Completed repairs and closeout package
Emergency mitigation	Stabilization and damage limitation	Documented conditions and remaining work
Contents cleaning	Physical handling and restoration	Tracked items, cleaning outcomes, and return
Contents inventory	Belongings documentation and valuation support	Reviewed item schedule and evidence
Asbestos testing	Assessment and sampling of suspect materials	Material-specific findings and limitations
Lead testing	Assessment of relevant painted surfaces	Location-specific results and limitations
Bacteria testing	Contamination assessment and justified sampling	Interpreted findings and verification scope
Roofing	Roof protection, repair, or replacement	Weather protection and roof completion
Asbestos abatement	Authorized asbestos removal or control	Disposal and applicable verification records
Lead abatement	Authorized lead hazard reduction	Completion and applicable clearance records

Why abatement has two profiles

Asbestos and lead involve different materials, qualifications, work methods, and verification needs. HomeBack should group them under an Abatement resource category while retaining separate service types and document checklists.

What stays separate

The contractor controls its work scope; the public adjuster handles its retained claim role; the testing professional explains findings within the assessment scope. Carrier coverage decisions and professional technical determinations retain their source and date in the record.

04 / PROVIDER PROFILE 01

Public adjuster / ADPA

Policyholder representation and claim coordination

When this provider enters

The homeowner wants professional help documenting and presenting a property claim. ADPA enters through a separate referral and representation agreement, even when a contractor introduced the homeowner.

What they do

Review the policy, investigate and document the claimed loss, organize estimates and evidence, present the claim, communicate with the carrier, and track decisions and payments within the retained scope. California identifies the public adjuster as acting for the insured. [1]

The process in HomeBack

1. Intake and engagement. Confirm policyholder, property, loss date, carrier, claim number, existing representation, and applicable qualifications. Complete engagement review and obtain the appropriate signed agreement.

2. Policy and evidence review. Collect the complete policy and available endorsements, carrier letters, estimates, photos, LifeWorth inventory, receipts, and prior payments. Record missing information with an owner.

3. Inspection and claim preparation. Document the claimed damage, reconcile provider scopes, and identify unresolved quantities or causation questions. Preserve original and revised estimates.

4. Submission and follow-up. Send an indexed evidence package. Track submission date, recipient, requested response, carrier position, disputed items, and the next follow-up.

5. Reconciliation and closeout. Compare payments and decisions to supported claim items; track replacement evidence and remaining requests where relevant. Record unresolved issues and homeowner instructions.

Required records

Representation agreement; policy and endorsements; inspections; claim estimates; submission index; correspondence; payment ledger; homeowner decisions; unresolved-item register.

Handoff and completion

Send authorized scope questions to providers with exact rooms or items. Keep coverage correspondence linked to the underlying work without allowing provider uploads to become automatic coverage acceptance.
Complete when: Current claim status, an evidence-backed outstanding-item list, recorded payments, and a documented next action or closure decision. A completed ADPA task does not mean the insurer approved every item.

App resource: Show: Claim status, Carrier response, Missing evidence, Payment reconciliation. Restrict policy and settlement details to authorized participants.

04 / PROVIDER PROFILE 02

General contractor

Repair scope, construction, and trade coordination

When this provider enters

The property needs permanent repairs after emergency stabilization and any prerequisite assessments or hazard work.

What they do

Define the repair work, estimate costs, coordinate appropriate trades, manage permits and inspections as applicable, perform authorized construction, and deliver a documented finished project.

The process in HomeBack

1. Inspect and measure. Review existing photos, measurements, mitigation records, testing findings, and damaged materials. Identify access limitations and areas requiring further inspection.

2. Develop scope and price. Describe room-by-room work, quantities, materials, allowances, exclusions, and sequencing. Separate known work from provisional items and unresolved concealed conditions.

3. Contract and prepare. Obtain the construction agreement and approved scope. Confirm responsible parties, schedule, access, selections, permits, and predecessor tasks.

4. Build and document changes. Record progress by room or phase. Photograph newly exposed damage before covering it. Submit changed work with cost and schedule impact for authorization.

5. Inspect and close. Track required inspections, punch-list items, homeowner walkthrough, final invoices, warranty information, and outstanding corrections.

Required records

Qualification and insurance records; signed agreement; estimate and revisions; permits where applicable; selections; schedule; progress photos; approved changes; inspection and closeout records.

Handoff and completion

Receive area-specific release and supporting records from mitigation or abatement. Coordinate roofing and other trades; send newly discovered damage evidence to the authorized claim representative.
Complete when: Authorized scope completed; required inspections documented; punch list resolved or explicitly retained; final records and warranties delivered. Record homeowner acceptance separately from carrier payment.

App resource: Show: Scope by room, Schedule, Change request, Inspection, Punch list. Require a before-and-after trail for material changes.

04 / PROVIDER PROFILE 03

Emergency mitigation

Stabilize the loss and limit additional damage

When this provider enters

Water, fire, smoke, openings, or other loss conditions require a prompt professional response. Access and site conditions must be assessed before work.

What they do

Perform authorized emergency measures within the provider’s qualifications, document the initial conditions, monitor the work, and identify the remaining restoration or repair needs. Hazard findings may change the work sequence.

The process in HomeBack

1. Dispatch and authorize. Record the reported source, affected areas, access contact, arrival time, and work authorization. Flag hazards and refer assessment needs to qualified parties.

2. Document initial conditions. Capture room photos, observed damage, relevant moisture readings, affected materials, and the rationale for proposed measures. Distinguish observations from confirmed causes.

3. Stabilize and protect. Perform appropriate extraction, temporary protection, controlled removal, or other authorized measures. Identify equipment and locations; document contents affected by the work.

4. Monitor and adjust. Record visits, readings where relevant, equipment days, work performed, and changes in conditions. Explain additions, removal of equipment, or revised scope.

5. Complete the handoff. Provide final condition records, removed-material details, remaining concerns, and the recommended next provider. Identify limitations and areas still restricted.

Required records

Work authorization; arrival and initial-condition records; room map; readings where applicable; equipment and visit logs; work photos; changes; completion summary; itemized invoice.

Handoff and completion

Share stabilization records with the contractor and authorized claim team. Link displaced belongings to the contents company. Route suspected hazardous materials or contamination to the proper assessor.
Complete when: Authorized emergency scope documented, equipment disposition recorded, final conditions reviewed, and remaining work assigned. A dry reading alone does not resolve every contamination or hazard concern.

App resource: Show: Emergency assignment, Daily log, Equipment, Conditions, Handoff. Emergency access needs its own documented authorization path.

04 / PROVIDER PROFILE 04

Contents cleaning / restoration

Pack, transport, clean, store, and return belongings

When this provider enters

Belongings may be restorable, need protection during repairs, or must move to allow work. The service may include specialty vendors for electronics, textiles, art, or other items.

What they do

Maintain physical custody and condition records while evaluating and restoring authorized items. Cleaning outcomes must remain distinct from inventory valuation and carrier payment decisions.

The process in HomeBack

1. Survey and obtain approval. Identify affected rooms, proposed handling, cleaning and storage, special items, exclusions, and the authorized scope. Record homeowner priorities and immediate needs.

2. Identify and pack out. Assign an item or box ID and link it to the LifeWorth room record. Photograph condition, contents where practical, destination, and custody transfer.

3. Evaluate and restore. Record the method or service category used by the qualified provider, item-level result, specialty referral, and items that could not be restored. Preserve supporting evidence.

4. Store and reconcile. Track warehouse or storage location, dates, access requests, recurring charges, inventory changes, and missing or damaged items reported during custody.

5. Pack back and resolve. Confirm the property is ready for return. Reconcile delivery against the manifest, obtain acknowledgment, record exceptions, and assign responsibility for unresolved items.

Required records

Signed scope; item and box manifests; condition photos; custody events; cleaning outcomes; specialty invoices; storage dates and rates; delivery records; exception list.

Handoff and completion

Send unsuccessful restoration evidence to the inventory specialist and authorized claim representative. Confirm return readiness with the contractor and homeowner before delivery.
Complete when: Every accepted item has a documented outcome: returned, retained in authorized storage, transferred, or disposed of with proper authorization. Delivery exceptions and charges remain visible until resolved.

App resource: Show: Item custody, Box contents, Cleaning result, Storage, Return exceptions. Do not mark an entire shipment accepted when individual items remain disputed.

04 / PROVIDER PROFILE 05

Contents inventory specialist

Document belongings and support replacement values

When this provider enters

The claim needs a complete and supportable belongings schedule, whether LifeWorth existed before the loss or the inventory must be reconstructed afterward.

What they do

Identify items, quantities, ownership information, condition and age where known, loss evidence, and comparable replacement pricing. Keep homeowner statements, observed facts, researched values, and carrier positions separate.

The process in HomeBack

1. Start from the evidence. Import available LifeWorth records, existing carrier inventories, photographs, videos, pack-out manifests, and purchase information. Preserve the source of each record.

2. Interview room by room. Capture descriptions, brand or model when known, quantity, age estimates, condition, and location. Use unknown or estimated fields rather than inventing details.

3. Research replacement support. Record comparable products, specifications, retailer or source, price, research date, and differences. AI suggestions require human review before inclusion as confirmed data.

4. Review and reconcile. Have the homeowner review the item list; reconcile duplicates and items on cleaning manifests. Preserve corrections and disputed classifications.

5. Track replacement evidence. Link receipts to the exact item and quantity. Record amount spent, prior submissions, carrier response, and remaining evidence requests without assuming automatic reimbursement.

Required records

Room and item schedule; original photos; homeowner statements; model details; pricing sources and dates; review history; carrier item crosswalk; receipt allocations; unresolved list.

Handoff and completion

Receive condition and restoration results from contents cleaning. Supply the reviewed schedule and evidence to the authorized claim team. Coordinate disposition questions before belongings are discarded.
Complete when: Each claimed item has a unique ID, source, review status, quantity, and supported value or a clearly labeled information gap. Replacement receipts are allocated without duplication.

App resource: Show: Inventory by room, Evidence confidence, Comparable item, Homeowner review, Receipt matching. Preserve original records when correcting descriptions.

04 / PROVIDER PROFILE 06

Asbestos testing professional

Assess suspect materials and report sample findings

When this provider enters

Planned disturbance or damaged suspect materials call for qualified assessment. EPA advises professional sampling of suspect materials in these circumstances; visual appearance cannot confirm asbestos. [2]

What they do

Review affected materials, inspect within the assignment, determine an appropriate sampling approach, maintain sample traceability, obtain laboratory results, and explain findings and limitations.

The process in HomeBack

1. Receive the work boundary. Collect the property details, damaged areas, planned demolition or repairs, existing surveys, and access constraints. Identify which areas and materials the assignment covers.

2. Inspect and plan. Qualified personnel identify suspect materials and define sample locations and methods appropriate to the project. Record inaccessible areas and exclusions.

3. Sample and submit. Assign sample IDs, photograph locations, and maintain chain of custody through laboratory submission. Sampling is performed by the qualified professional.

4. Interpret and report. Link laboratory results to specific materials and locations. Explain what was tested, findings, limitations, and any additional assessment needed.

5. Support work planning. Send findings to the authorized parties planning removal, control, or repair. Track subsequent scope changes requiring further assessment.

Required records

Assessor qualifications; assignment scope; material and sample map; photographs; chain of custody; laboratory results; signed report; exclusions and follow-up recommendations.

Handoff and completion

Route material-specific findings to the abatement contractor and repair coordinator. Keep original laboratory reports intact and distinguish them from interpretation summaries.
Complete when: All planned samples and results are reconciled; report is complete; affected areas and exclusions are clear. A finding for one sample must not automatically clear the whole property.

App resource: Show: Material register, Sample ID, Lab status, Findings by area, Report. Require the responsible professional to interpret results; AI may summarize with review.

04 / PROVIDER PROFILE 07

Lead testing professional

Evaluate relevant painted surfaces and lead findings

When this provider enters

Planned repair or disturbance of painted components, property characteristics, or prior findings warrant evaluation by appropriately qualified personnel.

What they do

Select a testing or assessment approach appropriate to the purpose, document tested components and locations, and explain results. EPA distinguishes who can perform different renovation testing methods. [3]

The process in HomeBack

1. Define the assignment. Review planned work, affected components, property information, existing reports, and whether the request is renovation testing, inspection, risk assessment, or clearance.

2. Select qualified personnel. Match the method and task to the individual's qualifications. Record the person, firm, credential details, and service category rather than a generic verified badge.

3. Inspect and test. Document relevant surfaces, components, methods, sample or reading IDs, and any inaccessible or excluded areas. Preserve the original results.

4. Issue findings. Provide a location-specific report, limitations, and recommendations appropriate to the assignment. Keep laboratory data and the professional's interpretation linked.

5. Coordinate the next scope. Share relevant findings with the renovation or abatement team. If further verification is needed, create a separate assignment with its own purpose and deliverables.

Required records

Assignment purpose; qualifications; component map; methods; sample or reading records; chain of custody and laboratory results where relevant; signed findings and limitations.

Handoff and completion

Provide the contractor and abatement team with the affected component list. Distinguish renovation work under lead-safe practices from a lead abatement assignment; EPA treats these as different programs. [4]
Complete when: The report clearly identifies tested components, method, result, exclusions, and intended use. A renovation test or cleaning record must not be relabeled as a broader clearance report.

App resource: Show: Assessment type, Component, Method, Result, Next requirement. Avoid a single property-wide lead-free badge based on limited testing.

04 / PROVIDER PROFILE 08

Bacteria / contamination testing

Assess suspected contamination and justify sampling

When this provider enters

Sewage, contaminated floodwater, or other conditions raise a contamination question. OSHA notes floodwater can contain biohazards from sources including untreated sewage. [5]

What they do

A qualified assessor defines the question, reviews conditions, determines whether sampling is useful, selects an appropriate approach, and interprets results within their scope. Testing is not automatically necessary on every loss.

The process in HomeBack

1. Review source and conditions. Collect the incident history, affected rooms and materials, elapsed time, prior work, site observations, and available source information. Record uncertainty.

2. Define the assessment goal. State whether the task is initial evaluation, work planning, or post-work verification. Explain the rationale if sampling is proposed or if it is not needed.

3. Collect and document. When sampling is warranted, record locations, sample type, dates, conditions, responsible collector, laboratory, and chain of custody.

4. Interpret the findings. A qualified professional explains results, method limitations, and relevance to the assessment question. A laboratory result alone does not establish unrestricted safe occupancy.

5. Specify follow-up. Document the recommended remediation or verification actions and the responsible parties. Create any follow-up assessment as a linked assignment.

Required records

Assessment scope; incident history; field observations; sampling rationale or no-sampling rationale; location map; custody records; laboratory report; professional interpretation; follow-up recommendations.

Handoff and completion

Share the assessment with the qualified mitigation or remediation provider. Keep bacteria, mold, chemical hazards, and other concerns as separate findings where relevant rather than one generic test status.
Complete when: The assessment question is answered within stated limits, results are reconciled, and remaining work or verification has an owner. No automatic universal pass/fail threshold should be built into the app.

App resource: Show: Assessment purpose, Sampling rationale, Lab status, Professional conclusion, Follow-up. Store criteria with their source and responsible professional.

04 / PROVIDER PROFILE 09

Roofing contractor

Protect, repair, or replace the roof system

When this provider enters

Roof damage, leakage, or compromised weather protection requires qualified inspection and temporary or permanent work.

What they do

Assess roof conditions, document damage and limitations, prepare the roofing scope, perform authorized protection or construction, and deliver inspection and warranty records.

The process in HomeBack

1. Inspect and capture. Document roof areas, visible conditions, affected components, measurements, and limitations. Record ground or remote observations separately from direct inspection.

2. Provide temporary protection. Where appropriate and authorized, document temporary work, date, affected area, purpose, and limitations. Link charges and follow-up needs to that separate scope.

3. Develop permanent scope. Identify materials, quantities, accessories, repair or replacement approach, relevant permits, and anticipated dependencies. Preserve evidence supporting changes.

4. Perform and monitor. Confirm schedule and access, protect the work area, record progress and exposed conditions, and obtain approval for material scope changes.

5. Close and deliver. Record applicable inspections, completion photos, punch-list corrections, final invoice, product information, and warranty documents.

Required records

Qualification and insurance records; roof map and measurements; inspection photos; estimate; agreement; temporary-work records; permits where applicable; changes; final photos and warranty.

Handoff and completion

Coordinate weather protection with mitigation and repair scheduling with the general contractor. Route suspect materials for qualified assessment before affected disturbance work.
Complete when: Authorized roofing scope complete, outstanding defects identified and resolved or assigned, applicable inspections documented, and warranty delivered. Temporary protection remains visibly distinct from permanent repair.

App resource: Show: Roof areas, Temporary protection, Permanent scope, Exposed damage, Warranty. Link interior damage observations to rooms without assuming causation is confirmed.

04 / PROVIDER PROFILE 10

Asbestos abatement contractor

Remove or control identified asbestos materials

When this provider enters

Assessment findings and the planned work establish a need for a qualified asbestos response within a defined area and scope.

What they do

Plan and perform authorized asbestos removal or control, document applicable notifications and project records, track waste handling, and coordinate verification appropriate to the project. Requirements depend on the project and jurisdiction. [6]

The process in HomeBack

1. Review findings and boundaries. Confirm the survey, affected materials and quantities, location map, access, exclusions, work objectives, and applicable qualifications.

2. Plan and authorize. Prepare the work plan, scope, price, schedule, and necessary project-specific arrangements. Identify applicable notifications, permits, controls, and verification responsibilities.

3. Perform controlled work. Qualified personnel implement the approved methods and record work areas, dates, changes, and professional project records. HomeBack stores the evidence, not instructions for unqualified work.

4. Track waste and completion. Link removed materials to waste or disposal documentation. Record completion observations, remaining materials, and any revised boundaries.

5. Verify and hand off. Coordinate any required independent inspection or testing. Keep the responsible verifier’s report and limitations attached to the exact work area before downstream release.

Required records

Qualifications; survey and lab findings; agreement; work plan; applicable notices or permits; project logs; waste and disposal records; completion photos; verification report where applicable.

Handoff and completion

Receive findings from the assessor. Provide the coordinator with an area-specific closeout package for contractor scheduling. Record reviewer and release evidence; do not release unrelated areas automatically. **Complete when:** Authorized work is documented, waste records reconciled, required verification received, and remaining materials or restrictions identified. Additional positive findings create a new or revised scope.

App resource: Show: Material scope, Project requirements, Waste records, Verification, Area release. Support both removal and other professionally specified control approaches.

04 / PROVIDER PROFILE 11

Lead abatement contractor

Perform a defined lead hazard reduction project

When this provider enters

A qualified assessment and project decision call for lead abatement. This is distinct from ordinary renovation performed using applicable lead-safe practices. [4]

What they do

Carry out the authorized lead abatement scope through appropriately qualified parties, document the work, and coordinate the applicable clearance and closeout process.

The process in HomeBack

1. Review the assessment. Identify affected components and hazards, selected approach, occupancy constraints, access, exclusions, and the project's intended outcome.

2. Plan and engage. Confirm personnel qualifications, scope, agreement, schedule, applicable requirements, and who will perform any independent inspection or clearance.

3. Perform the authorized work. Record component-level work, dates, professional project records, photographs, and approved changes. Preserve the distinction between temporary controls and permanent measures.

4. Document completion. Reconcile the work to the approved scope, record waste handling or disposal documentation as applicable, and identify items needing correction.

5. Coordinate clearance and release. Attach the required verification or clearance report from the appropriate qualified party. Track failed or incomplete findings and corrective work before releasing the affected area.

Required records

Qualifications; assessment; component scope; agreement; work plan; applicable notices; project records; changes; waste records as applicable; completion and clearance documentation.

Handoff and completion

Share completion information with the qualified verifier and repair coordinator. Keep the report's area and purpose explicit so a partial finding is not presented as whole-property clearance.
Complete when: Authorized components addressed, required closeout and clearance records received, corrections resolved, and remaining hazards or restrictions documented.

App resource: Show: Component register, Abatement scope, Corrections, Clearance, Area release. Keep lead and asbestos requirements separate even if one company performs both services.

05 / COORDINATING THE WORK

Handoffs that prevent delays

Dependencies should be attached to a specific room, material, item, or work area.

From / to	Handoff package	Release or next action
Mitigation → Contractor	Initial and final conditions, removed materials, logs, photos, remaining concerns.	Coordinator confirms readiness for the next assigned scope; unresolved hazards stay visible.
Testing → Abatement	Report, laboratory results, locations, exclusions, planned work boundary.	Qualified parties establish the abatement scope and project-specific requirements.
Abatement → Verification → Repair	Completed scope, waste records, applicable independent report, remaining restrictions.	Designated reviewer records area-specific release only after required evidence is accepted.
Cleaning → Inventory → ADPA	Custody manifest, restoration results, unsuccessful restoration evidence, reviewed item list.	Reconcile item IDs; submit supporting contents evidence through the authorized claim channel.
Contractor → Contents return	Schedule, rooms ready, access contact, remaining work or storage restrictions.	Homeowner and contents company confirm delivery timing and identify exceptions.
Any provider → Claim team	Authorized scope, changes, photos, reports, itemized invoice.	Review for claim support and duplication; track carrier response separately.

A useful blocker record

Each blocker should state: what is missing, the affected work, who must act, when it was requested, next follow-up date, and the exact evidence that will resolve it. “Waiting on report” is incomplete without the report owner and affected area.

> **Parallel work is allowed when appropriate.** Contents research may continue while a separate area awaits assessment. Emergency stabilization and permanent repair can have different scopes and authorizations. Dependencies should reflect the qualified parties’ project plan.

06 / LIFEWORTH INTEGRATION

The evidence thread across the loss

LifeWorth connects the homeowner’s record to professional work and claim documentation.

Before a loss: HomeBack 1

Homeowner photographs or videos rooms and belongings, adds descriptions and available receipts, and reviews suggested room assignments, materials, and values. Preserve originals, dates, and source metadata. An AI-generated description or price remains a suggestion until reviewed.

After a loss: HomeBack 2

Create the loss record and connect any existing LifeWorth property record. If none exists, build a post-loss inventory from available photographs, interviews, receipts, and provider evidence. Label pre-loss evidence separately from post-loss reconstruction.

During claim representation: ADPA

Use authorized evidence to support item schedules, building observations, submissions, replacement receipt matching, and unresolved-item follow-up. Track the carrier’s item numbers alongside HomeBack IDs without replacing the original records.

Shared identifier	What it connects
Property + loss ID	The home and a specific incident; preserve separate incidents and dates.
Room / area ID	Photos, measurements, material findings, mitigation work, and repair tasks.
Contents item ID	Description, evidence, valuation support, custody events, cleaning outcome, and replacement receipts.
Material / component ID	Suspect material, test location, laboratory finding, abatement scope, and release.
Document + version ID	Original upload, author, date, review status, correction history, and submissions.

Prevent double counting

A chair cleaned and returned should not silently remain classified as discarded. A receipt covering several items needs line-level allocation; an item replaced through multiple purchases needs a combined history. Keep quantity, value, amount spent, and carrier payment in separate fields.

> **Human review is essential:** Homeowners confirm belongings information; qualified professionals interpret testing and technical findings; the authorized claim team reviews claim submissions. Preserve who reviewed what and when.

07 / HOMEOWNER AND PROVIDER EXPERIENCE

Build a useful resource page

The resource area should educate the homeowner and lead directly to the correct assignment.

Resource section	Content and action
What they do	Plain-language role, typical reasons for involvement, and an example of the service outcome.
When you may need them	Loss-specific triggers, who can recommend the service, and assessment prerequisites.
How the process works	A short ordered workflow with the current step and next action when a job exists.
Agreement and costs	Who the customer is, what is included, exclusions, authorization, estimate, changes, and billing terms.
Your documents	Relevant reports, photos, agreements, invoices, and homeowner review tasks.
Completion and next provider	What completion means, outstanding corrections, applicable verification, and downstream contact.
Contact or request service	Provider contact, appointment request, preferred contact method, and consent to share selected information.

Provider profile fields

Company and service types; primary contact; service area; applicable license or credential details and issuing authority; insurance records; document expiration dates; availability; assigned staff; and verification status with date and source. An uploaded credential should start as submitted until reviewed.

Assignment workspace

Give providers a scoped dashboard with assigned properties, tasks, appointments, evidence uploads, scope revisions, signed documents, change requests, blockers, invoices, and handoff submission. Allow missing-evidence requests without granting access to the entire claim file.

Homeowner-facing labels

Use concrete actions: “Review your estimate,” “Confirm the inventory,” “Your report is pending,” or “Schedule belongings return.” Explain the service before asking for authorization. Identify the company that will perform the work and the agreement being signed.

> **Referral choice:** A request for a contractor or mitigation service should not automatically enroll the homeowner in ADPA representation. Show the optional ADPA path and maintain a distinct signed agreement.

08 / RECORDS, ACCESS, AND MONEY

Keep each decision traceable

Recommended data rules for José's implementation plan.

Permissions by assignment

Homeowners see their authorized property and service information. Providers receive only assigned work and selected evidence. ADPA access follows the homeowner's representation and permissions. A coordinator manages assignments and documents within its authority; administrative access and changes are recorded.

Track	Example states	Evidence to retain
Work	Requested; authorized; active; paused; completed.	Agreement, task history, progress, acceptance, and exceptions.
Coverage	Not submitted; pending; accepted in part; disputed; denied.	Carrier communication, affected items, source, date, and review.
Payment	Not invoiced; invoiced; partially paid; paid; disputed.	Invoice, payer, amounts, receipt dates, allocations, and balance.
Document review	Uploaded; under review; accepted; correction requested; superseded.	Uploader, version, reviewer, comments, dates, and original file.

Invoice and change controls

Link each invoice line to a service assignment, authorized work, time or quantity where relevant, and approved changes. Flag possible duplication across providers or phases for review. Preserve the original invoice and any disputed balance instead of silently editing the provider's record.

Notifications that produce action

Notify the named owner when authorization, an appointment, a correction, a report, or a handoff requires action. Include the affected area, requested action, due date, and a direct link. Use reminder timing configured for the workflow; avoid inventing deadlines from a generic rule.

Audit and closure

Retain the original evidence, revisions, signers, dates, status changes, access changes, and release decisions. Make assignments reopenable with a reason. Provide a closeout export with a document index, outstanding exceptions, and permission-aware records.

> **Project settings must be configurable:** Applicable qualifications, permit and notification needs, verification rules, signers, and professional criteria vary by service and jurisdiction. Do not hard-code one universal clearance rule.

09 / ILLUSTRATIVE SCENARIO

A fire loss with multiple providers

Example only: the actual sequence follows conditions, authorizations, and professional findings.

Moment	HomeBack action	Who acts next
A contractor meets the homeowner	Create property and loss intake; explain the contractor's scope; obtain its work agreement. Offer a separate optional ADPA referral.	Homeowner selects services; retained providers receive assignments.
Emergency work is needed	Mitigation documents conditions and performs authorized stabilization within qualifications. Roofing may provide authorized temporary protection.	Coordinator tracks remaining conditions and needed assessments.
Belongings need to move	Contents company captures item and box IDs, condition photos, and custody events. Inventory specialist links LifeWorth evidence and begins research.	Homeowner reviews descriptions; cleaning results update item outcomes.
Suspect materials affect demolition	Qualified assessors evaluate relevant materials. Record any contamination question as its own assessment request.	Scope-specific findings determine whether qualified abatement or other work is needed.
Specialized work finishes	Upload completion and disposal records, plus required verification. Record the exact area released for subsequent work.	Contractor schedules the released repair scope; unresolved areas stay blocked.
Repairs and contents return	Track construction progress, changes, inspections, punch list, and readiness for delivery. Reconcile returned belongings.	Homeowner records delivery exceptions and outstanding corrections.
Claim and project reconciliation	ADPA, if retained, reconciles submitted support and carrier responses. Link receipts, invoices, and payments to the correct records.	Each unresolved item keeps an owner and next action until resolved.

The homeowner sees one recovery story: who is assigned, what each provider is doing, what is waiting, which decision requires attention, and what will happen next. Professional reports and carrier decisions remain attributed to their authors.

10 / DEVELOPER ACCEPTANCE CHECKLIST

A concrete handoff for José

Suggested build order and review criteria; no implementation completion is claimed.

Build area	Acceptance criteria
1. Service taxonomy	All 11 roles exist; asbestos and lead abatement have separate service types; one company can hold multiple appropriately reviewed roles.
2. Resource pages	Each service has role, triggers, process, records, costs/authorization explanation, completion, and contact/request actions.
3. Intake and agreements	Property and loss IDs persist across services; provider work agreements and optional ADPA representation are separate.
4. Assignment workflow	Statuses, owner, next action, schedule, blockers, emergency route, cancellation, and reopening work without losing history.
5. Evidence and LifeWorth	Rooms, items, components, receipts, and document versions connect across assignments; AI proposals carry a review state.
6. Reports and dependencies	Samples reconcile to results; findings preserve scope; required verification blocks affected downstream work until recorded release.
7. Contents tracking	Pack-out, custody, cleaning results, storage, inventory, receipts, return, and exceptions share stable item IDs.
8. Money and access	Work, coverage, and payment stay separate; invoice allocations and role permissions preserve a traceable history.
9. Closeout export	A readable package includes approved scope, evidence index, changes, completion, invoices, and unresolved exceptions.

Review with realistic cases

Use a pre-loss LifeWorth record, a post-loss-only inventory, an emergency mitigation assignment, a positive material finding, a partial area release, a missing item on return, a split receipt allocation, and a disputed invoice. Verify both the responsible provider view and the homeowner view.

> **First deliverable from development:** Map each acceptance item to the existing application and label it Available, Partial, Missing, or Requires integration. Include the screen or workflow reference, implementation owner, and next step. This guide itself does not establish current availability.

11 / REFERENCE AND DECISION NOTES

Sources and project decisions

Official references checked October 21, 2026. Product design recommendations are proposed by Susie.

[1] California Department of Insurance - Public Adjuster Authorizing Act

Basis for the distinction between policyholder representation and provider construction or restoration work.

https://www.insurance.ca.gov/0200-industry/0050-renew-license/0200-requirements/public-adjuster/Authorizing-Act.cfm

[2] EPA - Remodeling and suspect asbestos materials

Supports professional sampling and the limits of visual identification.

https://www.epa.gov/asbestos/im-remodeling-my-home-do-i-need-be-concerned-about-asbestos-building-materials

[3] EPA - RRP Program: Contractors

Describes renovation paint testing methods and the qualifications associated with those methods.

https://www.epa.gov/lead/renovation-repair-and-painting-program-contractors

[4] EPA - Lead Renovation, Repair and Painting Program

Program context for lead-safe renovation and the distinction from lead abatement.

https://www.epa.gov/lead/lead-renovation-repair-and-painting-program

[5] OSHA - Flood response and recovery

Supports the presence of potential biological hazards in floodwater and the need for qualified site-specific assessment.

https://www.osha.gov/flood/response

[6] EPA - Asbestos demolition and renovation compliance

Project applicability can affect inspection, notification, work, and disposal obligations; this guide does not assume every rule applies to every residence.

https://www.epa.gov/compliance/asbestos-demolition-and-renovation-compliance-monitoring

Confirm during implementation

Service-area coverage and actual provider roster; credential review ownership; approved agreement templates and signers; jurisdiction-specific requirements; independent verification arrangements; homeowner sharing permissions; document retention; supported integrations; and notification timing.

Scope: the services Angelo named, with contents cleaning and inventory separated and abatement divided into asbestos and lead. Mold, engineering, plumbing, electrical, temporary housing, and other services may be future resource categories; they are not detailed provider profiles in this edition.