

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Chat UI</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="chat-container">
    <div class="chat-header">Chat</div>
    <div class="chat-messages">
      <div class="message friend">Hi,how are you?</div>
      <div class="message user">I'm good,what about you?</div>
      <div class="message friend">Doing great.</div>
    </div>
    <div class="chat-input">
      <input type="text" placeholder="Type a message...">
      <button>Send</button>
    </div>
  </div>
</body>
</html>
```

```
body {
  font-family: Arial, sans-serif;
  background: #f2f2f2;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  margin: 0;
}

.chat-container {
  width: 350px;
  background: #fff;
  border-radius: 10px;
  box-shadow: 0 4px 10px rgba(0,0,0,0.1);
  display: flex;
  flex-direction: column;
```

```
    overflow: hidden;
}
.chat-header {
    background: #4CAF50;
    color: #fff;
    padding: 15px;
    text-align: center;
    font-weight: bold;
}
.chat-messages {
    flex: 1;
    padding: 10px;
    overflow-y: auto;
}
.message {
    margin: 10px 0;
    padding: 10px;
    border-radius: 15px;
    max-width: 70%;
    clear: both;
}
.message.user {
    background: #DCF8C6;
    margin-left: auto;
    text-align: right;
}
.message.friend {
    background: #eee;
    margin-right: auto;
    text-align: left;
}
.chat-input {
    display: flex;
    border-top: 1px solid #ddd;
}
.chat-input input {
    flex: 1;
    padding: 10px;
    border: none;
    outline: none;
```

```
}  
.chat-input button {  
  padding: 10px 15px;  
  border: none;  
  background: #4CAF50;  
  color: #fff;  
  cursor: pointer;  
}
```

Chat

Hi,how are you?

I'm good,what about you?

Doing great.

Type a message...

Send