




act: Running GitHub Actions locally

GitHub Actions



GitHub actions is a CI/CD platform

We configure github actions via the repo's `.github/workflow/*.yml` files

In workflows we describe what tasks to do (jobs, steps) and when (events)




Workflows



[.github/workflows/cicd.yml](#)

```
1  name: CI/CD
2
3  on:
4    push:
5      branches:
6        - main
7    pull_request:
8      branches:
9        - main
10
11  jobs:
12 >   format: ...
19
20 >   lint: ...
29
30 >   test: ...
52
53 >   publish: ...
67
```

Workflows



[.github/workflows/cicd.yml](#)

```
11 jobs:
12 >   format: ...
19
20 >   lint: ...
29
30 >   test: ...
52
53   publish:
54     if: github.event_name == 'push' && startsWith(github.ref, 'refs/tags')
55     needs:
56       - format
57       - lint
58       - test
59     runs-on: ubuntu-latest
60     permissions:
61       id-token: write
62     steps:
63       - uses: actions/checkout@v6
```

Why act?

- [act](#) allows us to run our workflows locally
- Looks nicer on GitHub actions ☒ ☐
- Get to testing faster (and in multiple python vers)
- You can choose jobs

Getting started

- ❑ Install e.g. ``brew install act``
- ❑ Have a running container e.g. docker engine
- ❑ In the repo root run any of the following commands:
 - ``act`` for all workflows
 - ``act <event>`` for certain trigger e.g. push
 - ``act -W <chosen-workflow-filename>``
 - ``act -j <chosen-job-name>``
- ❑ (Optional but recommended) Install  GitHub Local Actions  extension in VS code

act repo: <https://github.com/nektos/act>

act docs: <https://nektosact.com/>

Colima+docker demo: <https://github.com/angelphanth/colima-demo>

Demo

Using act to run [this *cicd.yml*](#) workflow locally