



Natural Language Processing

Anoop Sarkar

anoopsarkar.github.io/nlp-class

Simon Fraser University

October 18, 2018

Natural Language Processing

Anoop Sarkar

anoopsarkar.github.io/nlp-class

Simon Fraser University

Part 1: Neural Language Models

Long distance dependencies

Example

- ▶ He doesn't have very much confidence in himself
- ▶ She doesn't have very much confidence in herself

n-gram Language Models: $P(w_i \mid w_{i-n+1}^{i-1})$

$P(\text{himself} \mid \text{confidence, in})$

$P(\text{herself} \mid \text{confidence, in})$

What we want: $P(w_i \mid w_{<i})$

$P(\text{himself} \mid \text{confidence, } \dots, \text{him})$

$P(\text{herself} \mid \text{confidence, } \dots, \text{her})$

Long distance dependencies

Other examples

- ▶ **Selectional preferences:** *I ate lunch with a fork* vs. *I ate lunch with a backpack*
- ▶ **Topic:** *Babe Ruth was able to touch the home plate* yet again vs. *Lucy was able to touch the home audiences* with her humour
- ▶ **Register:** informal (Twitter) vs. formal (scientific articles)

Acknowledgements

Many slides borrowed or inspired from lecture notes by Michael Collins, Chris Dyer, Kevin Knight, Philipp Koehn, Adam Lopez, Graham Neubig and Luke Zettlemoyer from their NLP course materials.

All mistakes are my own.

A big thank you to all the students who read through these notes and helped me improve them.