

Nama : Anggi Yohanes Pardede

NIM : 191402143



Matkul : EDS (Kom A)

The screenshot shows the SAP HANA Database Explorer interface. The left sidebar displays the 'Filter Databases' section with 'EDS2021 (DBADMIN)' selected. The main pane shows the 'Remote Sources' tab for 'SYSRDL#CG_SOURCE'. A table lists remote sources with columns: Remo..., Adapter..., Location, Agent N..., CDC Su..., Total Su..., VT Subs..., SQL Sub..., Status, Capture..., and Distributi....

Remo...	Adapter...	Location	Agent N...	CDC Su...	Total Su...	VT Subs...	SQL Sub...	Status	Capture ...	Distributi...
<input type="checkbox"/> SYSHDL...	IQODBC	indexserver		FALSE	0	0	0			
<input type="checkbox"/> SYSRDL...	IQODBC	indexserver		FALSE	0	0	0			

The screenshot shows the details for the 'SYSRDL#CG_SOURCE' remote source. The 'Adapter Name' is 'IQODBC' and the 'Source Location' is 'indexserver'. Below this, there are dropdown menus for 'Database' (set to '<NULL>'), 'Schema' (set to 'SYSRDL#CG'), 'Object' (empty), and 'Type' (set to 'ANY'). A 'Search' button is present. The 'Remote Objects (3)' section shows a table with columns: Database, Schema, Object, and Type.

Database	Schema	Object	Type
<input checked="" type="checkbox"/> <NULL>	SYSRDL#CG	EVENT	TABLE
<input checked="" type="checkbox"/> <NULL>	SYSRDL#CG	GKG	TABLE
<input checked="" type="checkbox"/> <NULL>	SYSRDL#CG	MENTIONS	TABLE



SAP HANA Database Explorer

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

SYSRDL#CG_SOURCE

SYSRDL#CG_SOURCE

1 CREATE TABLE SAGENCYDATA as (select SBOOK.AGENCYNUM,
2 count(SBOOK.AGENCYNUM) as NUMBOOKINGS from SBOOK, STRAVELAG where
3 SBOOK.AGENCYNUM=STRAVELAG.AGENCYNUM group by SBOOK.AGENCYNUM order by
4 count(SBOOK.AGENCYNUM)desc);

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

Statement/Syntax

Tables and Views (2)

Procedures and Fun...

SQL Functions (1)

Messages x History

Statement: CREATE TABLE SAGENCYDATA as (select SBOOK.AGENCYNUM, count(SBOOK.AGENCYNUM) as NUMBOOKINGS from ...
Client elapsed time: 188.0 ms
Statement prepare time: 4.002 ms elapsed time, 3.624 ms CPU time
Statement execute time: 185.8 ms elapsed time, 796.8 ms CPU time
Peak memory consumed: 16.38 MB

SAP HANA Database Explorer

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

SYSRDL#CG_SOURCE

SYSRDL#CG_SOURCE

1 SELECT * FROM SAGENCYDATA
2 ;
3

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

Statement/Syntax

Tables and Views (1)

Procedures and Fun...

SQL Functions

Result x Messages x History

Rows (49)

	AGENCYNUM	NUMBOOKINGS
1	00000284	27870
2	00000122	27869
3	00000109	27867
4	00000101	27866
5	00000118	27416
6	00000087	25936
7	00000061	25935
8	00000000	0

SAP HANA Database Explorer

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Analyze

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

```
1 SELECT TOP 5 SAGENCYDATA.AGENCYNUM,  
2 STRAVELAG.NAME,SAGENCYDATA.NUMBOOKINGS from SAGENCYDATA INNER JOIN  
3 STRAVELAG on SAGENCYDATA.AGENCYNUM = STRAVELAG.AGENCYNUM;  
4
```

Result x Messages x History

Rows (5)

	AGENCYNUM	NAME	NUMBOOKINGS
1	00000284	Rainy, Stormy, Cloudy	27870
2	00000122	Fly Low	27869
3	00000109	Kangeroos	27867
4	00000101	Bella Italia	27866
5	00000118	Asia By Plane	27416

Statement/Syntax

Tables and Views (2)

Procedures and Fun...

SQL Functions

SAP HANA Database Explorer

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Analyze

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

```
1 CREATE TABLE STOPAGENCY as (select top 5 SAGENCYDATA.AGENCYNUM,  
2 STRAVELAG.NAME,SAGENCYDATA.NUMBOOKINGS from SAGENCYDATA INNER JOIN  
3 STRAVELAG on SAGENCYDATA.AGENCYNUM = STRAVELAG.AGENCYNUM);
```

Messages x History

Statement: CREATE TABLE STOPAGENCY as (select top 5 SAGENCYDATA.AGENCYNUM, ...

Client elapsed time: 30.00 ms

Statement prepare time: 3.359 ms elapsed time, 3.005 ms CPU time

Statement execute time: 27.82 ms elapsed time, 25.56 ms CPU time

Peak memory consumed: 6.203 MB

abc

SAP HANA Database Explorer

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

1 - SELECT * FROM STOPAGENCY

Result x Messages x History

Rows (5)

	AGENCYNUM	NAME	NUMBOOKINGS
1	00000284	Rainy, Stormy, Cloudy	27870
2	00000122	Fly Low	27869
3	00000109	Kangeroos	27867
4	00000101	Bella Italia	27866
5	00000118	Asia By Plane	27416

Statement/Syntax

Tables and Views (1)

Procedures and Fun...

SQL Functions

SAP HANA Database Explorer

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

1 - CREATE TABLE SAGBOOKDAYS as (select AGENCYNUM, dayname(ORDER_DATE) as ORDERDAY, count(dayname(ORDER_DATE)) as DAYCOUNT from SBOOK group by AGENCYNUM, dayname(ORDER_DATE));

Messages x History

Statement: CREATE TABLE SAGBOOKDAYS as (select AGENCYNUM, dayname(ORDER_DATE) as ORDERDAY, ...

Client elapsed time: 275.0 ms

Statement prepare time: 4.122 ms elapsed time, 3.496 ms CPU time

Statement execute time: 272.9 ms elapsed time, 2.567 s CPU time

Peak memory consumed: 24.60 MB

Statement/Syntax

Tables and Views (1)

Procedures and Fun...

SQL Functions (2)

Trials Home > 88d73620trial > tri... x Instances - SAP HANA Cloud Co... x Database Explorer x TIF-TIF4503A-2021A: UTS x +

hana-cockpit.cfapps.eu10.hana.ondemand.com/hrtt/sap/hana/cst/catalog/cockpit-index.html?databaseid=C1124671

SAP HANA Database Explorer About Help

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

SYSRDL#CG_SOURCE

SYSRDL#CG_SOURCE

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Analyze v SQL Console 2 sql x

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

1 SELECT * FROM SAGBOOKDAYS;

Result x Messages x History

Rows (350)

	AGENCYNUM	ORDERDAY	DAYCOUNT
1	00000121	SATURDAY	3406
2	00000087	SATURDAY	3708
3	00000301	FRIDAY	3523
4	00000124	FRIDAY	3476
5	00000152	THURSDAY	2734
6	00000222	SUNDAY	2849
7	00000101	SATURDAY	4001

Statement/Syntax

Tables and Views (1)

Procedures and Fun...

SQL Functions

Trials Home > 88d73620trial > tri... x Instances - SAP HANA Cloud Co... x Database Explorer x TIF-TIF4503A-2021A: UTS x +

hana-cockpit.cfapps.eu10.hana.ondemand.com/hrtt/sap/hana/cst/catalog/cockpit-index.html?databaseid=C1124671

SAP HANA Database Explorer About Help

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

SYSRDL#CG_SOURCE

SYSRDL#CG_SOURCE

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Analyze v SQL Console 2 sql x

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

1 SELECT SAGBOOKDAYS.AGENCYNUM, STOPAGENCY.NAME, SAGBOOKDAYS.ORDERDAY,
2 SAGBOOKDAYS.DAYCOUNT from SAGBOOKDAYS INNER JOIN STOPAGENCY on
3 SAGBOOKDAYS.AGENCYNUM=STOPAGENCY.AGENCYNUM where SAGBOOKDAYS.DAYCOUNT in
4 (select max(DAYCOUNT) from SAGBOOKDAYS group by AGENCYNUM);

Result x Messages x History

Rows (5)

	AGENCYNUM	NAME	ORDERDAY	DAYCOUNT
1	00000122	Fly Low	THURSDAY	4037
2	00000284	Rainy, Stormy, Cloudy	MONDAY	4108
3	00000101	Bella Italia	THURSDAY	4038
4	00000118	Asia By Plane	TUESDAY	4004
5	00000109	Kangeroos	THURSDAY	4095

Statement/Syntax

Tables and Views (2)

Procedures and Fun...

SQL Functions (1)

Trials Home > 88d73620trial > tri... x Instances - SAP HANA Cloud Co... x Database Explorer x TIF-TIF4503A-2021A: UTS x +

hana-cockpit.cfapps.eu10.hana.ondemand.com/hrtt/sap/hana/cst/catalog/cockpit-index.html?databaseid=C1124671

SAP HANA Database Explorer About Help

Filter Databases

- Indexes
- JSON Collections
- Libraries
- Procedures
- Public Synonyms
- Remote Sources
- Remote Subscriptions
- Schemas
- Sequences
- Synonyms

SYSRDL#CG_SOURCE

SYSRDL#CG_SOURCE

Remote Sources x SYSRDL#CG_SOURCE x SQL Console 2 sql x

Analyze v SQL Console 2 sql x

Current schema: SFLIGHT Connected to: ED52021 (DBADMIN)

1 SELECT SAGBOOKDAYS.AGENCYNUM, STOPAGENCY.NAME, SAGBOOKDAYS.ORDERDAY,
2 SAGBOOKDAYS.DAYCOUNT from SAGBOOKDAYS INNER JOIN STOPAGENCY on
3 SAGBOOKDAYS.AGENCYNUM=STOPAGENCY.AGENCYNUM where SAGBOOKDAYS.DAYCOUNT in
4 (select max(DAYCOUNT) from SAGBOOKDAYS group by AGENCYNUM);

Result x Messages x History

Rows (5)

	AGENCYNUM	NAME	ORDERDAY	DAYCOUNT
1	00000122	Fly Low	THURSDAY	4037
2	00000284	Rainy, Stormy, Cloudy	MONDAY	4108
3	00000101	Bella Italia	THURSDAY	4038
4	00000118	Asia By Plane	TUESDAY	4004
5	00000109	Kangeroos	THURSDAY	4095

Statement/Syntax

Tables and Views (2)

Procedures and Fun...

SQL Functions (1)

Create Dev Space

Welcome to **SAP Business Application Studio**

Now you can efficiently develop business applications for the Intelligent Enterprise with a powerful and modern development environment.

At the heart of SAP Business Application Studio are the dev spaces. A dev space is a pre-configured private environment (your own "virtual machine" on the cloud) where you can develop, build, test, and run using pre-installed runtimes and tools. You can create a dev space for each of your development scenarios.

[Create Dev Space](#)

My Dev Spaces Watch Demo Tutorials Blogs Community Documentation Privacy

SAP Business Application Studio

Dev Spaces

Create and manage your development environment according to the type of applications you want to develop. You can add extensions to each dev space.

Dev Space	Runtime	Status
Employee_Productivity	SAP Fiori	Running
Strategic_Buyer	SAP HANA Native Application	Running
S4_HANA_UI	Full Stack Cloud Application	Running
Traveling_Agent	SAP Fiori	Running
Manager_Approval	SAP HANA Native Application	Running

Create a New Dev Space

EDS_191402143 ✓

What kind of application do you want to create?

- ☐ SAP Fiori
- ☐ Full Stack Cloud Application
- ☒ SAP HANA Native Application

SAP HANA Native Application Dev Space

Build and deploy native SAP HANA applications or analytical models. This dev space contains a comprehensive set of editors to support the creation of database artifacts (calculation views, tables, SQLScript procedures, and more), as well as tools to enable an end-to-end development flow from project creation to the deployment to the SAP Cloud Platform.

SAP Predefined Extensions

The following extensions are enabled by default.

- Basic Tools**
Allows you to optimize your web development workflow. The extension... [more](#)
- SAP HANA Calculation View Editor**
Allows you to edit and manage SAP HANA calculation views. The extension includes th... [more](#)
- SAP HANA Database Explorer**
Allows you to access and inspect SAP HANA run-time objects. The extension includes a...

Additional SAP Extensions

Select additional extensions to enhance your space.

- ☐ **SAPUI5 Adaptation Project**
Allows to extend SAPUI5 applications using Adaptation project and Visual Editor
- ☐ **CDS Graphical Modeler**
Allows you to design SAP core data services models in SAP cloud business... [more](#)
- ☐ **CAP Tools**
Allows you to develop CAP applications using the CDS command-line and too...

[Cancel](#) [Create Dev Space](#)

Trial Home > 88d73620trialeu10cf.trial.applicationstudio.cloud.sap/index.html

SAP Business Application Studio

Dev Spaces

Create and manage your development environment according to the type of applications you want to develop.

You can add extensions and tools to further enhance your development options.

Create Dev Space

You're using a trial version. Any dev space that hasn't been running for 30 days will be deleted. See the full list of [restrictions](#).

	EDS_191402143 SAP HANA Native Application	STARTING	Created On 10/23/2021 2:44 PM	ID ws-r6ktr	Disk Usage 16 MB / 3.9 GB	   
---	---	-----------------	----------------------------------	----------------	------------------------------	---

Trial Home > 88d73620trialeu10cf.trial.applicationstudio.cloud.sap/index.html

SAP Business Application Studio






Dev Spaces

Create and manage your development environment according to the type of applications you want to develop.

You can add extensions and tools to further enhance your development options.


Create Dev Space



You're using a trial version. Any dev space that hasn't been running for 30 days will be deleted. See the full list of [restrictions](#).

	EDS_191402143 SAP HANA Native Application	RUNNING	Created On 10/23/2021 2:44 PM	ID ws-r6ktr	Disk Usage 16 MB / 3.9 GB	   
---	---	----------------	----------------------------------	----------------	------------------------------	---

Trial Home > 88d73620trialeu10cf.trial.applicationstudio.cloud.sap/index.html

SAP Business Application Studio





The image shows two overlapping screenshots from a Windows desktop environment.

Top Screenshot: SAP Business Application Studio - EDS_191402143

The interface displays the "New Project From Template" wizard. The left sidebar shows the "EXPLORER" view with options like "Open Folder", "Clone Repository", and "Create Project". The main area shows the "Bind to HDI Container Service" step, which includes fields for:

- Enter Cloud Foundry endpoint: `https://api.cf.eu10.hana.ondemand.com`
- Enter e-mail address: `anggiyohanespdd7@gmail.com`
- Enter Password: (masked with dots)
- Choose Cloud Foundry Org: `88d73620trial`
- Choose Cloud Foundry Space: `dev`

Buttons for "< Back" and "Finish" are at the bottom.


Bottom Screenshot: SAP HANA Cloud Central


The interface shows the "All Instances" view. The left sidebar has "Instances" and "Database Migrations" sections. The main area displays a table of instances with filters for Organization (88d73620trial) and Space (dev).



Status	Name	Type	Notifications	Memory	Storage	Com
EDS2021						
RUNNING	EDS2021	SAP HANA Database	1	30 GB	120 GB	2 vCPUs
RUNNING	191402143_EDS2021	Data Lake Data Lake IQ Component Enabled			256 GB	2 vCPUs


A context menu is open over the table, showing options like "Edit", "Copy SQL Endpoint", "Copy Instance ID", "Copy Configuration", "Stop", "Upgrade", "Delete", and "Open in SAP HANA Cockpit".

User task










kemudian delete



88d73620trialeu10cf.trial.applicationstudio.cloud.sap/index.html#ws-r6ktr

SAP Business Application Studio - EDS_191402143

EXPLORER

- WORKSPACE (WORKSPACE)
- ANGGI_191402143
 - db
 - node_modules
 - src
 - hdiconfig
 - SFLIGHT.hdbgrants
 - env
 - gitignore
 - package-lock.json
 - package.json
 - gitignore
 - mta.yaml
- SAP HANA PROJECTS

mta.yaml

```
4 modules:
5   - name: db
6     type: hdb
7     path: db
8     requires:
9       - name: hdi_db
10         properties:
11           TARGET_CONTAINER: ~{hdi-container-name}
12     - name: ANGGI_191402143
13 resources:
14   - name: hdi_db
15     type: com.sap.xs.hdi-container
16     properties:
17       hdi-container-name: ${service-name}
18   - name: ANGGI_191402143
19     type: org.cloudfoundry.existing-service
20
```

OUTLINE

- _schema-version 2.1
- ID ANGGI_191402143
- version 0.0.1
- modules
- resources

Problems

Task: Deploy module at /home/user/projects/ANGGI_191402143/db x

Failed at the deploy@ start script.
This is probably not a problem with npm. There is likely additional logging output above.

A complete log of this run can be found in:
/home/user/.npm/_logs/2021-10-23T08_09_04_595Z-debug.log

Terminal will be reused by tasks.

Ln 19, Col 44 LF UTF-8 Spaces: 2 YAML 2

Type here to search

45% 3:12 PM 10/23/2021