

academind /
react-complete-guide-course-resources

<> Code

Issues 18

Pull requests 10

Actions

Projects

Security

Insights

react-complete-guide-course-resources / attachments

/ 09 Practice Project - Project Management

/ tailwind-css-classes-used.md



maxschwarzmueller added code & resources

10bda70 · last year



49 lines (45 loc) · 3.39 KB

Preview

Code

Blame

Raw



Throughout this section, I'll use quite a few **Tailwind CSS** classes to style the demo project we'll build.

- If you want to follow along, and you're interested in **exploring Tailwind CSS in greater depth**, the [official docs](#) are a great place to learn more.
- **If you want to focus on React** and you're not interested in finding the right Tailwind CSS classes on your own, you'll find a list of the core classes I'll use throughout this section below.
- You can, of course, also always **check out the [code attachments](#)** that belong to this section to find the components (with their styles) that I'll build & use throughout this section!

Important Tailwind CSS Classes Used Throughout This Section

I'll use the following CSS classes (and elements) in my solution. You can look up those Tailwind classes in the [official docs](#) to understand what they do. Many of those class names might also be self-explanatory though.

```
<main className="h-screen my-8 flex gap-8">...</main>
<button className="px-4 py-2 text-xs md:text-base rounded-md bg-stone-700 text
<input className="w-full p-1 border-b-2 rounded-sm border-stone-300 bg-stone-2
<p className="flex flex-col gap-1 my-4">...</p>
```



```
<label className="text-sm font-bold uppercase text-stone-500">...</label>
<dialog className="backdrop:bg-stone-900/90 p-4 rounded-md shadow-md">...</dia
<form className="mt-4 text-right">...</form>
<h2 className="text-xl font-bold text-stone-700 my-4">...</h2>
<p className="text-stone-600 mb-4">...</p>
<div className="w-[35rem] mt-16">...</div>
<menu className="flex items-center justify-end gap-4 my-4">...</menu>
<button className="text-stone-800 hover:text-stone-950">...</button>
<button className="px-6 py-2 rounded-md bg-stone-800 text-stone-50 hover:bg-st
<div className="flex items-center gap-4">
<input className="w-64 px-2 py-1 rounded-sm bg-stone-200" />
<button className="text-stone-700 hover:text-stone-950">...</button>
<div className="mt-24 text-center w-2/3">
<img className="w-16 h-16 object-contain mx-auto" />
<h2 className="text-xl font-bold text-stone-500 my-4">...</h2>
<p className="text-stone-400 mb-4">...</p>
<p className="mt-8">...</p>
<aside className="w-1/3 px-8 py-16 bg-stone-900 text-stone-50 md:w-72 rounded-
<h2 className="mb-8 font-bold uppercase md:text-xl text-stone-200">...</h2>
<ul className="mt-8">...</ul>
<button className="w-full text-left px-2 py-1 rounded-sm my-1 hover:text-stone
<div className="w-[35rem] mt-16">...</div>
<header className="pb-4 mb-4 border-b-2 border-stone-300">...</header>
<div className="flex items-center justify-between">...</div>
<h1 className="text-3xl font-bold text-stone-600 mb-2">...</h1>
<button className="text-stone-600 hover:text-stone-950">...</button>
<p className="mb-4 text-stone-400">...</p>
<p className="text-stone-600 whitespace-pre-wrap">...</p>
<h2 className="text-2xl font-bold text-stone-700 mb-4">Tasks</h2>
<p className="text-stone-800 my-4">...</p>
<ul className="p-4 mt-8 rounded-md bg-stone-100">...</ul>
<li className="flex justify-between my-4">...</li>
<button className="text-stone-700 hover:text-red-500">...</button>
```