

PHP

petición/respuesta e interacción en el
servidor

HTTP Basics

- (1) User issues URL from a browser
http://host:port/path/file



- (5) Browser formats the response and displays

Client (Browser)

- (2) Browser sends a request message


```
GET URL HTTP/1.1
Host: host:port
.....
```

- (4) Server returns a response message

```
HTTP/1.1 200 OK
.....
```

HTTP (Over TCP/IP)

- (3) Server maps the URL to a file or program under the document directory.



Server (@ host:port)

HTTP Client(s)

http://xyz.com/home.html

Client-side Programs

Request Message

```
GET /home.html HTTP/1.1
Host: xyz.com
Connection: Keep-Alive
User-Agent: Mozilla/4.0
Accept: image/gif, image/jpeg
----- blank line -----
(Empty body)
```

Response Message

```
HTTP/1.1 200 OK
Date: ...
Server: Apache/2.0.45
Last-Modified: ...
Content-Length: 105
Content-Type: text/html
----- blank line -----
<html>
<head><title>My Home</title></head>
<body><h1>This is my Home Page</h1>
</body></html>
```


HTTP over TCP/IP

HTTP Server


Server-side Programs

+ details HTTP msg

PHP: ¿dónde?



El navegador interpreta
HTML, CSS y JS



El servidor procesa PHP, pero
retorna HTML, CSS y JS

Otra forma de verlo:

Ciclo petición/respuesta

