APA254 - Data Structures - Assignment 2.1

Stanislas Lange - 9319520196

towerHanoi.cpp

```
#include <iostream>
using namespace std;

void towerOfHanoi(int n, char from_rod, char to_rod, char aux_rod)
{
    if (n == 1)
    {
        cout << "Move disk 1 from rod " << from_rod << " to rod " <<
to_rod<<endl;
        return;
    }
    towerOfHanoi(n - 1, from_rod, aux_rod, to_rod);
    cout << "Move disk " << n << " from rod " << from_rod << " to rod " <<
to_rod << endl;
    towerOfHanoi(n - 1, aux_rod, to_rod, from_rod);
}

int main()
{
    int n = 4; // Number of disks
    towerOfHanoi(n, 'A', 'C', 'B'); // A, B and C are names of rods
    return 0;
}
```

Output

```
Move disk 1 from rod A to rod B
Move disk 2 from rod A to rod C
Move disk 1 from rod B to rod C
Move disk 3 from rod A to rod B
Move disk 1 from rod C to rod A
Move disk 2 from rod C to rod B
Move disk 1 from rod A to rod B
Move disk 4 from rod A to rod C
Move disk 1 from rod B to rod C
Move disk 2 from rod B to rod A
Move disk 1 from rod C to rod A
Move disk 3 from rod B to rod C
Move disk 1 from rod A to rod B
Move disk 2 from rod A to rod C
Move disk 1 from rod B to rod C
```