

Lab

Gtring

class A

public static void main (String ag)

(System.out.printf "anlul"))

in

Javo

boolean

voe^{is}

ne

So

Valereynired

if

Condi

hionbov

lenAn

give

even check1

import java.util.Scanner:

class Codev

public static void main

Samer G=new Scanner(System.in);

System.out.printf("Enter number\n");
int n=G.nextInt();

Variable

) types:
Local Variable
Global Variable

3) Static Variable

static

data type class A

byte byte/qbit
short byte
int Integer

long

float

byte

int a=20;

double

double

boolean -1bit

ï¿½-128

folL

byte -ng to 1o)-1E127

byte bi 12s,

by te c= bi2; rroy!
bop1); into Denati om
Com P7e il op
en ae.

by te b| 120 :
byte b 30, 120430
byte ee byte bib)

[27+ 2 -128+1
28, -127,123 127 +3 -29+2
O, 2, 3. 126,17, i¿½o | 27+23-12g+22

JavasMPP vniode eharaee
AS

pouble Stone a ale / not

sopHi) *
else dlouble Canv eut into
floati

```
class A
```

```
static int
```

```
public static void main(String[] args)
```

```
int a40;  
method):
```

```
System.out.println(a);
```

```
static void
```

```
System.out.println("MI");
```

```
weath;
```

```
A la] 'new A) ]Constructor  
Sys.out P (a.a)
```

```
Constructor!
```

```
A ( O Comstrnetor.  
gumant eonshcbs.
```

```
3
```

```
Constructor,
```

```
A
```

```
Parcume4ized Constructor.  
A int ay
```