

De morgom's |aw
for empty seds A)
De morgmn's |aw shows he compliment
dfereat efemtrs Sueh S

proot:

$$+A_{\text{amd}} B.$$
$$jeA'ond -)$$

-(ti)

101^{2s} Product non empty sets.
A, Btwo () : and ye B
X B F BX A
A'xB and DXA not c2hal, alt_{me}
i- AX B BX A AB
non empky se5 A A, :
then' theirCartesion pro dncy will have.
A , X, A X XAn

Function: f

Every element of A will be mapped to an element of B .

to

many to one
or one to many

Relation:

Let A and B be two non-empty sets. Then a relation R from A to B is a subset of $A \times B$.

Properties:

Reflexive: For every $x \in A$,

$x R x$ holds. Only if the subset contains elements. $R = \{(a, a) : a \in A\}$ if A contains elements.

R from A into A ,

Example: For

Relation R from A to B is empty set

$I_2 = \{(x, x) : x \in A\}$

A

Transitive For 2 . non-empty set

A B the relation R be then when

_m d

Rean numb
rela th'o n.

on

it sueh that

_P A, B

be R a-b is int

f-j(ab) ? a e R

hr it egmva.en^{ee}

cheek

whē

reh ton

/ Roylanive
its call ed

not.

tran siive

3ymmetri

rela ion)

equivalmte.