

$$T) \frac{L^2 + 2(9 - )}{3_2^2 - 2}$$

(izo

<tntet

86,OCn)

tor(1,2n)lisn;io,i-r  
chateuteE

Cr

for (i=/l;i<niai)s

while C

st  
while check 4 in

do s

o(n)

Asymp<sup>tie</sup> Notatio<sup>9</sup>

2"3"...

eyn

O<sub>Uppa</sub> boun dary  
)pwev bemdany  
boundmy

<sub>i</sub> ch Sot  
Pivo+

ahile (ALiI< <sub>A</sub> LPI) it\*?  
while ( AL3I AI )

$$T(n) = 2^2 T\left(\frac{n}{2}\right) + \text{lenent}$$

$T_2$

2T  
( )  
G )  
TO ) when<sub>n</sub> baye cond:hon/

23  
Asympto # Notation  
ob  
whenCo and<sub>n</sub> is  
exists my no  
2 3  
d lower bonoemy frd bemday

Pivot

value Pivot

let pivot  $> 0$  Find Proper plae of Pivot  
2 **9**

now sort  $0-2$  now pivot is at appropriate plee  
4-6

Jest (iowa bound) **61052s17** (ppa band)  
tiyhi

Stawt end  
pivo Pivot 0 end, 7 <sup>piot</sup> 7 )  
Stwt, **67** stop  
Start,  $0 < 7$  ]x|

**76** <sub>7</sub> SWap Stant nd end

.tout Steunt  
Stet t  
Stott+ n-  
Stawt 9 7 **X** endy I5)7 V]  
Stop  
stop  
Cnd

I < 7  
2s7 9)7  
2)7

now

W a p

pivo+

and ond

2

< pivot

> pivo

do Some  
partition ex

Cot patihon,  
)

Algo]

partition (Ark, lb  
pivot = athyb]  
st cwt = lb

while (start <  
while (a start] <- pivo)  
Start  
while (a Lend 2) pivot)

end)

Swap

Swap (a[b] aend2)  
return end end \*  
return right position o pive

bectitt

loe = parhion (A, b ub);  
Quick Sor+ (ark, b, lo-1);  
Oick Soro ub);

3

wors

best cas e

P

 $i-1$  $m-2$  $(o)$  $nT(0) - \dots - T(0) : n - 1 + cn - c(n - 1)$  $T(n)$  $T(0) \quad T(c) + T(0-i) + 0)$  $n-c$  $n \quad T$  $2T) +$  $n \quad T(0) = \quad s \quad T) + cn^2$  $+ T(0) \dots + T(0 - 1) + T(1n - 1) |$  $\text{put, } n = n - 1$  $n-2.$  $n - 1) T(n - 1) = 2 \quad T(i) + c(n - 1)$

$$T(n) \sim \frac{1}{2} (n-1)$$

$$\text{Divide by } n \ln n \rightarrow 2$$

$$T(n) = \frac{1}{2} (n-1)$$

$$T(n) \sim \frac{1}{2} (n-1) + 24$$

$$T(n) \sim \frac{1}{2} (n-1) + 24$$

$$T(n) \sim \frac{1}{2} (n-1)$$

CTewminating  
Cendi

$$h+2 \sim \frac{22}{3} \sim 2c$$

$$2 \sim c$$

$$2. \quad \ln n \sim -3e$$

Mory Sort ub  
Ovide tist et lelenent  
Jenmy  
vide  
(A,mids,ub)  
merg eCA,b,mid,ub):  
for  
b  
j= mid + 1;  
k'= b  
Sub e Yemen!  
while ik=mid ig. jk ub)s  
Caii<= a[3I)i;½ a!  
6 element Of teft  
copy it +O b[k]  
b[K] = a[i]  
Jt+  
k ++  
3 (imid) (Ci  
f j didnt each end but  
cop remainings i;½nob  
in b aray.  
b [K] = a [ i it+;k+t)  
ase reached beyond eud  
whileli= but hemnining elenetin ;  
bck] = aLi copy renair  
in t b  
to  
a LkI= bLkI



wOrst      bes t

We a ree      hat peformy  
1D8      basie      to mputer      Second. dederi  
the      operaows      pe  
tim

4hat      ded      to      wiwhose      co de  
Cant      read      We      test      the      pumetion

number      of      ramdom      inputs

We find      that

fune ion      ay

retw5      we)      wi      hiy

Size      t      Some      mes

tukes      copl

otsecon<sup>ds</sup>

what is

yst      resonable,

we

draw      a beny

time.

cow      plety

219

S

Merge

SKM

Merge      ( A      , mid,      )

22t      ( r- ( mid+D )      midt )

t      T6 ) = T3 ) + T )      o(n)

Best

Aeg

mergesort

$$\tau_e)=1$$

$$\dot{\mathbf{z}}:2^{\mathbf{T}}\quad 22$$