



PITUS Pathology NATA Accreditation # 9999

NELSON, Gloria Nannette (Mrs) 678 Golden Close Sunrise Bay QLD 4573

Sex Female
DOB 17-Apr-49, aged 70y

MRecord **997907777**Located at Sunrise Hospital Emergency Dept

Request ID 2001277757 on 22-Jan-20 by Dr Trish FAMILYDR 733 Little Archie Street Brisbane QLD 4001 Provider 873721DH

Page 1 of 1

MCS urine – Final Report	Report issued	
Clinical history – Diabetic with recurring UTI. Significant vaginal burning on micturition.	22-Jan-20 18:40	
Last course Trimethoprim (100 mg bd) completed 27- Dec-19.		

	Latest results		
Collection date	22-Jan-20		
Collection time	15:32		
Request ID	2001277757		
Specimen	Urine, midstream	Reference	Units
Colour	Pink stained		
Clarity	Turbid		
Dipstick			
Glucose	3+	(Negative)	No units
Bilirubin	1+	(Negative)	No units
Ketones	1+	(Negative)	No units
Specific Gravity	1.034	(1.003-1.035)	No units
pH	8.3 H	(5.0-8.0)	No units
Protein	2+	(Negative)	No units
Urobilinogen	0.7	(0.1–1.0)	mg/dL
Nitrites	Positive	(Negative)	No units
Haemoglobin	2+	(Negative)	No units
Leucocyte Esterase	Positive	(Negative)	No units
Microscopy			
White blood cell count	10-25	(None seen)	Erythrocytes/hpf
Red blood cell count	>60	(None seen)	Leucocytes/hpf
Red blood cell morphology	crenated		No units
Epithelial cells	1-5	(None seen)	Epithelial cells/hpf
Casts	None seen	(None seen)	Casts/hpf
Crystals	None seen	(None seen)	Crystals/hpf
Culture	Escherichia coli 20,000 cfu/mL	(No growth)	cfu/mL
Sensitivities			
Amikacin	I		
Amoxicillin	I		
Cefuroxime	R		
Gentamicin	S		
Co-trimoxazole	R		
Trimethoprim	R		
•			

Interpretation

Previous treatment with trimethoprim ineffective for recurring E. coli infection. Suggest intramuscular injection 160 mg gentamicin QD 14 days.

Dr Evanna Pathologist +61 7 3555 6645

Copy to 1 - Dr Rebecca GP, Doctor In The House Surgery, Front Street, Sunrise Bay

Copy to 2 - MyHealthRecord, IHI 8003 6004 6332 0066

For consumer information on pathology results visit Lab Tests Online Australia https://www.labtestsonline.org.au/

PITUS Pathology Sunshine Coast Laboratory
8-12 Birdsong Drive MARCOOLA QLD 4573

Accredited for compliance with NPAAC Standards and ISO 15189

Medical Director: Dr Gina Director Provider 355812C

Results enquiries: 1300 112 221 or www.pituspath.com.au