



Rhode Island State Standards Alignment

For Grades K-8

© Zearn 2024

Portions of Zearn Math are derivative of Eureka Math and licensed by Great Minds, © 2019 Great Minds, Inc.

Portions of Zearn Math are derivative of Open Up Resources' 6-8 Math curriculum, used under a Creative Commons CC-BY-4.0 license.

About Zearn

Zearn is the 501(c)(3) nonprofit educational organization behind Zearn Math, the top-rated math learning platform used by 1 in 4 elementary-school students and by more than 1 million middle-school students nationwide. Zearn Math supports teachers with research-backed curriculum and digital lessons proven to double student academic growth across all levels of student proficiency. Zearn Math can be used flexibly to support a range of instructional needs including Tier 1 and 2 support, acceleration, intervention, tutoring, after school programming and summer programming.

about.zearn.org



Zearn Math is aligned to Rhode Island's Core Standards for Mathematics.

We are committed to ensuring that our high-quality instructional materials align to Rhode Island's Core Standards for Mathematics to fully support Rhode Island's students and teachers. The tables on the following pages, organized by Rhode Island Core Standards, identify the alignment between each grade-level standard and Zearn Math lesson(s).

Table of Contents

Kindergarten	4
1st Grade	8
2nd Grade	13
3rd Grade	17
4th Grade	23
5th Grade	29
6th Grade	36
7th Grade	44
8th Grade	52

Kindergarten

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
Kindergarten Standards		Lessons
Counting & Cardinality		
K.CC.A.1	Count to 100 by ones and by tens.	Mission 5, Topic C, Lesson 13 Mission 5, Topic D, Lesson 15-18
K.CC.A.2	Count forward beginning from a given number within the known sequence (instead of having to begin at one).	Mission 5, Topic C, Lesson 13 Mission 5, Topic D, Lesson 16-18
K.CC.A.3	Write numbers from 0 to 20. Represent a number of objects with a written numeral 0–20 (with 0 representing a count of no objects).	Mission 1, Topic D, Lesson 12-16 Mission 1, Topic E, Lesson 17-22 Mission 1, Topic F, Lesson 24, 26-28 Mission 1, Topic G, Lesson 29-32 Mission 1, Topic H, Lesson 33-35, 37 Mission 4, Topic A, Lesson 1-6 Mission 4, Topic B, Lesson 7-12 Mission 4, Topic E, Lesson 25, 27 Mission 5, Topic A, Lesson 1-4 Mission 5, Topic B, Lesson 6, 9 Mission 5, Topic C, Lesson 10-13
K.CC.B.4	Understand the relationship between numbers and quantities; connect counting to cardinality. - When counting objects, say the number names in the standard order, pairing each object with one and only one number name and each number name with one and only one object. - Understand that the last number name said tells the number of objects counted. The number of objects is the same regardless of their arrangement or the order in which they were counted. - Understand that each successive number name refers to a quantity that is one larger. Recognize the one more pattern of counting using objects.	Mission 1, Topic B, Lesson 5-6 Mission 1, Topic C, Lesson 7-11 Mission 1, Topic D, Lesson 14-16 Mission 1, Topic E, Lesson 17-22 Mission 1, Topic F, Lesson 23-28 Mission 1, Topic G, Lesson 29-32 Mission 1, Topic H, Lesson 33-37 Mission 4, Topic H, Lesson 38

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
Kindergarten Standards		Lessons
K.CC.B.5	Count to answer “how many?” questions about as many as 20 things arranged in a line, a rectangular array, or a circle, or as many as 10 things in a scattered configuration; given a number from 1–20, count out that many objects.	Mission 1, Topic C, Lesson 8-11 Mission 1, Topic D, Lesson 12-16 Mission 1, Topic E, Lesson 17-22 Mission 1, Topic F, Lesson 23-28 Mission 1, Topic G, Lesson 29, 31-32 Mission 1, Topic H, Lesson 33-37 Mission 3, Topic F, Lesson 23-24 Mission 5, Topic A, Lesson 1-5 Mission 5, Topic B, Lesson 6 Mission 5, Topic C, Lesson 10-14 Mission 5, Topic D, Lesson 18-19 Mission 5, Topic E, Lesson 22
K.CC.C.6	Identify whether the number of objects in one group is greater than, less than, or equal to the number of objects in another group for groups with up to 10 objects, e.g., by using matching and counting strategies.	Mission 3, Topic E, Lesson 17-19 Mission 3, Topic F, Lesson 20-24 Mission 3, Topic G, Lesson 25-28
K.CC.C.7	Compare two numbers between 1 and 10 presented as written numerals.	Mission 3, Topic F, Lesson 20 Mission 3, Topic G, Lesson 25-28
Operations & Algebraic Thinking		
K.OA.A.1	Represent addition and subtraction with objects, fingers, mental images, drawings, sounds (e.g., claps), acting out situations, verbal explanations, expressions, or equations.	Mission 4, Topic C, Lesson 13-16 Mission 4, Topic D, Lesson 20-24 Mission 4, Topic F, Lesson 29-30 Mission 4, Topic G, Lesson 33 Mission 4, Topic H, Lesson 38
K.OA.A.2	Solve addition and subtraction word problems, and add and subtract within 10, e.g., by using objects or drawings to represent the problem.	Mission 4, Topic C, Lesson 16-18 Mission 4, Topic D, Lesson 19, 21 Mission 4, Topic F, Lesson 31 Mission 4, Topic G, Lesson 34-36 Mission 4, Topic H, Lesson 37
K.OA.A.3	Decompose numbers less than or equal to 10 into pairs in more than one way, e.g., by using objects or drawings, and record each decomposition by a drawing or equation (e.g., $5 = 2 + 3$ and $5 = 4 + 1$).	Mission 1, Topic C, Lesson 9-11 Mission 1, Topic D, Lesson 14-15 Mission 4, Topic A, Lesson 2, 4-6 Mission 4, Topic B, Lesson 7-12 Mission 4, Topic D, Lesson 22-24 Mission 4, Topic E, Lesson 25-28 Mission 4, Topic F, Lesson 32

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
Kindergarten Standards		Lessons
K.OA.A.4	For any number from 1 to 9, find the number that makes 10 when added to the given number, e.g., by using objects or drawings, and record the answer with a drawing or equation.	Mission 4, Topic H, Lesson 39-40
K.OA.A.5	Fluently add and subtract within 5, including zero.	Mission 4, Topic G, Lesson 34-36 Mission 4, Topic H, Lesson 37, 39 Mission 6, Topic A, Lesson 1-2 Mission 6, Topic B, Lesson 5
Numbers & Operations in Base Ten		
K.NBT.A.1	Compose and decompose numbers from 11 to 19 into ten ones and some further ones, e.g., by using objects or drawings, and record each composition or decomposition by a drawing or equation (e.g., $18 = 10 + 8$); understand that these numbers are composed of ten ones and one, two, three, four, five, six, seven, eight, or nine ones.	Mission 5, Topic A, Lesson 2-5 Mission 5, Topic B, Lesson 6-9 Mission 5, Topic C, Lesson 10-13 Mission 5, Topic E, Lesson 20-21, 23
Measurement & Data		
K.MD.A.1	Describe measurable attributes of objects, such as length or weight. Describe several measurable attributes of a single object.	Mission 3, Topic A, Lesson 1-2 Mission 3, Topic C, Lesson 8 Mission 3, Topic D, Lesson 13 Mission 3, Topic E, Lesson 16
K.MD.A.2	Directly compare two objects with a measurable attribute in common, to see which object has “more of”/“less of” the attribute, and describe the difference. <i>For example, directly compare the heights of two children and describe one child as taller/shorter.</i>	Mission 3, Topic A, Lesson 1-3 Mission 3, Topic B, Lesson 4-7 Mission 3, Topic C, Lesson 8-12 Mission 3, Topic D, Lesson 13-15 Mission 3, Topic F, Lesson 20 Mission 3, Topic G, Lesson 28 Mission 3, Topic H, Lesson 29-32
K.MD.B.3	Classify objects into given categories; count the numbers of objects in each category (up to and including 10) and sort the categories by count.	Mission 1, Topic A, Lesson 1-3 Mission 1, Topic B, Lesson 4-6 Mission 1, Topic C, Lesson 7 Mission 2, Topic A, Lesson 1 Mission 2, Topic B, Lesson 7
Geometry		

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
Kindergarten Standards		Lessons
K.G.A.1	Describe objects in the environment using names of shapes, and describe the relative positions of these objects using terms such as above, below, beside, in front of, behind, and next to.	Mission 2, Topic A, Lesson 5 Mission 2, Topic B, Lesson 8 Mission 2, Topic C, Lesson 10
K.G.A.2	Correctly name shapes regardless of their orientation or overall size.	Mission 2, Topic A, Lesson 2-5 Mission 2, Topic B, Lesson 7-8 Mission 2, Topic C, Lesson 9-10
K.G.A.3	Identify shapes as two-dimensional (lying in a plane, “flat”) or three-dimensional (“solid”).	Mission 2, Topic A, Lesson 1 Mission 2, Topic B, Lesson 6 Mission 2, Topic C, Lesson 9-10
K.G.B.4	Analyze and compare two- and three-dimensional shapes, in different sizes and orientations, using informal language to describe their similarities, differences, parts (e.g., number of sides and vertices/“corners”) and other attributes (e.g., having sides of equal length).	Mission 2, Topic A, Lesson 1-4 Mission 2, Topic B, Lesson 6-7 Mission 2, Topic C, Lesson 9-10 Mission 6, Topic A, Lesson 3
K.G.B.5	Model shapes in the world by building shapes from components (e.g., sticks and clay balls) and drawing shapes.	Mission 6, Topic A, Lesson 1-3
K.G.B.6	Compose simple shapes to form larger shapes. <i>For example, “Can you join these two triangles with full sides touching to make a rectangle?”</i>	Mission 6, Topic B, Lesson 5-7

1st Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
1st Grade Standards		Lessons
Operations & Algebraic Thinking		
1.OA.A.1	Use addition and subtraction within 20 to solve word problems involving situations of adding to, taking from, putting together, taking apart, and comparing, with unknowns in all positions, e.g., by using objects, drawings, and equations (number sentences) with a symbol for the unknown number to represent the problem.	Mission 1, Topic B, Lesson 4-8 Mission 1, Topic C, Lesson 9-13 Mission 1, Topic G, Lesson 25 Mission 1, Topic H, Lesson 28-32 Mission 2, Topic A, Lesson 3-5, 7-9, 11 Mission 2, Topic B, Lesson 12-13, 17-18, 21 Mission 2, Topic C, Lesson 22-24 Mission 2, Topic D, Lesson 27-29 Mission 3, Topic D, Lesson 10-13 Mission 4, Topic E, Lesson 19-22 Mission 6, Topic A, Lesson 1-2 Mission 6, Topic F, Lesson 25-27
1.OA.A.2	Solve word problems that call for addition of three whole numbers whose sum is less than or equal to 20, e.g., by using objects, drawings, and equations with a symbol for the unknown number to represent the problem.	Mission 2, Topic A, Lesson 1
1.OA.B.3	Apply properties of operations to add. <i>For example, when adding numbers order does not matter. If $8 + 3 = 11$ is known, then $3 + 8 = 11$ is also known (Commutative property of addition). To add $2 + 6 + 4$, the second two numbers can be added to make a ten, so $2 + 6 + 4 = 2 + 10 = 12$ (Associative property of addition). When adding zero to a number, the result is the same number (Identity property of zero for addition).</i>	Mission 1, Topic E, Lesson 19-20 Mission 1, Topic F, Lesson 21-24 Mission 2, Topic A, Lesson 2, 6, 10-11
1.OA.B.4	Understand subtraction as an unknown-addend problem. <i>For example, subtract $10 - 8$ by finding the number that makes 10 when added to 8.</i>	Mission 1, Topic G, Lesson 26-27 Mission 1, Topic H, Lesson 29-30, 32 Mission 2, Topic B, Lesson 14-19, 21 Mission 2, Topic C, Lesson 22

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
1st Grade Standards		Lessons
1.OA.C.5	Relate counting to addition and subtraction (e.g., by counting on 2 to add 2).	Mission 1, Topic A, Lesson 1-3 Mission 1, Topic B, Lesson 4-8 Mission 1, Topic D, Lesson 14-16 Mission 1, Topic G, Lesson 26-27 Mission 2, Topic A, Lesson 5, 9 Mission 2, Topic B, Lesson 12-17, 19, 21
1.OA.C.6	Add and subtract within 20, demonstrating fluency for addition and subtraction within 10. Use mental strategies such as counting on; making 10 (e.g., $8 + 6 = 8 + 2 + 4 = 10 + 4 = 14$); decomposing a number leading to a 10 (e.g., $13 - 4 = 13 - 3 - 1 = 10 - 1 = 9$); using the relationship between addition and subtraction (e.g., knowing that $8 + 4 = 12$, one knows $12 - 8 = 4$); and creating equivalent but easier or known sums (e.g., adding $6 + 7$ by creating the known equivalent $6 + 6 + 1 = 12 + 1 = 13$).	Mission 1, Topic C, Lesson 9-13 Mission 1, Topic D, Lesson 14-16 Mission 1, Topic E, Lesson 17-20 Mission 1, Topic F, Lesson 21-24 Mission 1, Topic G, Lesson 26-27 Mission 1, Topic I, Lesson 33-37 Mission 1, Topic J, Lesson 38-39 Mission 2, Topic A, Lesson 1-11 Mission 2, Topic B, Lesson 12-21 Mission 2, Topic C, Lesson 25 Mission 2, Topic D, Lesson 27-29
1.OA.D.7	Understand the meaning of the equal sign, and determine if equations involving addition and subtraction are true or false <i>For example, which of the following equations are true and which are false? $6 = 6$, $7 = 8 - 1$, $5 + 2 = 2 + 5$, $4 + 1 = 5 + 2$.</i>	Mission 1, Topic E, Lesson 17-19 Mission 2, Topic A, Lesson 6, 10 Mission 2, Topic B, Lesson 20 Mission 2, Topic C, Lesson 25
1.OA.D.8	Determine the unknown whole number in an addition or subtraction equation relating three whole numbers. <i>For example, determine the unknown number that makes the equation true in each of the equations $8 + ? = 11$, $5 = \square - 3$, $6 + 6 = \square$.</i>	Mission 1, Topic D, Lesson 16 Mission 1, Topic H, Lesson 29-30, 32 Mission 2, Topic A, Lesson 10 Mission 2, Topic B, Lesson 20
Numbers & Operations in Base Ten		
1.NBT.A.1	Count to 120, starting at any number less than 120. In this range, read and write numerals and represent a number of objects with a written numeral.	Mission 4, Topic A, Lesson 1-6 Mission 6, Topic B, Lesson 4, 7, 9
1.NBT.B.2	Understand that the two digits of a two-digit number represent amounts of tens and ones. Understand the following as special cases: a. 10 can be thought of as a bundle of ten ones—called a “ten.”	Mission 2, Topic D, Lesson 26-29 Mission 4, Topic A, Lesson 1-4, 6 Mission 4, Topic F, Lesson 23 Mission 6, Topic B, Lesson 3-4, 8-9

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
1st Grade Standards		Lessons
	b. The numbers from 11 to 19 are composed of a ten and one, two, three, four, five, six, seven, eight, or nine ones. c. The numbers 10, 20, 30, 40, 50, 60, 70, 80, 90 refer to one, two, three, four, five, six, seven, eight, or nine tens (and 0 ones).	
1.NBT.B.3	Compare two two-digit numbers based on meanings of the tens and ones digits, recording the results of comparisons with the symbols $>$, $=$, and $<$.	Mission 4, Topic B, Lesson 7-10 Mission 6, Topic B, Lesson 6
1.NBT.C.4	Add within 100, including adding a two-digit number and a one-digit number, and adding a two-digit number and a multiple of 10, using concrete models or drawings, and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used. Understand that in adding two-digit numbers, one adds tens and tens, ones and ones; and sometimes it is necessary to compose a ten.	Mission 4, Topic C, Lesson 11-12 Mission 4, Topic D, Lesson 13-18 Mission 4, Topic F, Lesson 23-29 Mission 6, Topic C, Lesson 10-17 Mission 6, Topic D, Lesson 18-19
1.NBT.C.5	Given a two-digit number, mentally find 10 more or 10 less than the number, without having to count; explain the reasoning used. Identify arithmetic patterns of 10 more and 10 less than using strategies based on place value.	Mission 4, Topic A, Lesson 5-6 Mission 6, Topic B, Lesson 5
1.NBT.C.6	Subtract multiples of 10 in the range 10–90 from multiples of 10 in the range 10–90 (positive or zero differences), using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.	Mission 4, Topic C, Lesson 11 Mission 6, Topic C, Lesson 10
Measurement & Data		
1.MDA.A.1	Order three objects by length; compare the lengths of two objects indirectly by using a third object.	Mission 3, Topic A, Lesson 1-3 Mission 3, Topic B, Lesson 5-6 Mission 3, Topic C, Lesson 9

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
1st Grade Standards		Lessons
1.MD.A.2	Express the length of an object as a whole number of length units, by laying multiple copies of a shorter object (the length unit) end to end; understand that the length measurement of an object is the number of same-size length units that span it with no gaps or overlaps. Limit to contexts where the object being measured is spanned by a whole number of length units with no gaps or overlaps.	Mission 3, Topic B, Lesson 4-6 Mission 3, Topic C, Lesson 7-9
1.MD.B.3	Tell and write time in hours and half-hours using analog and digital clocks.	Mission 5, Topic D, Lesson 10-13 Mission 6, Topic E, Lesson 20-24
1.MD.C.4	Organize, represent, and interpret data with up to three categories; ask and answer questions about the total number of data points, how many in each category, and how many more or less are in one category than in another.	Mission 3, Topic D, Lesson 10-13
1.MD.D.5	Identify the values of all U.S. coins and know their comparative values (e.g., a dime is of greater value than a nickel). Find equivalent values (e.g., a nickel is equivalent to five pennies). Use appropriate notation (e.g., 69¢). Use the values of coins in the solutions of problems (up to 100¢).	Mission 4, Topic A, Lesson 1-6 Mission 6, Topic E, Lesson 20-24
Geometry		
1.G.A.1	Distinguish between defining attributes (e.g., triangles are closed and three-sided) versus non-defining attributes (e.g., color, orientation, overall size); build and draw shapes that possess defining attributes.	Mission 5, Topic A, Lesson 1-3
1.G.A.2	Compose two-dimensional shapes (rectangles, squares, trapezoids, triangles, half-circles, and quarter circles) or three-dimensional shapes (cubes, right rectangular prisms, right circular cones, and right circular cylinders) to create a composite shape, and compose new shapes from the composite shape.	Mission 5, Topic B, Lesson 4-6
1.G.A.3	Partition circles and rectangles into two and four equal shares, describe the shares using the words halves, fourths, and quarters, and use the phrases half of, fourth of, and quarter of. Describe the whole as two	Mission 5, Topic C, Lesson 7-9 Mission 5, Topic D, Lesson 10

RHODE ISLAND’S CORE STANDARDS FOR MATHEMATICS	ZEARN MATH
1st Grade Standards	Lessons
of, or four of the shares. Understand for these examples that decomposing into more equal shares creates smaller shares.	

2nd Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
2nd Grade Standards		Lessons
Operations & Algebraic Thinking		
2.OA.A.1	Use addition and subtraction within 100 to solve one- and two-step word problems involving situations of adding to, taking from, putting together, taking apart, and comparing, with unknowns in all positions, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.	Mission 1, Topic B, Lesson 3, 5-6, 8 Mission 4, Topic A, Lesson 1-5 Mission 4, Topic B, Lesson 6-10 Mission 4, Topic C, Lesson 11-14, 16 Mission 4, Topic F, Lesson 31 Mission 7, Topic B, Lesson 7-8, 12-13
2.OA.B.2	Fluently add and subtract within 20 using mental strategies. ⁹ By end of grade 2, know from memory all sums of two single-digit numbers and related differences. <i>For example, the sum $6 + 5 = 11$ has related differences of $11 - 5 = 6$ and $11 - 6 = 5$.</i>	Mission 1, Topic A, Lesson 1-2 Mission 1, Topic B, Lesson 4-7
2.OA.C.3	Determine whether a group of objects (up to 20) has an odd or even number of members, e.g., by pairing objects or counting them by 2s; write an equation to express an even number as a sum of two equal addends.	Mission 6, Topic D, Lesson 17-19
2.OA.C.4	Use addition to find the total number of objects arranged in rectangular arrays with up to five rows and up to five columns; write an equation to express the total as a sum of equal addends.	Mission 6, Topic A, Lesson 1-4 Mission 6, Topic B, Lesson 5-9 Mission 6, Topic C, Lesson 10-15
Numbers & Operations in Base Ten		
2.NBT.A.1	Understand that the three digits of a three-digit number represent amounts of hundreds, tens, and ones; e.g., 706 equals 7 hundreds, 0 tens, and 6 ones. Understand the following as special cases: a. 100 can be thought of as a bundle of ten tens—called a “hundred.” b. The numbers 100, 200, 300, 400, 500, 600, 700, 800, 900 refer to one, two, three, four,	Mission 3, Topic A, Lesson 1 Mission 3, Topic B, Lesson 2-3 Mission 3, Topic C, Lesson 4-7 Mission 3, Topic D, Lesson 8-9 Mission 3, Topic E, Lesson 11-15

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
2nd Grade Standards		Lessons
	five, six, seven, eight, or nine hundreds (and 0 tens and 0 ones).	
2.NBT.A.2	Count within 1,000; skip-count by 5s, 10s, and 100s. Identify patterns in skip counting starting at any number.	Mission 3, Topic B, Lesson 2-3 Mission 3, Topic C, Lesson 4 Mission 3, Topic D, Lesson 8-9 Mission 3, Topic E, Lesson 12-15 Mission 3, Topic G, Lesson 19-21 Mission 7, Topic E, Lesson 21 Mission 8, Topic D, Lesson 14
2.NBT.A.3	Read and write numbers to 1,000 using base-ten numerals, number names, and expanded form.	Mission 3, Topic C, Lesson 4-7 Mission 3, Topic D, Lesson 8-9 Mission 3, Topic E, Lesson 13-14
2.NBT.A.4	Compare two three-digit numbers based on meanings of the hundreds, tens, and ones digits, using $>$, $=$, and $<$ symbols to record the results of comparisons.	Mission 3, Topic F, Lesson 16-18
2.NBT.B.5	Fluently add and subtract within 100 using strategies based on place value, properties of operations, and/or the relationship between addition and subtraction.	Mission 1, Topic B, Lesson 3, 5-6, 8 Mission 4, Topic A, Lesson 2-4 Mission 4, Topic B, Lesson 6-8, 10 Mission 4, Topic C, Lesson 11-13 Mission 7, Topic B, Lesson 7-8, 11-13
2.NBT.B.6	Add up to four two-digit numbers using strategies based on place value and properties of operations.	Mission 4, Topic D, Lesson 22
2.NBT.B.7	Add and subtract within 1,000, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method. Understand that in adding or subtracting three-digit numbers, one adds or subtracts hundreds and hundreds, tens and tens, ones and ones; and sometimes it is necessary to compose or decompose tens or hundreds.	Mission 4, Topic B, Lesson 9 Mission 4, Topic C, Lesson 14-15 Mission 4, Topic D, Lesson 17-21 Mission 4, Topic E, Lesson 23-28 Mission 4, Topic F, Lesson 29-30 Mission 5, Topic A, Lesson 1-7 Mission 5, Topic B, Lesson 8-12 Mission 5, Topic C, Lesson 13-18 Mission 5, Topic D, Lesson 19-20
2.NBT.B.8	Mentally add 10 or 100 to a given number 100–900, and mentally subtract 10 or 100 from a given number 100–900.	Mission 3, Topic G, Lesson 19-20 Mission 4, Topic D, Lesson 17 Mission 5, Topic A, Lesson 1-2

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
2nd Grade Standards		Lessons
2.NBT.B.9	Explain why addition and subtraction strategies work, using place value and the properties of operations.	Mission 4, Topic C, Lesson 11 Mission 4, Topic F, Lesson 30 Mission 5, Topic A, Lesson 7 Mission 5, Topic B, Lesson 12 Mission 5, Topic C, Lesson 13-19 Mission 5, Topic D, Lesson 20
Measurement & Data		
2.MD.A.1	Measure the length of an object by selecting and using appropriate tools such as rulers, yardsticks, meter sticks, and measuring tapes.	Mission 2, Topic A, Lesson 1-3 Mission 2, Topic B, Lesson 4-5 Mission 2, Topic C, Lesson 6 Mission 7, Topic C, Lesson 14-17
2.MD.A.2	Measure the length of an object twice, using length units of different lengths for the two measurements; describe how the two measurements relate to the size of the unit chosen.	Mission 2, Topic C, Lesson 7 Mission 7, Topic D, Lesson 18
2.MD.A.3	Estimate lengths using units of inches, feet, centimeters, and meters.	Mission 2, Topic B, Lesson 5 Mission 2, Topic D, Lesson 9 Mission 7, Topic D, Lesson 17
2.MD.A.4	Measure to determine how much longer one object is than another, expressing the length difference in terms of a standard length unit.	Mission 2, Topic C, Lesson 6-7 Mission 2, Topic D, Lesson 9 Mission 7, Topic D, Lesson 19
2.MD.B.5	Use addition and subtraction within 100 to solve word problems involving lengths that are given in the same units, e.g., by using drawings (such as drawings of rulers) and equations with a symbol for the unknown number to represent the problem	Mission 2, Topic D, Lesson 8-10 Mission 7, Topic E, Lesson 20, 22
2.MD.B.6	Represent whole numbers as lengths from 0 on a number line diagram with equally spaced points corresponding to the numbers 0, 1, 2, ..., and represent whole-number sums and differences within 100 on a number line diagram.	Mission 2, Topic D, Lesson 8 Mission 7, Topic A, Lesson 3 Mission 7, Topic E, Lesson 21-22 Mission 7, Topic F, Lesson 24
2.MD.C.7	Tell and write time from analog and digital clocks to the nearest five minutes, using a.m. and p.m. a. Know the relationships of time, including seconds in a minute, minutes in an hour,	Mission 8, Topic D, Lesson 13-16

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
2nd Grade Standards		Lessons
	hours in a day, days in a week; days in a month and a year and approximate number of weeks in a month and weeks in a year.	
2.MD.C.8	Solve word problems involving dollar bills, quarters, dimes, nickels, and pennies (up to \$10), using \$ and ¢ symbols appropriately and whole dollar amounts. <i>For example, if you have 2 dimes and 3 pennies, how many cents do you have? If you have \$3 and 4 quarters, how many dollars or cents do you have? (Students are not expected to use decimal notation.)</i>	Mission 3, Topic D, Lesson 10 Mission 7, Topic B, Lesson 6-10, 12-13
2.MD.D.9	Generate measurement data by measuring lengths of several objects to the nearest whole unit, or by making repeated measurements of the same object. Organize and record the data on a line plot (dot plot) where the horizontal scale is marked off in whole-number units.	Mission 7, Topic F, Lesson 23-26
2.MD.D.10	Draw a picture graph and a bar graph (with single-unit scale) to represent a data set with up to four categories. Solve simple put-together, take-apart, and compare problems, using information presented in a bar graph.	Mission 7, Topic A, Lesson 1-5
Geometry		
2.G.A.1	Recognize and draw shapes having specified attributes, such as a given number of angles or a given number of equal faces. Identify triangles, squares, rectangles, rhombuses, trapezoids, pentagons, hexagons, and cubes.	Mission 8, Topic A, Lesson 1-5 Mission 8, Topic B, Lesson 6
2.G.A.2	Partition a rectangle into rows and columns of same-size squares and count to find the total number of them	Mission 6, Topic C, Lesson 14-15
2.G.A.3	Partition circles and rectangles into two, three, or four equal shares, describe the shares using the words halves, thirds, half of, a third of, etc., and describe the whole as two halves, three thirds, four fourths. Recognize that equal shares of identical wholes need not have the same shape.	Mission 8, Topic B, Lesson 7-8 Mission 8, Topic C, Lesson 9-12 Mission 8, Topic D, Lesson 13

3rd Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
3rd Grade Standards		Lessons
Operations & Algebraic Thinking		
3.OA.A.1	Interpret products of whole numbers, e.g., interpret 5×7 as the total number of objects in five groups of seven objects each. <i>For example, describe a context in which a total number of objects can be expressed as 5×7.</i>	Mission 1, Topic A, Lesson 1-3 Mission 1, Topic B, Lesson 6 Mission 1, Topic C, Lesson 7-10 Mission 1, Topic E, Lesson 15, 17 Mission 3, Topic D, Lesson 12 Mission 3, Topic E, Lesson 16
3.OA.A.2	Interpret whole-number quotients of whole numbers, e.g., interpret $56 \div 8$ as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. <i>For example, describe a context in which a number of shares or a number of groups can be expressed as $56 \div 8$.</i>	Mission 1, Topic B, Lesson 4-6 Mission 1, Topic D, Lesson 12-13 Mission 1, Topic E, Lesson 17
3.OA.A.3	Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.	Mission 1, Topic B, Lesson 4-6 Mission 1, Topic C, Lesson 8-9 Mission 1, Topic D, Lesson 11-13 Mission 1, Topic E, Lesson 14-17 Mission 1, Topic F, Lesson 18 Mission 3, Topic A, Lesson 2-3 Mission 3, Topic B, Lesson 7 Mission 3, Topic C, Lesson 11 Mission 3, Topic D, Lesson 15
3.OA.A.4	Determine the unknown whole number in a multiplication or division equation relating three whole numbers. <i>For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 48$, $5 = \square \div 3$, $6 \times 6 = ?$</i>	Mission 1, Topic B, Lesson 6 Mission 1, Topic C, Lesson 8 Mission 1, Topic D, Lesson 12 Mission 1, Topic E, Lesson 17 Mission 3, Topic A, Lesson 3 Mission 3, Topic D, Lesson 13 Mission 3, Topic E, Lesson 16
3.OA.B.5	Apply properties of operations to multiply. <i>For example, when multiplying numbers order does not matter. If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$</i>	Mission 1, Topic C, Lesson 7-10 Mission 1, Topic E, Lesson 15-16 Mission 1, Topic F, Lesson 18-19 Mission 3, Topic A, Lesson 1-2

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
3rd Grade Standards		Lessons
	<i>is also known (Commutative property of multiplication); The product $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$ then $15 \times 2 = 30$, or by $5 \times 2 = 10$ then $3 \times 10 = 30$ (Associative property of multiplication); When multiplying two numbers either number can be decomposed and multiplied; one can find 8×7 by knowing that $7 = 5 + 2$ and that $8 \times 5 = 40$ and $8 \times 2 = 16$, resulting in $8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$ (Distributive property); When a number is multiplied by 1 the result is the same number (Identity property of 1 for multiplication).</i>	Mission 3, Topic B, Lesson 4-6 Mission 3, Topic C, Lesson 9-10 Mission 3, Topic D, Lesson 12-14 Mission 3, Topic E, Lesson 16-17 Mission 3, Topic F, Lesson 20
3.OA.B.6	Understand division as an unknown-factor problem. <i>For example, find $32 \div 8$ by finding the number that makes 32 when multiplied by 8.</i>	Mission 1, Topic B, Lesson 6 Mission 1, Topic D, Lesson 11 Mission 1, Topic E, Lesson 17 Mission 3, Topic D, Lesson 12-13 Mission 3, Topic E, Lesson 16
3.OA.C.7	Fluently multiply and divide within 100, using strategies such as the relationship between multiplication and division (e.g., knowing that $8 \times 5 = 40$, one knows $40 \div 5 = 8$) or properties of operations. By the end of grade 3, know from memory all products of two single-digit numbers and related division facts. <i>For example, the product $4 \times 7 = 28$ has related division facts $28 \div 7 = 4$ and $28 \div 4 = 7$.</i>	Mission 1, Topic D, Lesson 11-13 Mission 1, Topic E, Lesson 14, 16 Mission 3, Topic B, Lesson 4-5 Mission 3, Topic C, Lesson 10 Mission 3, Topic D, Lesson 12-13 Mission 3, Topic E, Lesson 16-17 Mission 3, Topic F, Lesson 19
3.OA.D.8	Solve two-step word problems using the four operations for problems posed with whole numbers and having whole number answers. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies, including rounding.	Mission 1, Topic F, Lesson 20-21 Mission 3, Topic E, Lesson 18 Mission 3, Topic F, Lesson 21 Mission 7, Topic A, Lesson 1-3
3.OA.D.9	Identify arithmetic patterns (including patterns in the addition table or multiplication table) and explain them using properties of operations. <i>For example, observe that 4 times a number is always even, and explain why 4 times a number can be decomposed into two equal addends.</i>	Mission 3, Topic A, Lesson 1 Mission 3, Topic D, Lesson 13-14 Mission 3, Topic E, Lesson 16-17 Mission 3, Topic F, Lesson 19
Numbers & Operations in Base Ten		

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
3rd Grade Standards		Lessons
3.NBT.A.1	Use place value understanding to round whole numbers to the nearest 10 or 100.	Mission 2, Topic C, Lesson 12-14 Mission 2, Topic D, Lesson 17 Mission 2, Topic E, Lesson 20-21
3.NBT.A.2	Fluently add and subtract within 1,000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.	Mission 2, Topic A, Lesson 4-5 Mission 2, Topic B, Lesson 10-11 Mission 2, Topic D, Lesson 15-17 Mission 2, Topic E, Lesson 18-21
3.NBT.A.3	Multiply one-digit whole numbers by multiples of 10 in the range 10–90 (e.g., 9×80 , 5×60) using strategies based on place value and properties of operations.	Mission 3, Topic F, Lesson 19-20
Numbers & Operations - Fractions		
3.NF.A.1	Understand a fraction $1/b$ as the quantity formed by 1 part when a whole (a single unit) is partitioned into b equal parts; understand a fraction a/b as the quantity formed by a parts of size $1/b$.	Mission 5, Topic B, Lesson 5-9 Mission 5, Topic C, Lesson 10, 12-13 Mission 5, Topic E, Lesson 20, 22, 24-25, 27 Mission 5, Topic F, Lesson 28-29
3.NF.A.2	Understand a fraction as a number on the number line; represent fractions on a number line diagram. a. Represent a unit fraction, $1/b$, on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into b equal parts. Recognize that each part has size $1/b$, and that the fraction $1/b$ is located $1/b$ of a whole unit from 0 on the number line. b. Represent a fraction a/b on a number line diagram by marking off a lengths $1/b$ from 0. Recognize that the resulting interval has size a/b and that its endpoint locates the number a/b on the number line.	Mission 5, Topic D, Lesson 14-17, 19 Mission 5, Topic E, Lesson 21-23, 26
3.NF.A.3	Explain equivalence of fractions in special cases, and compare fractions by reasoning about their size. a. Understand two fractions as equivalent (equal) if they are the same size, or the same point on a number line. b. Recognize and generate simple equivalent fractions, e.g., $1/2 = 2/4$, $4/6 = 2/3$. Explain why	Mission 5, Topic C, Lesson 10-11, 13 Mission 5, Topic D, Lesson 16-19 Mission 5, Topic E, Lesson 20-27 Mission 5, Topic F, Lesson 28-29

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
3rd Grade Standards		Lessons
the fractions are equivalent, e.g., by using a visual fraction model. c. Express whole numbers as fractions, and recognize fractions that are equivalent to whole numbers. <i>For example, express 3 in the form $3 = \frac{3}{1}$; recognize that $\frac{6}{1} = 6$; locate $\frac{4}{4}$ and 1 at the same point of a number line diagram.</i> d. Compare two fractions with the same numerator or the same denominator by reasoning about their size. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with the symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual fraction model.		
Measurement & Data		
3.MD.A.1	Tell and write time to the nearest minute and measure time intervals in minutes. Solve word problems involving addition and subtraction of time intervals in minutes, e.g., by representing the problem on a number line diagram.	Mission 2, Topic A, Lesson 1-5 Mission 2, Topic D, Lesson 15-17 Mission 2, Topic E, Lesson 18, 21
3.MD.A.2	Measure and estimate liquid volumes and masses of objects using standard metric units of grams (g), kilograms (kg), and liters (l). Add, subtract, multiply, or divide to solve one-step word problems involving masses or volumes that are given in the same metric units, e.g., by using drawings (such as a beaker with a measurement scale) to represent the problem.	Mission 3, Topic B, Lesson 6 Mission 2, Topic B, Lesson 7-11 Mission 2, Topic C, Lesson 12 Mission 2, Topic D, Lesson 15-17 Mission 2, Topic E, Lesson 18-21
3.MD.B.3	Draw a scaled picture graph and a scaled bar graph to represent a data set with several categories. Solve one- and two-step “how many more” and “how many less” problems using information presented in scaled bar graphs. <i>For example, draw a bar graph in which each square in the bar graph might represent five pets.</i>	Mission 6, Topic A, Lesson 1-4
3.MD.B.4	Generate measurement data by measuring lengths of objects using rulers marked with halves and fourths of an inch. Record and show the data by making a line plot (dot plot), where the horizontal scale is marked	Mission 6, Topic B, Lesson 5-9 Mission 7, Topic D, Lesson 19, 22 Mission 7, Topic E, Lesson 26

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
3rd Grade Standards		Lessons
	off in appropriate units—whole numbers, halves, or fourths.	
3.MD.C.5	Recognize area as an attribute of plane figures and understand concepts of area measurement. - A square with side length of one unit, called “a unit square,” is said to have “one square unit” of area, and can be used to measure area. - A plane figure which can be covered without gaps or overlaps by n unit squares is said to have an area of n square units.	Mission 4, Topic A, Lesson 1-4 Mission 4, Topic B, Lesson 5-7 Mission 4, Topic D, Lesson 13
3.MD.C.6	Measure areas by counting unit squares (square cm, square m, square in., square ft., and non-standard units).	Mission 4, Topic A, Lesson 1-4 Mission 4, Topic B, Lesson 5-7 Mission 4, Topic D, Lesson 13
3.MD.C.7	Relate area to the operations of multiplication and addition. - Find the area of a rectangle with whole-number side lengths by tiling it, and show that the area is the same as would be found by multiplying the side lengths. - Multiply side lengths to find areas of rectangles with whole-number side lengths in the context of solving real-world and mathematical problems, and represent whole-number products as rectangular areas in mathematical reasoning. - Use tiling to show in a concrete case that the area of a rectangle with whole-number side lengths a and $b + c$ is the sum of $a \times b$ and $a \times c$. Use area models to represent the distributive property in mathematical reasoning. - Recognize area as additive. Find areas of rectilinear figures by decomposing them into non overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real-world problems.	Mission 4, Topic A, Lesson 4 Mission 4, Topic B, Lesson 5-8 Mission 4, Topic C, Lesson 9-11 Mission 4, Topic D, Lesson 12-16 Mission 7, Topic E, Lesson 28-30
3.MD.D.8	Solve real-world and mathematical problems involving perimeters of polygons, including finding the perimeter given the side lengths, finding an	Mission 7, Topic C, Lesson 10-17 Mission 7, Topic D, Lesson 18-22 Mission 7, Topic E, Lesson 23-30

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
3rd Grade Standards		Lessons
unknown side length, and exhibiting rectangles with the same perimeter and different areas or with the same area and different perimeters.		
Geometry		
3.G.A.1	Understand that shapes in different categories (e.g., rhombuses, rectangles, and others) may share attributes (e.g., having four sides), and that the shared attributes can define a larger category (e.g., quadrilaterals). Compare and classify shapes by their sides and angles (right angle/non-right angle). Recognize rhombuses, rectangles, squares, and trapezoids as examples of quadrilaterals, and draw examples of quadrilaterals that do not belong to any of these subcategories.	Mission 7, Topic B, Lesson 4-9
3.G.A.2	Partition shapes into parts with equal areas. Express the area of each part as a unit fraction of the whole. <i>For example, partition a shape into four parts with equal areas and describe the area of each part as $\frac{1}{4}$ of the area of the shape.</i>	Mission 5, Topic A, Lesson 1-4 Mission 5, Topic B, Lesson 5-9 Mission 5, Topic C, Lesson 10-13 Mission 5, Topic E, Lesson 24-25, 27 Mission 5, Topic F, Lesson 28-29

4th Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
4th Grade Standards		Lessons
Operations & Algebraic Thinking		
4.OA.A.1	Interpret a multiplication equation as a comparison, e.g., interpret $35 = 5 \times 7$ as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Represent verbal statements of multiplicative comparisons as multiplication equations.	Mission 1, Topic A, Lesson 1
4.OA.A.2	Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison.	Mission 3, Topic A, Lesson 2-3 Mission 3, Topic B, Lesson 5-6 Mission 3, Topic C, Lesson 9-11 Mission 3, Topic D, Lesson 12-13 Mission 3, Topic G, Lesson 26 Mission 5, Topic G, Lesson 39-40 Mission 7, Topic A, Lesson 4 Mission 7, Topic C, Lesson 14
4.OA.A.3	Solve multi-step word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding. a. Know multiplication facts and related division facts through 12 x12.	Mission 3, Topic D, Lesson 12-13 Mission 3, Topic E, Lesson 14, 19 Mission 3, Topic G, Lesson 31-32
4.OA.B.4	Find all factor pairs for a whole number in the range 1–100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1–100 is a multiple of a given one-digit number. Determine whether a given whole number in the range 1–100 is prime or composite.	Mission 3, Topic F, Lesson 22-25
4.OA.C.5	Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. <i>For example, given the rule “Add 3” and the starting number 1, generate terms in the resulting sequence and observe</i>	Mission 5, Topic H, Lesson 41

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
4th Grade Standards		Lessons
<i>that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.</i>		
Numbers & Operations in Base Ten		
4.NBT.A.1	Recognize that in a multi-digit whole number, a digit in any place represents 10 times as much as it represents in the place to its right. <i>For example, recognize that $700 \div 70 = 10$ by applying concepts of place value and division.</i>	Mission 1, Topic A, Lesson 2-3
4.NBT.A.2	Read and write multi-digit whole numbers using base-ten numerals, number names, and expanded form. Compare two multi-digit numbers based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.	Mission 1, Topic A, Lesson 3 Mission 1, Topic B, Lesson 4-6
4.NBT.A.3	Use place value understanding to round multi-digit whole numbers to any place.	Mission 1, Topic C, Lesson 7-10 Mission 1, Topic D, Lesson 12 Mission 1, Topic E, Lesson 16-17 Mission 1, Topic F, Lesson 19
4.NBT.B.4	Fluently add and subtract multi-digit whole numbers using the standard algorithm.	Mission 1, Topic D, Lesson 11-13 Mission 1, Topic E, Lesson 14-17 Mission 1, Topic F, Lesson 18-19
4.NBT.B.5	Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Mission 3, Topic B, Lesson 4-6 Mission 3, Topic C, Lesson 7-11 Mission 3, Topic H, Lesson 34-38
4.NBT.B.6	Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Mission 3, Topic E, Lesson 14-21 Mission 3, Topic G, Lesson 26-33
Numbers & Operations - Fractions		

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
4th Grade Standards		Lessons
4.NF.A.1	Explain why a fraction a/b is equivalent to a fraction $(n \times a)/(n \times b)$ by using visual fraction models, with attention to how the numbers and sizes of the parts differ even though the two fractions themselves are the same size. Use this principle to recognize and generate equivalent fractions, including fractions greater than 1.	Mission 5, Topic B, Lesson 7-11 Mission 5, Topic C, Lesson 14-15 Mission 5, Topic D, Lesson 21 Mission 5, Topic E, Lesson 27 Mission 6, Topic B, Lesson 5 Mission 6, Topic D, Lesson 12
4.NF.A.2	Compare two fractions with different numerators and different denominators, e.g., by creating common denominators or numerators, or by comparing to a benchmark fraction such as $1/2$. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual fraction model	Mission 5, Topic C, Lesson 12-15 Mission 5, Topic E, Lesson 26-27
4.NF.B.3	Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$. - Understand addition and subtraction of fractions as joining and separating parts referring to the same whole. (The whole can be a set of objects.) - Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using drawings or visual fraction models. <i>Examples: $3/8 = 1/8 + 1/8 + 1/8$; $3/8 = 1/8 + 2/8$; $2\frac{1}{8} = 1 + 1 + 1/8 = 8/8 + 8/8 + 1/8$.</i> - Add and subtract mixed numbers with like denominators, e.g., by replacing each mixed number with an equivalent fraction, and/or by using properties of operations and the relationship between addition and subtraction. - Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using drawings or visual fraction models and equations to represent the problem.	Mission 5, Topic A, Lesson 1-6 Mission 5, Topic D, Lesson 16-21 Mission 5, Topic E, Lesson 22-25 Mission 5, Topic F, Lesson 29-34

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
4th Grade Standards		Lessons
4.NF.B.4	Apply and extend previous understandings of multiplication to multiply a fraction by a whole number. - Understand a fraction a/b as a multiple of $1/b$. <i>For example, use a visual fraction model to represent $5/4$ as the product $5 \times (1/4)$, recording the conclusion by the equation $5/4 = 5 \times (1/4)$.</i> - Understand a multiple of a/b as a multiple of $1/b$, and use this understanding to multiply a fraction by a whole number. <i>For example, use a visual fraction model to express $3 \times (2/5)$ as $6 \times (1/5)$, recognizing this product as $6/5$. (In general, $n \times (a/b) = (n \times a)/b$.)</i> - Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. <i>For example, if each person at a party will eat $3/8$ of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?</i>	Mission 5, Topic A, Lesson 3, 5-6 Mission 5, Topic E, Lesson 23-25 Mission 5, Topic G, Lesson 35-40
4.NF.C.5	Express a fraction with denominator 10 as an equivalent fraction with denominator 100, and use this technique to add two fractions with respective denominators 10 and 100. <i>For example, express $3/10$ as $30/100$, and add $3/10 + 4/100 = 34/100$.</i>	Mission 6, Topic B, Lesson 4 Mission 6, Topic D, Lesson 12-14
4.NF.C.6	Use decimal notation to represent fractions with denominators 10 or 100. <i>For example, rewrite 0.62 as $62/100$; describe a length as 0.62 meters; locate 0.62 on a number line diagram.</i>	Mission 6, Topic A, Lesson 1-3 Mission 6, Topic B, Lesson 4-6 Mission 6, Topic C, Lesson 11 Mission 6, Topic D, Lesson 12-14 Mission 6, Topic E, Lesson 15
4.NF.C.7	Compare two decimals to hundredths by reasoning about their size. Recognize that comparisons are valid only when the two decimals refer to the same whole. Record the results of comparisons with the symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual model.	Mission 6, Topic C, Lesson 9-11
Measurement & Data		

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
4th Grade Standards		Lessons
4.MD.A.1	Know relative sizes of measurement units within one system of units, including km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec. Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. Record measurement equivalents in a two-column table. <i>For example, know that 1 ft. is 12 times as long as 1 in. Express the length of a 4 ft. snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36), ...</i>	Mission 2, Topic A, Lesson 1-3 Mission 2, Topic B, Lesson 4 Mission 4, Topic A, Lesson 4 Mission 7, Topic A, Lesson 1-3 Mission 7, Topic B, Lesson 6-9 Mission 7, Topic C, Lesson 12-13
4.MD.A.2	Use the four operations to solve word problems involving distances, intervals of time, liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement quantities using diagrams such as number line diagrams that feature a measurement scale.	Mission 2, Topic A, Lesson 1-3 Mission 2, Topic B, Lesson 5 Mission 5, Topic G, Lesson 40 Mission 6, Topic D, Lesson 14 Mission 6, Topic E, Lesson 15-16 Mission 7, Topic A, Lesson 1-5 Mission 7, Topic B, Lesson 6-11 Mission 7, Topic C, Lesson 14
4.MD.A.3	Apply the area and perimeter formulas for rectangles in real-world and mathematical problems. <i>For example, find the width of a rectangular room given the area of the flooring and the length, by viewing the area formula as a multiplication equation with an unknown factor. (Note: When finding areas of rectangular regions answers will be in square units. For example, the area of a 1 cm x 1 cm rectangular region will be 1 square centimeter (1 cm², students are not expected to use this notation.) When finding the perimeter of a rectangular region answers will be in linear units. For example, the perimeter of the region is: 1cm + 1cm + 1cm + 1cm = 4 cm or 2(1cm) + 2(1cm) = 4 cm).</i>	Mission 3, Topic A, Lesson 1-3 Mission 7, Topic D, Lesson 15-16
4.MD.B.4	Make a line plot (dot plot) representation to display a data set of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$). Solve problems involving addition and subtraction of fractions by using information presented in line plots (dot plots). <i>For example, from a line plot (dot plot) find and interpret the difference in length between the longest and shortest specimens in an insect collection.</i>	Mission 5, Topic E, Lesson 28 Mission 5, Topic G, Lesson 40

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
4th Grade Standards		Lessons
4.MD.C.5	Recognize angles as geometric shapes that are formed wherever two rays share a common endpoint, and understand concepts of angle measurement: - An angle is measured with reference to a circle with its center at the common endpoint of the rays, by considering the fraction of the circular arc between the points where the two rays intersect the circle. An angle that turns through $\frac{1}{360}$ of a circle is called a "one-degree angle," and can be used to measure angles. - An angle that turns through n one-degree angles is said to have an angle measure of n degrees.	Mission 4, Topic A, Lesson 1 Mission 4, Topic B, Lesson 5-7
4.MD.C.6	Measure angles in whole-number degrees using a protractor. Sketch angles of specified measure.	Mission 4, Topic B, Lesson 5-8
4.MD.C.7	Recognize angle measure as additive. When an angle is decomposed into non-overlapping parts, the angle measure of the whole is the sum of the angle measures of the parts. Solve addition and subtraction problems to find unknown angles on a diagram in real-world and mathematical problems, e.g., by using an equation with a symbol for the unknown angle measure.	Mission 4, Topic C, Lesson 9-11
Geometry		
4.G.A.1	Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures.	Mission 4, Topic A, Lesson 1-4 Mission 4, Topic D, Lesson 13-15
4.G.A.2	Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles.	Mission 4, Topic D, Lesson 13-15
4.G.A.3	Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry.	Mission 4, Topic D, Lesson 12

5th Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
Operations & Algebraic Thinking		
5.OA.A.1	Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols, e.g., $(6 \times 30) + (6 \times 1/2)$.	Mission 2, Topic A, Lesson 1 Mission 2, Topic B, Lesson 3-5 Mission 4, Topic D, Lesson 10 Mission 4, Topic H, Lesson 32
5.OA.A.2	Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. <i>For example, express the calculation "Add 8 and 7, then multiply by 2" as $2 \times (8 + 7)$. Recognize that $3 \times (18932 + 921)$ is three times as large as $18932 + 921$, without having to calculate the indicated sum or product.</i>	Mission 2, Topic B, Lesson 3-4 Mission 4, Topic D, Lesson 10 Mission 4, Topic H, Lesson 32
5.OA.B.3	Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. <i>For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.</i>	Mission 6, Topic B, Lesson 7
Numbers & Operations in Base Ten		
5.NBT.A.1	Recognize that in a multi-digit number, including decimals, a digit in any place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.	Mission 1, Topic A, Lesson 1-4 Mission 2, Topic A, Lesson 2 Mission 2, Topic E, Lesson 16
5.NBT.A.2	Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of	Mission 1, Topic A, Lesson 1-4 Mission 2, Topic A, Lesson 1 Mission 2, Topic C, Lesson 10-12 Mission 2, Topic D, Lesson 13-14 Mission 2, Topic G, Lesson 24

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
	10. Use whole-number exponents to denote powers of 10.	
5.NBT.A.3	Read, write, and compare decimals to thousandths. a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000)$. b. Compare two decimals to thousandths based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.	Mission 1, Topic B, Lesson 5-6 Mission 1, Topic D, Lesson 9-10 Mission 1, Topic E, Lesson 11-12 Mission 1, Topic F, Lesson 13-15
5.NBT.A.4	Use place value understanding to round decimals to any place.	Mission 1, Topic C, Lesson 7-8
5.NBT.B.5	Fluently multiply multi-digit whole numbers. (Include two-digit $\times$ four-digit numbers and, three-digit $\times$ three-digit numbers) using the standard algorithm.	Mission 2, Topic B, Lesson 5-9 Mission 2, Topic C, Lesson 10-12 Mission 2, Topic F, Lesson 20-23
5.NBT.B.6	Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Mission 2, Topic E, Lesson 16-18 Mission 2, Topic F, Lesson 19-23 Mission 2, Topic H, Lesson 28-29 Mission 4, Topic G, Lesson 30-31
5.NBT.B.7	Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction and between multiplication and division; relate the strategy to a written method and explain the reasoning used.	Mission 1, Topic D, Lesson 9-10 Mission 1, Topic E, Lesson 11-12 Mission 1, Topic F, Lesson 13-16 Mission 2, Topic C, Lesson 10-12 Mission 2, Topic D, Lesson 13-14 Mission 2, Topic G, Lesson 24-27 Mission 2, Topic H, Lesson 28-29 Mission 4, Topic E, Lesson 17-18 Mission 4, Topic G, Lesson 29-31
Numbers & Operations - Fractions		
5.NF.A.1	Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to	Mission 3, Topic A, Lesson 1-2 Mission 3, Topic B, Lesson 3-6 Mission 3, Topic C, Lesson 8-12

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
	produce an equivalent sum or difference of fractions with like denominators. <i>For example, $\frac{2}{3} + \frac{5}{4} = \frac{8}{12} + \frac{15}{12} = \frac{23}{12}$. (In general, $\frac{a}{b} + \frac{c}{d} = \frac{ad + bc}{bd}$.)</i>	Mission 3, Topic D, Lesson 14
5.NF.A.2	Solve word problems involving addition and subtraction of fractions referring to the same whole(the whole can be a set of objects), including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers. <i>For example, recognize an incorrect result $\frac{2}{5} + \frac{1}{2} = \frac{3}{7}$, by observing that $\frac{3}{7} < \frac{1}{2}$.</i>	Mission 3, Topic B, Lesson 3-7 Mission 3, Topic C, Lesson 8-12 Mission 3, Topic D, Lesson 13-15 Mission 4, Topic D, Lesson 10-12
5.NF.B.3	Interpret a fraction as division of the numerator by the denominator ($\frac{a}{b} = a \div b$). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. <i>For example, interpret $\frac{3}{4}$ as the result of dividing 3 by 4, noting that $\frac{3}{4}$ multiplied by 4 equals 3, and that when three wholes are shared equally among four people each person has a share of size $\frac{3}{4}$. If nine people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?</i>	Mission 4, Topic B, Lesson 2-5
5.NF.B.4	Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction. - Interpret the product $(\frac{a}{b}) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. <i>For example, use a visual fraction model and/or area model to show $(\frac{2}{3}) \times 4 = \frac{8}{3}$, and create a story context for this equation. Do the same with $(\frac{2}{3}) \times (\frac{4}{5}) = \frac{8}{15}$. (In general, $(\frac{a}{b}) \times (\frac{c}{d}) = \frac{ac}{bd}$.)</i> - Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would	Mission 4, Topic C, Lesson 6-9 Mission 4, Topic E, Lesson 13-15, 17-18 Mission 5, Topic C, Lesson 10-15

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
	be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.	
5.NF.B.5	Interpret multiplication as scaling (resizing), by: - Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication. <i>For example, without multiplying tell which number is greater: 225 or $3/4 \times 225$; $11/50$ or $3/2 \times 11/50$?</i> - Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to the effect of multiplying a/b by 1.	Mission 4, Topic F, Lesson 21-23 Mission 4, Topic H, Lesson 32
5.NF.B.6	Solve real-world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.	Mission 4, Topic C, Lesson 6-7 Mission 4, Topic D, Lesson 10-12 Mission 4, Topic E, Lesson 13-18 Mission 4, Topic F, Lesson 22-24 Mission 5, Topic C, Lesson 12-15
5.NF.B.7	Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions. - Interpret division of a unit fraction by a non-zero whole number, and compute such quotients. <i>For example, create a story context for $(1/3) \div 4$, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $(1/3) \div 4 = 1/12$ because $(1/12) \times 4 = 1/3$.</i> - Interpret division of a whole number by a unit fraction, and compute such quotients. <i>For example, create a story context for $4 \div (1/5)$, and use a visual fraction model to show the</i>	Mission 4, Topic G, Lesson 25-31, 33

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
<i>quotient. Use the relationship between multiplication and division to explain that $4 \div (1/5) = 20$ because $20 \times (1/5) = 4$.</i> c. Solve real-world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. <i>For example, how much chocolate will each person get if three people share $\frac{1}{2}$ lb. of chocolate equally? How many $\frac{1}{3}$-cup servings are in two cups of raisins?</i>		
Measurement & Data		
5.MD.A.1	Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real-world problems.	Mission 1, Topic A, Lesson 4 Mission 2, Topic D, Lesson 13-15 Mission 4, Topic C, Lesson 9 Mission 4, Topic E, Lesson 19-20 Mission 5, Topic B, Lesson 5
5.MD.B.2	Make a line plot (dot plot) to display a data set of measurements in fractions of a unit. Use operations on fractions for this grade to solve problems involving information presented in line plot (dot plot). <i>For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.</i>	Mission 4, Topic A, Lesson 1 Mission 4, Topic D, Lesson 10
5.MD.C.3	Recognize volume as an attribute of solid figures and understand concepts of volume measurement. a. A cube with side length 1 unit, called a “unit cube,” is said to have “one cubic unit” of volume, and can be used to measure volume. b. A solid figure which can be packed without gaps or overlaps using n unit cubes is said to have a volume of n cubic units.	Mission 5, Topic A, Lesson 1-3 Mission 5, Topic B, Lesson 5
5.MD.C.4	Measure volumes by counting unit cubes, using cubic cm, cubic in., cubic ft., and non-standard units.	Mission 5, Topic A, Lesson 1-3

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
5.MD.C.5	Relate volume to the operations of multiplication and addition and solve real-world and mathematical problems involving volume. - Find the volume of a right rectangular prism with whole-number edge lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication. - Apply the formula $V = l \times w \times h$ and $V = B \times h$ (where B stands for the area of the base) for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real-world and mathematical problems. - Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real-world problems.	Mission 5, Topic B, Lesson 4-9
Geometry		
5.G.A.1	Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the zero on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).	Mission 6, Topic A, Lesson 1-6 Mission 6, Topic B, Lesson 7-12 Mission 6, Topic C, Lesson 13-17 Mission 6, Topic D, Lesson 18, 20
5.G.A.2	Represent real-world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.	Mission 6, Topic C, Lesson 13-17 Mission 6, Topic D, Lesson 18-20

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
5th Grade Standards		Lessons
5.G.B.3	Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. <i>For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.</i>	Mission 5, Topic D, Lesson 16-19, 21
5.G.B.4	Classify two-dimensional figures in a hierarchy based on properties. <i>For example, all rectangles are parallelograms because they are all quadrilaterals with two pairs of opposite sides parallel.</i>	Mission 5, Topic C, Lesson 16-17 Mission 5, Topic D, Lesson 18-21

6th Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
Ratios & Proportional Relationships		
6.RP.A.1	Understand the concept of a ratio including the distinctions between part:part and part:whole and the value of a ratio; part/part and part/whole. Use ratio language to describe a ratio relationship between two quantities. <i>For example, The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every two wings there was one beak; For every vote candidate A received, candidate C received nearly three votes, meaning that candidate C received three out of every four votes or $\frac{3}{4}$ of all votes.</i>	Mission 2, Topic A, Lesson 1-2 Mission 2, Topic B, Lesson 3-5 Mission 9, Topic A, Lesson 4
6.RP.A.2	Understand the concept of a unit rate a/b associated with a ratio $a:b$ with $b \neq 0$, and use rate language in the context of a ratio relationship, including the use of units. <i>For example, This recipe has a ratio of three cups of flour to four cups of sugar, so there is $\frac{3}{4}$ cup of flour for each cup of sugar; We paid \$75 for 15 hamburgers, which is a rate of five dollars per hamburger.</i>	Mission 2, Topic C, Lesson 10 Mission 3, Topic A, Lesson 1 Mission 3, Topic C, Lesson 5-7 Mission 9, Topic A, Lesson 6
6.RP.A.3	Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations. - Make tables of equivalent ratios relating quantities with whole-number measurements. Find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios. - Solve unit rate problems, including those involving unit pricing, and constant speed. <i>For example, if it took seven hours to mow four lawns, then, at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?</i> - Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means $\frac{30}{100}$ times	Mission 2, Topic C, Lesson 6-10 Mission 2, Topic D, Lesson 11-14 Mission 2, Topic E, Lesson 15-16 Mission 2, Topic F, Lesson 17 Mission 3, Topic B, Lesson 3-4 Mission 3, Topic C, Lesson 5-9 Mission 3, Topic D, Lesson 10-15 Mission 6, Topic D, Lesson 16 Mission 6, Topic E, Lesson 17 Mission 9, Topic A, Lesson 4-6

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
the quantity); solve problems involving finding the whole, given a part and the percent. d. Use ratio reasoning to convert measurement units within and between measurement systems; manipulate and transform units appropriately when multiplying or dividing quantities. <i>For example, Malik is making a recipe, but he cannot find his measuring cups! He has, however, found a tablespoon. His cookbook says that 1 cup = 16 tablespoons. Explain how he could use the tablespoon to measure out the following ingredients: two cups of flour, $\frac{1}{2}$ cup sunflower seed, and $1\frac{1}{4}$ cup of oatmeal.</i> e. Solve problems that relate the mass of an object to its volume.		
The Number System		
6.NS.A.1	Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. <i>For example, create a story context for $(\frac{2}{3}) \div (\frac{3}{4})$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(\frac{2}{3}) \div (\frac{3}{4}) = \frac{8}{9}$ because $\frac{3}{4}$ of $\frac{8}{9}$ is $\frac{2}{3}$. In general, $(\frac{a}{b}) \div (\frac{c}{d}) = \frac{ad}{bc}$. How much chocolate will each person get if three people share $\frac{1}{2}$ lb. of chocolate equally? How many $\frac{3}{4}$-cup servings are in $\frac{2}{3}$ of a cup of yogurt? How wide is a rectangular strip of land with length $\frac{3}{4}$ mile and area $\frac{1}{2}$ square mile?</i>	Mission 4, Topic A, Lesson 3 Mission 4, Topic B, Lesson 4-9 Mission 4, Topic C, Lesson 10-11 Mission 4, Topic D, Lesson 12-14 Mission 4, Topic E, Lesson 16-17
6.NS.B.2	Fluently divide multi-digit numbers using the standard algorithm.	Mission 5, Topic D, Lesson 9-11
6.NS.B.3	Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.	Mission 5, Topic B, Lesson 2-4 Mission 5, Topic C, Lesson 7-8 Mission 5, Topic D, Lesson 12-13 Mission 5, Topic E, Lesson 14-15 Mission 6, Topic A, Lesson 4 Mission 8, Topic C, Lesson 12 Mission 9, Topic A, Lesson 6

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
6.NS.B.4	Use prime factorization to find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two relatively prime numbers. <i>For example, express $36 + 8$ as $4(9 + 2)$.</i>	Mission 7, Topic D, Lesson 16-18
6.NS.C.5	Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, and positive/negative electric charge). Use positive and negative numbers (whole numbers, fractions, and decimals) to represent quantities in real-world contexts, explaining the meaning of zero in each situation.	Mission 7, Topic A, Lesson 1, 5
6.NS.C.6	Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates. a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., $-(-3) = 3$, and that zero is its own opposite. b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes. c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.	Mission 7, Topic A, Lesson 1-2, 4 Mission 7, Topic C, Lesson 14 Mission 7, Topic A, Lesson 7 Mission 7, Topic C, Lesson 11-13, 15
6.NS.C.7	Understand ordering and absolute value of rational numbers.	Mission 7, Topic A, Lesson 4, 6-7, 3 Mission 7, Topic B, Lesson 8-9

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
	a. Interpret statements of inequality as statements about the relative positions of two numbers on a number line diagram. <i>For example, interpret $-3 > -7$ as a statement that -3 is located to the right of -7 on a number line oriented from left to right.</i> b. Write, interpret, and explain statements of order for rational numbers in real-world contexts. <i>For example, write $-3^{\circ}\text{C} > -7^{\circ}\text{C}$ to express the fact that -3°C is warmer than -7°C.</i> c. Understand the absolute value of a rational number as its distance from 0 on the numberline; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. <i>For example, for an account balance of -30 dollars, write $-30 = 30$ to describe the size of the debt in dollars.</i> d. Distinguish comparisons of absolute value from statements about order. <i>For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.</i>	Mission 7, Topic C, Lesson 13
6.NS.C.8	Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.	Mission 7, Topic C, Lesson 11, 13-15
Expressions & Equations		
6.EE.A.1	Write and evaluate numerical expressions involving whole-number exponents.	Mission 1, Topic F, Lesson 17-18 Mission 6, Topic C, Lesson 12-15
6.EE.A.2	Write, read, and evaluate expressions in which letters stand for numbers. a. Write expressions that record operations with numbers and with letters standing for numbers. <i>For example, express the calculation "Subtract y from 5" as $5 - y$.</i> b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, and coefficient); view one or more parts of an expression as a single entity.	Mission 1, Topic B, Lesson 5 Mission 1, Topic C, Lesson 9 Mission 1, Topic F, Lesson 18 Mission 6, Topic B, Lesson 6, 10-11 Mission 6, Topic C, Lesson 14-15

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
	<i>For example, describe the expression $2(8 + 7)$ as a product of two factors; view $(8 + 7)$ as both a single entity and a sum of two terms.</i> c. Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). <i>For example, use the formulas $V = s^3$ and $A = 6s^2$ to find the volume and surface area of a cube with sides of length $s = \frac{1}{2}$.</i>	
6.EE.A.3	Apply the properties of operations to generate equivalent expressions. <i>For example, apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6(4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$.</i>	Mission 6, Topic B, Lesson 10-11
6.EE.A.4	Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). <i>For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number y stands for.</i>	Mission 5, Topic D, Lesson 13 Mission 6, Topic B, Lesson 8, 10-11
6.EE.B.5	Understand solving an equation or inequality as a process of answering a question: Which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.	Mission 6, Topic A, Lesson 2-5 Mission 6, Topic B, Lesson 8 Mission 6, Topic C, Lesson 15 Mission 7, Topic B, Lesson 9-10
6.EE.B.6	Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.	Mission 6, Topic A, Lesson 1, 3-5 Mission 6, Topic B, Lesson 6-7 Mission 7, Topic B, Lesson 8, 10

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
6.EE.B.7	Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p , q , and x are all nonnegative rational numbers.	Mission 6, Topic A, Lesson 3-5 Mission 6, Topic B, Lesson 7
6.EE.B.8	Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.	Mission 7, Topic B, Lesson 8-10
6.EE.C.9	Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. <i>For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation $d = 65t$ to represent the relationship between distance and time.</i>	Mission 6, Topic D, Lesson 16-18
Geometry		
6.G.A.1	Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.	Mission 1, Topic A, Lesson 2-3 Mission 1, Topic B, Lesson 4-6 Mission 1, Topic C, Lesson 7-10 Mission 1, Topic D, Lesson 11 Mission 1, Topic G, Lesson 19 Mission 4, Topic D, Lesson 14
6.G.A.2	Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = lwh$ and $V = Bh$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.	Mission 1, Topic E, Lesson 15 Mission 4, Topic D, Lesson 14-15 Mission 4, Topic E, Lesson 17

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
6th Grade Standards		Lessons
6.G.A.3	Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.	Mission 7, Topic C, Lesson 15
6.G.A.4	Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface areas of these figures. Apply these techniques in the context of solving real-world and mathematical problems.	Mission 1, Topic E, Lesson 12-16 Mission 1, Topic F, Lesson 18 Mission 1, Topic G, Lesson 19
Statistics & Probability		
6.SP.A.1	Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. <i>For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.</i>	Mission 8, Topic A, Lesson 2 Mission 8, Topic B, Lesson 3, 6-7 Mission 8, Topic D, Lesson 17
6.SP.A.2	Understand that a set of data collected to answer a statistical question has a distribution, which can be described by its center (median, mean, and/or mode), spread (range, interquartile range), and overall shape.	Mission 8, Topic B, Lesson 4-5, 7-8 Mission 8, Topic C, Lesson 11 Mission 8, Topic E, Lesson 18
6.SP.A.3	Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.	Mission 8, Topic B, Lesson 6 Mission 8, Topic C, Lesson 9-11
6.SP.B.4	Display numerical data in plots on a number line, including dot plots, histograms, and boxplots. a. Read and interpret circle graphs.	Mission 8, Topic B, Lesson 3-8 Mission 8, Topic D, Lesson 16-17
6.SP.B.5	Summarize numerical data sets in relation to their context, such as by: a. Reporting the number of observations. b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.	Mission 8, Topic D, Lesson 17 Mission 8, Topic A, Lesson 2 Mission 8, Topic B, Lesson 3-7 Mission 8, Topic C, Lesson 9-10 Mission 8, Topic D, Lesson 13-16 Mission 8, Topic E, Lesson 18

RHODE ISLAND’S CORE STANDARDS FOR MATHEMATICS	ZEARN MATH
6th Grade Standards	Lessons
c. Giving quantitative measures of center (median, and/or mean) and variability (range and/or interquartile range), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered. d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.	

7th Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
Ratios & Proportional Relationships		
7.RP.A.1	Compute unit rates associated with ratios of fractions, including ratios of lengths, areas, and other quantities measured in like or different units. <i>For example, if a person walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $\frac{1/2}{1/4}$ miles per hour, equivalently 2 miles per hour.</i>	Mission 2, Topic C, Lesson 8 Mission 4, Topic A, Lesson 2-3 Mission 9, Topic B, Lesson 5
7.RP.A.2	Recognize and represent proportional relationships between quantities. - Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table, or graphing on a coordinate plane and observing whether the graph is a straight line through the origin. - Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships. - Represent proportional relationships by equations. <i>For example, if total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the number of items can be expressed as $t = pn$.</i> - Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.	Mission 2, Topic A, Lesson 2-3 Mission 2, Topic B, Lesson 4-6 Mission 2, Topic C, Lesson 7-9 Mission 2, Topic D, Lesson 10-13 Mission 2, Topic E, Lesson 14-15 Mission 3, Topic A, Lesson 1, 3, 5 Mission 3, Topic B, Lesson 7 Mission 4, Topic A, Lesson 3-5 Mission 5, Topic C, Lesson 9, 12 Mission 5, Topic D, Lesson 14 Mission 9, Topic A, Lesson 3 Mission 9, Topic B, Lesson 5
7.RP.A.3	Use proportional relationships to solve multi-step ratio, rate, and percent problems. <i>For example: simple interest, tax, price increases and discounts, gratuities and commissions, fees, percent increase and decrease, percent error.</i>	Mission 3, Topic A, Lesson 5 Mission 4, Topic B, Lesson 6-9 Mission 4, Topic C, Lesson 10-15 Mission 4, Topic D, Lesson 16 Mission 9, Topic A, Lesson 1-4 Mission 9, Topic B, Lesson 6, 8 Mission 9, Topic C, Lesson 13
The Number System		

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
7.NS.A.1	Apply and extend previous understandings of addition and subtraction to add and subtract integers and other rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram. - Describe situations in which opposite quantities combine to make zero. <i>For example, A hydrogen atom has zero charge because its two constituents are oppositely charged; If you open a new bank account with a deposit of \$30 and then withdraw \$30, you are left with a \$0 balance</i> - Understand $p + q$ as the number located a distance q from p, in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real world contexts. - Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts. - Apply properties of operations as strategies to add and subtract rational numbers.	Mission 5, Topic A, Lesson 1 Mission 5, Topic B, Lesson 2-7 Mission 6, Topic D, Lesson 18 Mission 7, Topic B, Lesson 6
7.NS.A.2	Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide integers and other rational numbers. - Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts. - Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-q)$.	Mission 4, Topic A, Lesson 5 Mission 5, Topic A, Lesson 1 Mission 5, Topic C, Lesson 8-11 Mission 8, Topic D, Lesson 16 Mission 9, Topic A, Lesson 4

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
	Interpret quotients of rational numbers by describing real-world contexts. c. Apply properties of operations as strategies to multiply and divide rational numbers. d. Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.	
7.NS.A.3	Solve real-world and mathematical problems involving the four operations with integers and other rational numbers.	Mission 5, Topic B, Lesson 7 Mission 5, Topic C, Lesson 12 Mission 5, Topic D, Lesson 13-14 Mission 5, Topic E, Lesson 15-16 Mission 5, Topic F, Lesson 17 Mission 9, Topic A, Lesson 3 Mission 9, Topic B, Lesson 6
Expression & Equations		
7.EE.A.1	Apply properties of operations to add, subtract, factor, and expand linear expressions with rational coefficients. <i>For example, $4x + 2 = 2(2x + 1)$ and $-3(x - 5/3) = -3x + 5$.</i>	Mission 6, Topic D, Lesson 18-22 Mission 9, Topic B, Lesson 7
7.EE.A.2	Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. <i>For example, $a + 0.05a = 1.05a$ means that "increase by 5%" is the same as "multiply by 1.05." A shirt at a clothing store is on sale for 20% off the regular price, "p". The discount can be expressed as $0.2p$. The new price for the shirt can be expressed as $p - 0.2p$ or $0.8p$.</i>	Mission 6, Topic B, Lesson 12
7.EE.B.3	Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. <i>For example, if a woman making \$25 an hour gets a 10% raise, she will make an additional $1/10$ of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel</i>	Mission 3, Topic C, Lesson 11 Mission 5, Topic C, Lesson 12 Mission 5, Topic F, Lesson 17 Mission 6, Topic A, Lesson 2-6 Mission 6, Topic B, Lesson 11-12

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
bar $9\frac{3}{4}$ inches long in the center of a door that is $27\frac{1}{2}$ inches wide, you will need to place the bar about 9 inches from each edge; This estimate can be used as a check on the exact computation.		
7.EE.B.4	Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities. - Solve word problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p, q, and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. <i>For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?</i> - Solve word problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p, q, and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. <i>For example, as a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.</i> - Extend analysis of patterns to include analyzing, extending, and determining an expression for simple arithmetic and geometric sequences (e.g., compounding, increasing area), using tables, graphs, words, and expressions.	Mission 5, Topic C, Lesson 15 Mission 5, Topic E, Lesson 15-16 Mission 6, Topic A, Lesson 4-5 Mission 6, Topic B, Lesson 7-12 Mission 6, Topic C, Lesson 13-17 Mission 7, Topic A, Lesson 5 Mission 9, Topic A, Lesson 3 Mission 9, Topic B, Lesson 7
Geometry		
7.G.A.1	Solve problems involving scale drawings of geometric figures, such as computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.	Mission 1, Topic A, Lesson 1-6 Mission 1, Topic B, Lesson 7-12 Mission 1, Topic C, Lesson 13 Mission 2, Topic A, Lesson 1 Mission 3, Topic B, Lesson 6 Mission 3, Topic C, Lesson 11 Mission 9, Topic A, Lesson 4 Mission 9, Topic C, Lesson 13

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
7.G.A.2	Draw (freehand, with ruler and protractor, and with technology) two-dimensional geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	Mission 3, Topic A, Lesson 2 Mission 7, Topic B, Lesson 6-10 Mission 7, Topic D, Lesson 17
7.G.A.3	Describe the shape of the two-dimensional face of the figure that results from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.	Mission 7, Topic C, Lesson 11, 13
7.G.B.4	Circles and measurement: - Know that a circle is a two-dimensional shape created by connecting all of the points equidistant from a fixed point called the center of the circle. - Understand and describe the relationships among the radius, diameter, and circumference of a circle. - Understand and describe the relationship among the radius, diameter, and area of a circle. - Know the formulas for the area and circumference of a circle and use them to solve problems. - Give an informal derivation of the relationship between the circumference and area of a circle.	Mission 3, Topic A, Lesson 3-5 Mission 3, Topic B, Lesson 7-9 Mission 3, Topic C, Lesson 10-11 Mission 9, Topic A, Lesson 4 Mission 9, Topic C, Lesson 11-12
7.G.B.5	Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write simple equations and use them to solve for an unknown angle in a figure.	Mission 7, Topic A, Lesson 2-5
7.G.B.6	Solve real-world and mathematical problems involving area, volume, and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.	Mission 1, Topic A, Lesson 6 Mission 2, Topic C, Lesson 8 Mission 3, Topic B, Lesson 6 Mission 7, Topic C, Lesson 12-16 Mission 7, Topic D, Lesson 17 Mission 9, Topic A, Lesson 4 Mission 9, Topic B, Lesson 5, 9
Statistics & Probability		

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
7.SP.A.1	Understand that statistics can be used to gain information about a population by examining a sample of the population; Generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.	Mission 8, Topic C, Lesson 12-14 Mission 8, Topic D, Lesson 15 Mission 8, Topic E, Lesson 20
7.SP.A.2	Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. <i>For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be.</i>	Mission 8, Topic C, Lesson 13-14 Mission 8, Topic D, Lesson 15-17 Mission 8, Topic E, Lesson 20
7.SP.B.3	Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. <i>For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team and both distributions have similar variability (mean absolute deviation) of about 5 cm. The difference between the mean heights of the two teams (10 cm) is about twice the variability (5 cm) on either team. On a dot plot, the separation between the two distributions of heights is noticeable.</i>	Mission 8, Topic C, Lesson 11 Mission 8, Topic D, Lesson 18
7.SP.B.4	Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. <i>For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.</i>	Mission 8, Topic D, Lesson 15-16, 18-19 Mission 8, Topic E, Lesson 20 Mission 9, Topic A, Lesson 3
7.SP.C.5	Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0	Mission 8, Topic A, Lesson 2-6

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
7th Grade Standards		Lessons
	indicates an unlikely event, a probability around $\frac{1}{2}$ indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.	
7.SP.C.6	Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. <i>For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.</i>	Mission 8, Topic A, Lesson 1, 3-6
7.SP.C.7	Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy. - Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. <i>For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected.</i> - Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. <i>For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?</i>	Mission 8, Topic A, Lesson 3-6 Mission 8, Topic C, Lesson 14 Mission 8, Topic E, Lesson 20
7.SP.C.8	Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation. - Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs. - Represent sample spaces for compound events using methods such as organized lists, tables, and tree diagrams. For an event described in everyday language (e.g., "rolling	Mission 8, Topic A, Lesson 6 Mission 8, Topic B, Lesson 7-10

RHODE ISLAND’S CORE STANDARDS FOR MATHEMATICS	ZEARN MATH
7th Grade Standards	Lessons
double sixes”), identify the outcomes in the sample space which compose the event. c. Design and use a simulation to generate frequencies for compound events. <i>For example, use random digits as a simulation tool to approximate the answer to the question: If 40% of donors have type A blood, what is the probability that it will take at least four donors to find one with type A blood?</i>	

8th Grade

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
8th Grade Standards		Lessons
The Number System		
8.NS.A.1	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion. For rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	Mission 8, Topic E, Lesson 14-15
8.NS.A.2	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., π^2). <i>For example, by truncating the decimal expansion of $\sqrt{2}$ show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.</i>	Mission 8, Topic A, Lesson 1 Mission 8, Topic B, Lesson 4-5 Mission 8, Topic D, Lesson 12-13
Expressions & Equations		
8.EE.A.1	Know and apply the properties of integer exponents to generate equivalent numerical expressions. <i>For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$.</i>	Mission 7, Topic B, Lesson 2-8 Mission 7, Topic C, Lesson 11, 14
8.EE.A.2	Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.	Mission 8, Topic B, Lesson 2-5 Mission 8, Topic C, Lesson 10 Mission 8, Topic D, Lesson 12-13
8.EE.A.3	Use numbers expressed in the form of a single digit multiplied by an integer power of 10 to estimate very large or very small quantities, and express how many times as much one is than the other. <i>For example, estimate the population of the United States as 3×10^8 and the population of the world as 7×10^9, and determine that the world population is more than 20 times larger.</i>	Mission 7, Topic C, Lesson 9-12, 14 Mission 7, Topic D, Lesson 16

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
8th Grade Standards		Lessons
8.EE.A.4	Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology.	Mission 7, Topic C, Lesson 10-15 Mission 7, Topic D, Lesson 16
8.EE.B.5	Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. <i>For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.</i>	Mission 3, Topic A, Lesson 2-4 Mission 3, Topic B, Lesson 6
8.EE.B.6	Use similar triangles to explain why the slope m is the same between any two distinct points on a nonvertical line in the coordinate plane. Derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b .	Mission 2, Topic C, Lesson 10-12 Mission 3, Topic B, Lesson 7 Mission 3, Topic C, Lesson 10-11 Mission 3, Topic E, Lesson 14
8.EE.C.7	Solve linear equations in one variable. - Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers). - Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	Mission 4, Topic B, Lesson 3-9
8.EE.C.8	Analyze and solve pairs of simultaneous linear equations. Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs,	Mission 3, Topic C, Lesson 13-14 Mission 4, Topic B, Lesson 9 Mission 4, Topic C, Lesson 10-15 Mission 4, Topic D, Lesson 16 <i>It is recommended that teachers use supplemental materials to</i>

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
8th Grade Standards		Lessons
	because points of intersection satisfy both equations simultaneously. b. Solve systems of two linear equations in two variables algebraically (using substitution and elimination strategies), and estimate solutions by graphing the equations. Solve simple cases by inspection. <i>For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.</i> c. Solve real-world and mathematical problems leading to two linear equations in two variables. <i>For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.</i>	<i>fully address this standard.</i>
Functions		
8.F.A.1	Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	Mission 5, Topic A, Lesson 1-2 Mission 5, Topic B, Lesson 3-5 Mission 5, Topic E, Lesson 17 Mission 9, Topic A, Lesson 1
8.F.A.2	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.</i>	Mission 5, Topic B, Lesson 7 Mission 5, Topic C, Lesson 8
8.F.A.3	Interpret the equation $y = mx + b$ as defining a linear function whose graph is a straight line; give examples of functions that are not linear. <i>For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1, 1), (2, 4) and (3, 9), which are not on a straight line.</i>	Mission 5, Topic B, Lesson 4, 7 Mission 5, Topic C, Lesson 8 Mission 5, Topic E, Lesson 18
8.F.B.4	Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret	Mission 5, Topic C, Lesson 8-10 Mission 5, Topic D, Lesson 11

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
8th Grade Standards		Lessons
	the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	
8.F.B.5	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	Mission 5, Topic B, Lesson 5-6 Mission 5, Topic C, Lesson 10
Geometry		
8.G.A.1	Verify experimentally the properties of rotations, reflections, and translations: - Lines are transformed to lines, and line segments to line segments of the same length. - Angles are transformed to angles of the same measure. - Parallel lines are transformed to parallel lines.	Mission 1, Topic A, Lesson 2-4, 6 Mission 1, Topic B, Lesson 7-10 Mission 1, Topic C, Lesson 11, 13 Mission 1, Topic D, Lesson 14 Mission 3, Topic B, Lesson 8
8.G.A.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations. Given two congruent figures, describe a sequence that exhibits the congruence between them.	Mission 1, Topic C, Lesson 11-13 Mission 1, Topic D, Lesson 15 Mission 2, Topic B, Lesson 6-7
8.G.A.3	Describe the effects of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates	Mission 1, Topic A, Lesson 5-6 Mission 2, Topic A, Lesson 4-5 Mission 2, Topic C, Lesson 12
8.G.A.4	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations. Given two similar two dimensional figures, describe a sequence that exhibits the similarity between them.	Mission 2, Topic B, Lesson 6-7, 9
8.G.A.5	Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the	Mission 1, Topic D, Lesson 14-16 Mission 2, Topic B, Lesson 8 Mission 2, Topic D, Lesson 13

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
8th Grade Standards		Lessons
	angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. <i>For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.</i>	Mission 9, Topic A, Lesson 2
8.G.B.6	a. Understand the relationship among the sides of a right triangle. b. Analyze and justify the Pythagorean Theorem and its converse using pictures, diagrams, narratives, or models.	Mission 8, Topic C, Lesson 7, 9
8.G.B.7	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.	Mission 8, Topic C, Lesson 6-8, 10
8.G.B.8	Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	Mission 8, Topic C, Lesson 11
8.G.C.9	Know the formulas for the volumes of cones, cylinders, and spheres, and use them to solve real-world and mathematical problems	Mission 5, Topic D, Lesson 13-16 Mission 5, Topic E, Lesson 17-21 Mission 5, Topic F, Lesson 22
Statistics & Probability		
8.SP.A.1	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	Mission 6, Topic A, Lesson 1-2 Mission 6, Topic B, Lesson 3-8
8.SP.A.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line and informally assess the model fit by judging the closeness of the data points to the line.	Mission 6, Topic B, Lesson 4-6, 8
8.SP.A.3	Use the equation of a linear model to solve problems in the context of bivariate measurement data,	Mission 6, Topic B, Lesson 6, 8

RHODE ISLAND'S CORE STANDARDS FOR MATHEMATICS		ZEARN MATH
8th Grade Standards		Lessons
	interpreting the slope and intercept. <i>For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.</i>	
8.SP.A.4	Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. <i>For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?</i>	Mission 6, Topic C, Lesson 9-10