THIẾT KẾ WEB - ASSIGNMENT 03

Đinh Anh Huy - 18110103


A01.html

```
<!DOCTYPE html>
<html>
<head>
   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
   <title>A01</title>
   <link href="A01.css" rel="stylesheet" type="text/css" />
</head>
<body>
   <div id="outer">
       <div id="hdr">
           <img src="../images_Lab03/logo.gif" />
       </div>
       <div id="bar">
           30 Dec 08
       </div>
       <div id="body">
           <div id="nav">
              <h3> Menu </h3>
               <l
                  <a href="#"> Link </a>
                  <a href="#"> Link </a>
                  <a href="#"> Link </a>
                  <a href="#"> Link </a>
               </div>
           <div id="content">
               <h2> Two Column with Header & Footer </h2>
                Ver 1.0 
               There is a main outer div which centers the page and is a
fixed width.
                  There are 4 main div's within this outer div, header (#hdr),
bar (#bar),
                  body (#body) and footer (#ftr). The body div holds 2 more
divs, the left
                  div which is for navigation and the right div which is for
our content.
               </div>
       </div>
```

A01.css

```
@charset "utf-8";
body, html {
   margin: 0;
   padding: 0;
   color: #000;
   background: #808080;
#outer {
   margin: 10px;
   border-color: black;
   border-width: 1px;
   border-style: solid;
   background: #dcdcdc;
#hdr {
   text-align: center;
   border-bottom: 1px solid black;
   padding-bottom: 5px;
   background: #eeeeee;
#bar {
    padding: 5px;
   border-bottom: 1px solid black;
   background: #c0c0c0;
#body {
   width: 100%;
   height: 250px;
  padding: 0;
   margin: 0;
   border-bottom: 1px solid black;
#nav {
   width: 25%;
```

```
height: 250px;
    float: left;
   background: #dcdcdc;
   text-align: center;
#nav ul {
  margin: 0;
   padding: 0;
   list-style-type: none;
#vers {
   text-align: center;
   color: red;
#content {
   width: 70%;
   padding: 0 10px;
   height: 250px;
   float: right;
   border-left: 1px solid black;
   background: #ffffff;
#ftr {
  clear: both;
   padding: 5px;
   text-align: center;
   background: #c0c0c0;
h2 {
   text-align: center;
h3 {
   text-align: center;
   margin: 0;
   padding: 10px;
#prg::first-letter {
   color: blue;
    font-weight: bold;
```



A02.html

```
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>A02</title>
    <link href="A02.css" rel="stylesheet" type="text/css" />
</head>
<body>
    <div id="body">
        <div id="header">
            <h1> CSS 3 column with 1 center column Fluid </h1>
        </div>
        <div id="main">
            <div id="left-col">
                <span id="title"> Left Column: </span>
                <span id="width"> 230px </span>
                <span id="txt"> abc </span>
            </div>
            <div id="content">
```

```
<div id="content-col">
                    <span id="title"> Content Column: </span>
                    <span id="width"> Fluid </span>
                    <span> abc </span>
                </div>
                <div id="right-col">
                    <span id="title"> Right Column: </span>
                    <span id="width"> 200px </span>
                    <span> abc </span>
                </div>
            </div>
        </div>
        <div id="footer">
            <a href="http://www.dynamicdrive.com/style/"> Dynamic Drive CSS
Library </a>
       </div>
    </div>
</body>
</html>
```

A02.css

```
@charset "utf-8";
html, body {
    margin: 0;
    padding: 0;
    color: black;
    background: white;
#body {
    width: 800px;
    margin: 0 auto;
    background: white;
#header {
    background: #eaeaea;
    padding: 10px;
#main {
    width: 100%;
#left-col {
```

```
padding: 10px;
    padding-top: 0;
   float: left;
   width: 210px;
    background: #C8FC98;
#content{
   width: 570px;
   float: right;
#content-col {
   width: 370px;
   float: left;
   padding: 10px;
   padding-top: 0;
#right-col {
   float: right;
   padding: 10px;
   padding-top: 0;
   width: 160px;
   background: #FDE95E;
#footer {
   padding: 5px;
   clear: both;
   text-align: center;
   background: #000000;
#footer a {
   color: #8A8A45;
#title {
   font-weight: bold;
#width {
   color: red;
   font-style: italic;
   font-weight: bold;
```



A03.html

```
<!DOCTYPE html>
<html>
<head>
   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
   <title>A03</title>
   <link href="A03.css" rel="stylesheet" type="text/css" />
</head>
<body>
   <l
       <a href="#home"> HOME </a>
       <a href="#about"> ABOUT US </a>
       <a href="#services"> SERVICES </a>
       <a href="#solutions"> SOLUTIONS </a>
       <a href="#contact"> CONTACT US </a>
   </body>
</html>
```

A03.css

```
@charset "utf-8";
body {
    width: 800px;
    margin: 0 auto;
    padding: 0;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}
ul {
```

```
width: 800px;
    height: 100px;
    list-style-type: none;
    overflow: hidden;
    background-image: url("../images_Lab03/menu_036_bg.jpg");
    background-size: cover;
   font-size: smaller;
    float: left;
    position: relative;
    padding: 20px 15px;
li a {
   display: inline-block;
    color: #4C799C;
   text-align: center;
    font-weight: bolder;
    padding: 10px 20px;
    text-decoration: none;
li a:hover {
   background-image: url("../images_Lab03/menu_036_c.jpg");
    background-repeat: repeat-x;
    background-size: 50px 50px;
```

Result



127.0.0.1:5500/Web Design/Lab03/Assignment/A03.html#home

A04.html

```
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>A04</title>
    <link href="A04.css" rel="stylesheet" type="text/css" />
</head>
<body>
    <div id="menu">
       <u1>
           \langle li \rangle \langle a \text{ href="#"} \rangle \text{ Item } 1 \langle \overline{/a} \rangle \langle \overline{/li} \rangle
           <a href="#"> Item 2 </a>
           <
               <a href="#"> <span> Folder 1</span> <span id="symbol"> ☒ </span>
</a>
               <a href="#"> Sub Item 1.1 </a>
                   <a href="#"> Sub Item 1.2 </a>
               <a href="#"> Item 3 </a>
           <
               <a href="#"> <span> Folder 2 </span> <span id="symbol"> ② </span>
</a>
               <a href="#"> Sub Item 2.1 </a>
                   <a href="#"> Sub Item 2.2 </a>
               <a href="#"> Item 4 </a>
       </div>
</body>
</html>
```

A04.css


```
@charset "utf-8";

body {
    font-family: monospace;
    font-size: 15px;
}

#menu ul {
    background: #022D58;
    width: 200px;
    padding: 0;
    list-style-type: none;
```

```
text-align: left;
#menu li {
   height: 30px;
   line-height: 30px;
   width: auto;
   padding: 0 10px;
   border-bottom: 1px solid #767789;
   border-right: 1px solid #767789;
#menu li a {
   text-decoration: none;
   color: white;
   font-weight: bold;
   display: block;
#menu li:hover {
   background: #000000;
#menu ul li {
   position: relative;
#menu .sub-menu {
   position: absolute;
   left: 200px;
   top: 0;
   display: none;
#menu li:hover .sub-menu {
   display: block;
#symbol {
   float: right;
```

Result



A05.html

```
<!DOCTYPE html>
<html>
<head>
   <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
   <title>A05</title>
   <link href="A05.css" rel="stylesheet" type="text/css" />
</head>
<body>
   <a href="#trang-chu"> Trang chủ </a>
      <a href="#kinh-te"> Kinh tế </a>
         <a href="#"> Tài chính </a>
            <a href="#"> Chứng khoán </a>
            <a href="#"> Doanh nghiệp </a>
               <a href="#"> Kiểm toán </a>
                  <a href="#"> Kế toán </a>
                  <a href="#"> Kinh doanh </a>
               <a href="#"> Doanh nhân </a>
         <a href="#xa-hoi"> Xã hôi </a>
      <a href="#van-hoa"> Văn hoá </a>
      <a href="#the-thao"> Thể thao </a>
   </body>
```

A05.css

```
@charset "utf-8";
body {
   width: 800px;
   margin: 0 auto;
   padding: 0;
   font-family: Arial, Helvetica, sans-serif;
#nav {
   width: 800px;
   list-style: none;
  margin: 0;
   padding: 0;
   text-align: center;
   font-weight: bold;
#nav li {
   display: block;
   position: relative;
   float: left;
   background-color: #FF0000;
#nav li a {
   display: inline-block;
   width: 140px;
   padding: 9px;
   text-decoration: none;
   color: black;
   border-left: 1px solid #BA0000;
   border-right: 1px solid #BA0000;
#nav li a:hover {color: white;}
#sub-nav {
   position:absolute;
   padding:0;
   left:0;
   z-index: 1;
   display: none;
```

```
#sub-nav li {
   display: block;
   position: relative;
   background-color: #0099FF;
    border-bottom: 1px dashed black;
#sub-sub-nav {
   position:absolute;
   padding:0;
   left:0;
   z-index: 1;
   display: none;
#sub-sub-nav li {
   display: block;
   position: relative;
   background-color: #00CCCC;
   border-bottom: 1px dashed black;
#nav li:hover ul ul {display:none;}
#nav li:hover ul {display:block;}
#nav li li:hover ul {
  display: block;
   margin-left: 160px;
   top: 0;
```

Result



)

127.0.0.1:5500/Web Design/Lab03/Assignment/A05.html#