

**Stata Textbook Examples****Introductory Econometrics: A Modern Approach by Jeffrey M. Wooldridge (1st & 2nd eds.)****Chapter 9 - More on Specification and Data Problems****Example 9.1: Economic Model of Crime**

*use <http://fmwww.bc.edu/ec-p/data/wooldridge/CRIME1>*

**reg narr86 pcnv avgsen tottime ptime86 qemp86 inc86 black hispan**

Source	SS	df	MS	Number of obs =	2725
Model	145.390104	8	18.173763	F( 8, 2716) =	26.47
Residual	1864.95705	2716	.686655763	Prob > F =	0.0000
				R-squared =	0.0723
				Adj R-squared =	0.0696
				Root MSE =	.82865
Total	2010.34716	2724	.738012906		

narr86	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
pcnv	-.1332344	.0403502	-3.30	0.001	-.2123546	-.0541141
avgsen	-.0113177	.0122401	-0.92	0.355	-.0353185	.0126831
tottime	.0120224	.0094352	1.27	0.203	-.0064785	.0305233
ptime86	-.0408417	.008812	-4.63	0.000	-.0581206	-.0235627
qemp86	-.0505398	.0144397	-3.50	0.000	-.0788538	-.0222258
inc86	-.0014887	.0003406	-4.37	0.000	-.0021566	-.0008207
black	.3265035	.0454156	7.19	0.000	.2374508	.4155561
hispan	.1939144	.0397113	4.88	0.000	.1160469	.2717818
_cons	.5686855	.0360461	15.78	0.000	.4980048	.6393661

**reg narr86 pcnv pcnvsq avgsen tottime ptime86 pt86sq qemp86 inc86 inc86sq black hispan**

Source	SS	df	MS	Number of obs =	2725
Model	207.979007	11	18.9071825	F( 11, 2713) =	28.46
Residual	1802.36815	2713	.66434506	Prob > F =	0.0000
				R-squared =	0.1035
				Adj R-squared =	0.0998
				Root MSE =	.81507
Total	2010.34716	2724	.738012906		

narr86	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
pcnv	.5525236	.1542372	3.58	0.000	.2500892	.8549579
pcnvsq	-.7302119	.1561177	-4.68	0.000	-1.036333	-.4240903
avgsen	-.0170216	.0120539	-1.41	0.158	-.0406574	.0066142
tottime	.011954	.0092825	1.29	0.198	-.0062474	.0301554
ptime86	.2874334	.0442582	6.49	0.000	.2006501	.3742166

pt86sq	-.0296076	.0038634	-7.66	0.000	-.037183	-.0220321
qemp86	-.0140941	.0173612	-0.81	0.417	-.0481366	.0199485
inc86	-.0034152	.0008037	-4.25	0.000	-.0049912	-.0018392
inc86sq	7.19e-06	2.56e-06	2.81	0.005	2.17e-06	.0000122
black	.292296	.04483	6.52	0.000	.2043916	.3802004
hispan	.1636175	.0394507	4.15	0.000	.0862609	.240974
_cons	.5046065	.0368353	13.70	0.000	.4323784	.5768347

## Example 9.2: Housing Price Equation

```
use http://fmwww.bc.edu/ec-p/data/wooldridge/HPRICE1
```

```
reg price lotsize sqrft bdrms
```

Source	SS	df	MS	Number of obs =	88
Model	617130.701	3	205710.234	F( 3, 84) =	57.46
Residual	300723.805	84	3580.0453	Prob > F =	0.0000
				R-squared =	0.6724
				Adj R-squared =	0.6607
Total	917854.506	87	10550.0518	Root MSE =	59.833

price	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
lotsize	.0020677	.0006421	3.22	0.002	.0007908	.0033446
sqrft	.1227782	.0132374	9.28	0.000	.0964541	.1491022
bdrms	13.85252	9.010145	1.54	0.128	-4.06514	31.77018
_cons	-21.77031	29.47504	-0.74	0.462	-80.38466	36.84404

```
predict double r1
```

```
gen double r2=r1*r1
```

```
gen double r3=r2*r1
```

```
reg price lotsize sqrft bdrms r2 r3
```

Source	SS	df	MS	Number of obs =	88
Model	647870.698	5	129574.14	F( 5, 82) =	39.35
Residual	269983.807	82	3292.48546	Prob > F =	0.0000
				R-squared =	0.7059
				Adj R-squared =	0.6879
Total	917854.506	87	10550.0518	Root MSE =	57.38

price	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
lotsize	.0001537	.005203	0.03	0.977	-.0101968	.0105042
sqrft	.0175989	.2992508	0.06	0.953	-.5777064	.6129041
bdrms	2.174905	33.88811	0.06	0.949	-65.23934	69.58915
r2	.0003534	.0070989	0.05	0.960	-.0137686	.0144755
r3	1.55e-06	6.55e-06	0.24	0.814	-.0000115	.0000146
_cons	166.0973	317.4325	0.52	0.602	-465.3772	797.5717

**test r2 r3**

( 1) r2 = 0.0  
( 2) r3 = 0.0

F( 2, 82) = 4.67  
Prob > F = 0.0120

**reg lprice llotsize lsqrft bdrms**

Source	SS	df	MS	Number of obs = 88	
Model	5.15504028	3	1.71834676	F( 3, 84) = 50.42	
Residual	2.86256324	84	.034078134	Prob > F = 0.0000	
Total	8.01760352	87	.092156362	R-squared = 0.6430	
				Adj R-squared = 0.6302	
				Root MSE = .1846	

lprice	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
llotsize	.1679667	.0382812	4.39	0.000	.0918404	.244093
lsqrft	.7002324	.0928652	7.54	0.000	.5155597	.8849051
bdrms	.0369584	.0275313	1.34	0.183	-.0177906	.0917074
_cons	-1.297042	.6512836	-1.99	0.050	-2.592191	-.0018931

**predict lphat**

**gen lph2=lphat\*lphat**

**gen lph3=lphat\*lph2**

**reg lprice llotsize lsqrft bdrms lph2 lph3**

Source	SS	df	MS	Number of obs = 88	
Model	5.32360126	5	1.06472025	F( 5, 82) = 32.41	
				Prob > F = 0.0000	

Residual		2.69400226	82	.032853686		R-squared	=	0.6640	
-----+-----									
Total		8.01760352	87	.092156362		Adj R-squared	=	0.6435	
							Root MSE	=	.18126
-----+-----									
lprice		Coef.	Std. Err.	t	P> t	[95% Conf. Interval]			
-----+-----									
llosize		-4.191584	12.59578	-0.33	0.740	-29.2486	20.86543		
lsqrft		-17.39336	52.49227	-0.33	0.741	-121.8172	87.0305		
bdrms		-.9276645	2.76988	-0.33	0.739	-6.437838	4.582509		
lph2		3.921189	13.01484	0.30	0.764	-21.96948	29.81186		
lph3		-.1933951	.7521095	-0.26	0.798	-1.68958	1.30279		
_cons		88.08799	240.9851	0.37	0.716	-391.3081	567.4841		

**test lph2 lph3**

```
( 1)  lph2 = 0.0
( 2)  lph3 = 0.0
```

```
F( 2, 82) = 2.57
Prob > F = 0.0831
```

### Example 9.3: IQ as a Price for Ability

**use <http://fmwww.bc.edu/ec-p/data/wooldridge/WAGE2>**

**gen educIQ=educ\*IQ**

**reg lwage educ exper tenure married south urban black**

Source		SS	df	MS		Number of obs =	935
-----+-----							
Model		41.8377677	7	5.97682396		F( 7, 927) =	44.75
Residual		123.818527	927	.133569069		Prob > F =	0.0000
-----+-----							
Total		165.656294	934	.177362199		R-squared =	0.2526
						Adj R-squared =	0.2469
						Root MSE =	.36547
-----+-----							
lwage		Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
-----+-----							
educ		.0654307	.0062504	10.47	0.000	.0531642	.0776973
exper		.014043	.0031852	4.41	0.000	.007792	.020294
tenure		.0117473	.002453	4.79	0.000	.0069333	.0165613
married		.1994171	.0390502	5.11	0.000	.1227802	.2760541
south		-.0909036	.0262485	-3.46	0.001	-.142417	-.0393903

urban		.1839121	.0269583	6.82	0.000	.1310056	.2368185
black		-.1883499	.0376666	-5.00	0.000	-.2622717	-.1144282
_cons		5.395497	.113225	47.65	0.000	5.17329	5.617704

```
reg lwage educ exper tenure married south urban black IQ
```

Source	SS	df	MS	Number of obs =	935
Model	43.5360229	8	5.44200287	F( 8, 926) =	41.27
Residual	122.120271	926	.131879343	Prob > F =	0.0000
				R-squared =	0.2628
				Adj R-squared =	0.2564
				Root MSE =	.36315
Total	165.656294	934	.177362199		

lwage	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
educ	.0544106	.0069285	7.85	0.000	.0408133 .068008
exper	.0141458	.0031651	4.47	0.000	.0079342 .0203575
tenure	.0113951	.0024394	4.67	0.000	.0066077 .0161825
married	.1997644	.0388025	5.15	0.000	.1236134 .2759154
south	-.0801695	.0262529	-3.05	0.002	-.1316916 -.0286473
urban	.1819463	.0267929	6.79	0.000	.1293645 .2345281
black	-.1431253	.0394925	-3.62	0.000	-.2206304 -.0656202
IQ	.0035591	.0009918	3.59	0.000	.0016127 .0055056
_cons	5.176439	.1280006	40.44	0.000	4.925234 5.427644

```
reg lwage educ exper tenure married south urban black IQ educIQ
```

Source	SS	df	MS	Number of obs =	935
Model	43.6401304	9	4.84890337	F( 9, 925) =	36.76
Residual	122.016164	925	.131909366	Prob > F =	0.0000
				R-squared =	0.2634
				Adj R-squared =	0.2563
				Root MSE =	.36319
Total	165.656294	934	.177362199		

lwage	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
educ	.0184558	.0410608	0.45	0.653	-.0621273 .099039
exper	.0139072	.0031768	4.38	0.000	.0076725 .0201418
tenure	.0113929	.0024397	4.67	0.000	.0066049 .0161808
married	.2008658	.0388267	5.17	0.000	.1246672 .2770644
south	-.0802354	.026256	-3.06	0.002	-.1317637 -.0287071
urban	.1835758	.0268586	6.83	0.000	.1308649 .2362867
black	-.1466989	.0397013	-3.70	0.000	-.2246139 -.0687839
IQ	-.0009418	.0051625	-0.18	0.855	-.0110734 .0091899
educIQ	.0003399	.0003826	0.89	0.375	-.0004109 .0010907

_cons		5.648249	.5462963	10.34	0.000	4.576125	6.720373
-------	--	----------	----------	-------	-------	----------	----------

---

### Example 9.4: City Crime Rates

use <http://fmwww.bc.edu/ec-p/data/wooldridge/CRIME2>

```
reg lcrmte unem llawexpc if d87==1
```

Source	SS	df	MS	Number of obs =	46
Model	.271987199	2	.1359936	F( 2, 43) =	1.30
Residual	4.48998214	43	.104418189	Prob > F =	0.2824
				R-squared =	0.0571
				Adj R-squared =	0.0133
Total	4.76196934	45	.105821541	Root MSE =	.32314

lcrmte	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
unem	-.0290032	.0323387	-0.90	0.375	-.0942205 .0362141
llawexpc	.2033652	.1726534	1.18	0.245	-.1448236 .5515539
_cons	3.342899	1.250527	2.67	0.011	.8209721 5.864826

```
reg lcrmte unem llawexpc lcrmrt_1
```

Source	SS	df	MS	Number of obs =	46
Model	3.23732846	3	1.07910949	F( 3, 42) =	29.73
Residual	1.52464088	42	.036300973	Prob > F =	0.0000
				R-squared =	0.6798
				Adj R-squared =	0.6570
Total	4.76196934	45	.105821541	Root MSE =	.19053

lcrmte	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
unem	.008621	.0195166	0.44	0.661	-.0307652 .0480072
llawexpc	-.1395764	.1086412	-1.28	0.206	-.3588231 .0796704
lcrmrt_1	1.193923	.1320985	9.04	0.000	.9273371 1.460508
_cons	.0764511	.8211433	0.09	0.926	-1.580683 1.733585

### Example 9.5: Saving Function with Measurement Error

***Dataset is not provided*****Example 9.6: Measurement Error in Scrap Rates*****Dataset is not provided*****Example 9.7: GPA Equation with Measurement Error*****Dataset is not provided*****Example 9.8: R&D Intensity and Firm Size*****use <http://fmwww.bc.edu/ec-p/data/wooldridge/RDCHEM>*****reg rdintens sales profmarg**

Source	SS	df	MS	Number of obs =	32
Model	8.28423732	2	4.14211866	F( 2, 29) =	1.19
Residual	100.549233	29	3.46721493	Prob > F =	0.3173
				R-squared =	0.0761
				Adj R-squared =	0.0124
Total	108.83347	31	3.51075711	Root MSE =	1.862

rdintens	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
sales	.0000534	.0000441	1.21	0.236	-.0000368	.0001435
profmarg	.0446166	.0461805	0.97	0.342	-.0498332	.1390664
_cons	2.625261	.5855328	4.48	0.000	1.427712	3.82281

**reg rdintens sales profmarg if sales<20000**

Source	SS	df	MS	Number of obs =	31
Model	18.7880289	2	9.39401445	F( 2, 28) =	2.92
Residual	89.9330615	28	3.21189505	Prob > F =	0.0702
				R-squared =	0.1728
				Adj R-squared =	0.1137
Total	108.72109	30	3.62403635	Root MSE =	1.7922

rdintens	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
----------	-------	-----------	---	------	----------------------	--

sales		.0001856	.0000842	2.20	0.036	.0000131	.0003581
profmarg		.0478411	.0444831	1.08	0.291	-.0432784	.1389605
_cons		2.296851	.5918045	3.88	0.001	1.084594	3.509107

### Example 9.9: R&D Intensity

use <http://fmwww.bc.edu/ec-p/data/wooldridge/RDCHEM>

reg lrd lsales profmarg

Source	SS	df	MS	Number of obs	=	32
Model	85.597056	2	42.798528	F( 2, 29)	=	162.24
Residual	7.6502049	29	.263800169	Prob > F	=	0.0000
				R-squared	=	0.9180
				Adj R-squared	=	0.9123
Total	93.2472609	31	3.00797616	Root MSE	=	.51361

lrd	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
lsales	1.084228	.0601941	18.01	0.000	.9611173 1.207339
profmarg	.0216594	.012782	1.69	0.101	-.0044827 .0478015
_cons	-4.378349	.4680132	-9.36	0.000	-5.335544 -3.421155

reg lrd lsales profmarg if sales<20000

Source	SS	df	MS	Number of obs	=	31
Model	71.7655416	2	35.8827708	F( 2, 28)	=	131.42
Residual	7.64489638	28	.273032014	Prob > F	=	0.0000
				R-squared	=	0.9037
				Adj R-squared	=	0.8969
Total	79.410438	30	2.6470146	Root MSE	=	.52252

lrd	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
lsales	1.088057	.0671128	16.21	0.000	.9505826 1.225531
profmarg	.021759	.0130233	1.67	0.106	-.004918 .048436
_cons	-4.404225	.5110168	-8.62	0.000	-5.450995 -3.357454



## Example 9.10: State Infant Mortality Rates

use <http://fmwww.bc.edu/ec-p/data/wooldridge/INFMRT>

```
reg infmort lpcinc lphysic lpopul if year==1990
```

Source	SS	df	MS	Number of obs = 51		
Model	32.1624527	3	10.7208176	F( 3, 47)	=	2.53
Residual	199.085016	47	4.23585141	Prob > F	=	0.0684
				R-squared	=	0.1391
				Adj R-squared	=	0.0841
Total	231.247469	50	4.62494938	Root MSE	=	2.0581

  

infmort	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
lpcinc	-4.684585	2.604134	-1.80	0.078	-9.923426	.5542562
lphysic	4.153227	1.512663	2.75	0.009	1.110143	7.196312
lpopul	-.0878245	.2872503	-0.31	0.761	-.6656976	.4900486
_cons	33.85875	20.42792	1.66	0.104	-7.236927	74.95444

```
reg infmort lpcinc lphysic lpopul if infmort<20 & year==1990
```

Source	SS	df	MS	Number of obs = 50		
Model	26.8600392	3	8.95334639	F( 3, 46)	=	5.76
Residual	71.4631627	46	1.55354702	Prob > F	=	0.0020
				R-squared	=	0.2732
				Adj R-squared	=	0.2258
Total	98.3232019	49	2.00659596	Root MSE	=	1.2464

  

infmort	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
lpcinc	-.5669247	1.641217	-0.35	0.731	-3.870523	2.736674
lphysic	-2.74184	1.190771	-2.30	0.026	-5.138737	-.344943
lpopul	.6292351	.1911062	3.29	0.002	.2445584	1.013912
_cons	23.95478	12.41949	1.93	0.060	-1.044345	48.95391

*This page prepared by Oleksandr Talavera (revised 8 Nov 2002)*

Send your questions/comments/suggestions to Kit Baum at [baum@bc.edu](mailto:baum@bc.edu)  
 These pages are maintained by the Faculty Micro Resource Center's **GSA Program**,  
 a unit of Boston College **Academic Technology Services**