## Introduction to R

Session 1 – Introduction Statistical Consulting Centre 19 July, 2017

## 1. Using R as a calculator

- 1. Find the values of:
  - (a) 1+4
  - (b)  $2^3 + \frac{4}{\sqrt{34}}$
  - (c) log 30
  - (d)  $\log_{10} 30$
  - (e) |-2| (Hint: |x| denotes the absolute value of x. Search on Google if you're unsure.)
- 2. Now open Rstudio, open a R script clicking File  $\rightarrow$  New  $\rightarrow$  R script.
- 3. Save this script by clicking File  $\rightarrow$  Save As....
- 4. Select a directory/location and save the script. Note: the saved script should have .r as extension. For example, if you call your file exercise one, then you should save it as exercise one.r
- 5. Copy and paste the code you typed (not the output, not the > symbol, just the code you typed) at the console for into the R script opened in Rstudio.
- 6. Submit your entire script at once to the R Console by highlighting all codes and pressing Ctrl + R.
- 7. From now on, type all of your code in your R script and submit it to the R Console using Ctrl + R.

## 2. Reading data into R

- 1. lake.csv contains data on mercury contamination in 53 different lakes in Florida. The variable names and what has been measured are presented below.
  - ID: ID number of the lake
  - Lake: Name of the lake
  - pH: pH value
  - Calcium: concentration of Calcium
  - Chlorophyll: concentration of Chlorophyll (mg/L)
- 2. Read the data into R, saving it in object named lake.df.
- 3. Use dim() and head() to look at some of the properties of the dataset you have just read into R. Always perform this important step to check that your dataset is as it should be.
- 4. Calculate the mean and standard deviation of both pH and Chlorophyll.
- 5. Check out what summary() does by running summary(lake.df\$pH).
- 6. Check the ferquency of Calcium concentration
- 7. Turn the freu qency table in 2.6 into proportion, keep only 2 decimal place