

Elements of Programming in R

Data structures

- Scalars and vectors
- Lists
- Data frames
- Factors
- Environments

Control Structures

The `help` page for *Control* describes several control structures, such as:

- `if (condition) { ... }`
- `if (condition) { ... } else { ... }`
- `for (x in vector) { ... }`
- `for (x in list) { ... }`
- `while (condition) { ... }`
- `return(expression)`

Functions

Functions are introduced by the *function* keyword. Assign the function to a name like this:

```
gcd = function(a, b) {  
  if (b == 0) {  
    return(a)  
  } else {  
    return(gcd(b, a %% b))  
  }  
}
```

If you don't explicitly `return` a value, the function returns the last expression in the body.

Variables Inside Functions

- To create a local variable, simply assign a value to it: `x <- 3`
- To set a global variable, use the special assignment operator: `global <<- 4`

Debugging

Read the help pages for these functions:

- `debug` - Invoke the debugger when a function is called
- `undebug` - Stop invoking the debugger
- `browser` - Set a breakpoint in a function
- `trace` - Trace calls to a function

- `debugonce` - Debug a function the first time it's called

Resources

- Norman Matloff's book on [*The Art of R Programming*](#)
- Hadley Wickham's tutorial on [*Advanced Programming in R*](#)