

Microeconomics III: Problem Set 11^a

Thor Donsby Noe (thor.noe@econ.ku.dk) & Christopher Borberg (christopher.borberg@econ.ku.dk) December 4 2019

Department of Economics, University of Copenhagen

^aSlides created for exercise class 3 and 4, with reservation for possible errors.

Outline

PS11, Ex. 1 (A): Effect of the GED education as a signal

PS11, Ex. 2 (A): Asymmetric information (PBE)

Signaling games in general

PS11, Ex. 3: Signaling game (pooling and separating PBE)

PS11, Ex. 4: Signaling games (pooling and separating PBE)

PS11, Ex. 5: Signaling games (pooling PBE)

PS11, Ex. 6: Spence's education signaling model (PBE)

1

PS11, Ex. 1 (A): Effect of the GED education as a signal

PS11, Ex. 1 (A): Effect of the GED education as a signal

Does signaling work? Read the article by Tyler, Murnane and Willett and think about their results. What is their hypothesis for why they do not find an effect for minority groups? Come up with an example of an education program that has mostly signaling value in your country.

(This is a reflection question, no answer will be provided).

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.

4

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- 1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

5

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price p. Write up the seller's strategy (best response).

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

7

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price p. Write up the seller's strategy (best response).
- Step 3: Write up the buyer's problem.

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).
- Step 3: Write up the buyer's problem: $\max_{p} \mathbb{P}[v_s < p] \mathbb{E}[v_b p | v_s < p]$

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. 1. Standard results for $x \sim U(a, b)$:

Use the mean to write up $\mathbb{E}(x < c)$. CDF: $F(x) = \frac{x-a}{b-2} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-2}$ (†)

Step 2: The buyer offers a price
$$p$$
. Write up the seller's strategy (best response). Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡

Step 3: Write up the buyer's problem:
$$\max_{p} \mathbb{P}[v_s < p] \mathbb{E}[v_b - p | v_s < p]$$

$$= \max_{p} \frac{p - 0}{1 - 0} \mathbb{E}[kv_s - p | v_s < p]$$

$$= \max_{p} p \left(k \mathbb{E}[v_s < p] - p\right)$$

$$= \max_{p} p \left(k \mathbb{E}[v_s < p] - p\right)$$

$$= \max_{p} p \left(k \frac{0 + p}{2} - p\right)$$
using (†)
$$using (†)$$

$$using (†)$$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. 1. Standard results for $x \sim U(a, b)$:

Use the mean to write up $\mathbb{E}(x < c)$. CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)

Step 2: The buyer offers a price p. Write up the seller's strategy (best response). Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡

the seller's strategy (best response). Mean:
$$\mu = \frac{u_1 - v_2}{2} \Rightarrow \mathbb{E}(x < c) = \frac{u_1 - v_2}{2}$$
 (Step 3: Write up the buyer's problem:
$$\max_{p} \mathbb{P}[v_s < p] \mathbb{E}[v_b - p | v_s < p] \qquad 2. \quad S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$
$$= \max_{p} \frac{p - 0}{1 - 0} \mathbb{E}[kv_s - p | v_s < p] \qquad \text{using } (\dagger) \qquad 3. \quad \max_{p} u_b(p, k) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$
$$= \max_{p} p \left(k \mathbb{E}[v_s < p] - p\right)$$
$$= \max_{p} p \left(k \frac{0 + p}{2} - p\right) \qquad \text{using } (\dagger)$$

Step 4: Take the first-order condition.

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Use the CDF to write up $\mathbb{P}(x < c)$. Use the mean to write up $\mathbb{E}(x < c)$.
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).
- Step 3: Write up the buyer's problem.

Step 4: Take the first-order condition:

$$\frac{\delta u_b(p,k)}{\delta p} = 0$$

$$2p\left(\frac{k}{2} - 1\right) = 0$$

$$2p\frac{k}{2} = 2p$$

$$p\frac{k}{2} = p$$

- 1. Standard results for $x \sim U(a, b)$:
- CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

- 2. $S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$
- 3. $\max_{p} u_b(p,k) = \max_{p} p^2 \left(\frac{k}{2} 1\right)$
- 4. FOC: $p^{\frac{k}{2}} = p$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. Use the mean to write up $\mathbb{E}(x < c)$.

1. Standard results for $x \sim U(a, b)$: CDF: $F(x) = \frac{x-a}{b-2} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-2}$ (†)

Step 2: The buyer offers a price p. Write up Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡)

Step 3: Write up the buyer's problem.

2. $S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$

Step 4: Take the first-order condition. Step 5: Maximize buyer's utility for k < 2.

3. $\max_{p} u_b(p, k) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$

4. FOC: $p^{\frac{k}{2}} = p$

13

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. Use the mean to write up $\mathbb{E}(x < c)$.

1. Standard results for
$$x \sim U(a, b)$$
:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)
Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡)

Step 3: Write up the buyer's problem.

Step 4: Take the first-order condition.

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

Step 5: Maximize buyer's utility for k < 2.

3.
$$\max_{p} u_b(p,k) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

Step 6: Maximize buyer's utility for k > 2.

4. FOC:
$$p^{\frac{k}{2}} = p$$

5. For
$$k \in (1,2)$$
 : $p \frac{k}{2}$

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. Use the mean to write up $\mathbb{E}(x < c)$.

- Step 3: Write up the buyer's problem.
- Step 4: Take the first-order condition.
- Step 5: Maximize buyer's utility for k < 2.
- Step 6: Maximize buyer's utility for k > 2.
- Step 7: Looking at the seller's strategy, will trade occur when k > 2?
 What about $k \in (1,2)$? Have we seen something similar before?

1. Standard results for
$$x \sim U(a, b)$$
:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

3.
$$\max_{p} u_b(p, k) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

4. FOC:
$$p^{\frac{k}{2}} = p$$

5. For
$$k \in (1,2)$$
: $p^{\frac{k}{2}}$

6. For
$$k > 2$$
: $p \frac{k}{2} > p \Rightarrow p^{**} = 1$

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. Use the mean to write up $\mathbb{E}(x < c)$.

- Step 3: Write up the buyer's problem.
- Step 4: Take the first-order condition.
- Step 5: Maximize buyer's utility for k < 2.
- Step 6: Maximize buyer's utility for k > 2.
- Step 7: k > 2: As $v_s \in [0,1] \le 1 = p^{**}$, seller will always accept this price. What about $k \in (1,2)$? Have we seen something similar before?

1. Standard results for
$$x \sim U(a, b)$$
:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

3.
$$\max_{p} u_b(p, k) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

4. FOC:
$$p^{\frac{k}{2}} = p$$

5. For
$$k \in (1,2)$$
: $p^{\frac{k}{2}}$

6. For
$$k > 2 : p \frac{k}{2} > p \Rightarrow p^{**} = 1$$

- Step 1: Use the CDF to write up $\mathbb{P}(x < c)$. Use the mean to write up $\mathbb{E}(x < c)$.
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).
- Step 3: Write up the buyer's problem.
- Step 4: Take the first-order condition.
- Step 5: Maximize buyer's utility for k < 2.
- Step 6: Maximize buyer's utility for k > 2.
- Step 7: k > 2: As $v_s \in [0,1] \le 1 = p^{**}$, seller will always accept this price. $k \in (1,2)$: Seller will not accept if $v_s > 0$, though trade would benefit both under perfect information. Similar to Akerlof's 'Lemons'.

- 1. Standard results for $x \sim U(a, b)$:
- CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)
- Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡
 - 2. $S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$
 - 3. $\max_{p} u_b(p, k) = \max_{p} p^2 \left(\frac{k}{2} 1\right)$
 - 4. FOC: $p^{\frac{k}{2}} = p$
 - 5. For $k \in (1,2)$: $p \frac{k}{2}$
 - 6. For $k > 2 : p \frac{k}{2} > p \Rightarrow p^{**} = 1$

Signaling games in general

PS11: Signaling games in general

Players:


 2 players: Sender (S) and receiver (R). E.g. firm and consumer, or employer and employee (Spence).

Timing:

- 1. Nature chooses the sender's type from $T = \{t_1, ...\}$.
- 2. S: The sender realizes her type and sends a signal from $M = \{m_1, ...\}$, typically either L (left) or R (right).
- R: The receiver observes m (but not the type t!) and forms his beliefs:
 μ(t₁|L) = p and μ(t₁|R) = q
 Consequently, for S having two possible types:

$$\mu(t_2|L) = 1 - p$$
 and $\mu(t_2|R) = 1 - q$

- 4. R: The receiver chooses an action from $A = \{a_1, ...\}$, e.g. up or down.
- 5. Payoffs are realized.



PS11: Signaling games in general

Players:

 2 players: Sender (S) and receiver (R). E.g. firm and consumer, or employer and employee (Spence).

Timing:


- 1. Nature chooses the sender's type from $T = \{t_1, ...\}$.
- 2. S: The sender realizes her type and sends a signal from $M = \{m_1, ...\}$, typically either L (left) or R (right).
- 3. R: The receiver observes m (but not the type t!) and forms his beliefs: $p = \mu(t_1|L)$ and $q = \mu(t_1|R)$ Consequently, for S having two possible types:

$$1-p=\mu(t_2|L)$$
 and $1-q=\mu(t_2|R)$

- 4. R: The receiver chooses an action from $A = \{a_1, ...\}$, e.g. up or down.
- 5. Payoffs are realized.

Four possible equilibria for two types:

- Pooling on L or pooling on R.
- Separating: t₁ plays L and t₂ plays R or the other way around.



PS11: Signaling games in general

Players:

 2 players: Sender (S) and receiver (R). E.g. firm and consumer, or employer and employee (Spence).

Timing:


- 1. Nature chooses the sender's type from $T = \{t_1, ...\}$.
- 2. S: The sender realizes her type and sends a signal from $M = \{m_1, ...\}$, typically either L (left) or R (right).
- R: The receiver observes m (but not the type t!) and forms his beliefs:
 p = μ(t₁|L) and q = μ(t₁|R)
 Consequently, for S having two possible types:

$$1-p=\mu(t_2|L)$$
 and $1-q=\mu(t_2|R)$

- 4. R: The receiver chooses an action from $A = \{a_1, ...\}$, e.g. up or down.
- 5. Payoffs are realized.

Four possible equilibria for two types:

- Pooling on L or pooling on R.
- Separating: t₁ plays L and t₂ plays R or the other way around.



Cookbook: For each possible equilibrium go over signaling requirements 3 and 2:

SR3: R: Find the beliefs p, q given S's eq. strategy. (Only consider beliefs that are consistent with S's eq. strategy.)


SR2R: R: Given beliefs, find $a(m_j|\mu(t_1|m_j))$.

SR2S: S: Does t_1 or t_2 want to deviate?

PBE: No deviation \rightarrow PBE. Pooling on L: Find off-eq. $a(R|q) \rightarrow$ possibly two different PBE for different q.


Consider the signaling game in Figure 1.

- (a) Suppose there is a pooling PBE where the Sender sends message *L* regardless of his type. What are the beliefs in this equilibrium?
- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?



(a) Suppose there is a pooling PBE where the Sender sends message *L* regardless of his type. What are the beliefs in this equilibrium?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's equilibrium strategy.)



- (a) Suppose there is a pooling PBE where the Sender sends message *L* regardless of his type. What are the beliefs in this equilibrium?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.):


$$\mu(t_1|L) = \mu(t_2|L) = \frac{1}{2}$$

$$\Rightarrow p = 1 - p = \frac{1}{2}$$

$$q \in [0; 1]$$


I.e. in a pooling perfect Bayesian equilibrium where S always sends the message L, the receiver R believes that S can be type t_1 or t_2 with equal probability as the signal does not reveal anything.

As the message R is not a part of S's equilibrium strategy, the receiver R has no beliefs about q other than $q \in [0,1]$ in the case where S would unexpectedly send the message R instead.




(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3:



(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's equilibrium strategy.)




(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)

SR2R:

SR2S:

PBE:




SR3: In the separating PBE, R has beliefs:

$$\mu(t_1|L)=p^*=0$$

$$\mu(t_1|R)=q^*=1$$

- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)
- SR2R: R: Find R's optimal strategy given beliefs about S's strategy.
- SR2S: S: Check whether S wants to deviate.
- PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R}_{m(t_1)},\underbrace{L}_{m(t_2)}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\}$$





SR3: In the separating PBE, R has beliefs:

$$\mu(t_1|L)=p^*=0$$

$$\mu(t_1|R)=q^*=1$$

- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)
- SR2R: R: Find R's optimal strategy given beliefs about S's strategy.
- SR2S: S: Check whether S wants to deviate.
 - PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:





 $\mu(t_1|L) = p^* = 0$

$$\mu(t_1|R)=q^*=1$$

SR2R:
$$\mathbb{E}[u_{R}(L, u|p=0)] \ge \mathbb{E}[u_{R}(L, d|p=0)]$$

 $\mathbb{E}[u_{R}(R, d|q=1)] \ge \mathbb{E}[u_{R}(R, u|q=1)]$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R}_{m(t_1)},\underbrace{L}_{m(t_2)}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\} \\ \text{SR3: In the separating PBE, R has beliefs:} \\ \mu(t_1|L)=p^*=0$$

→ Construct payoffs that live up to these conditions.



 $\mu(t_1|L) = p^* = 0$

$$\mu(t_1|R)=q^*=1$$

SR2R: $\mathbb{E}[u_{R}(L, u|p=0)] \ge \mathbb{E}[u_{R}(L, d|p=0)]$ $\mathbb{E}[u_R(R, d|q=1)] > \mathbb{E}[u_R(R, u|q=1)]$


SR2S:
$$u_S(R, d|t_1) \ge u_S(L, d|t_1)$$

 $u_S(L, u|t_2) > u_S(R, u|t_2)$

- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)
- SR2R: R: Find R's optimal strategy given beliefs about S's strategy.
- SR2S: S: Check whether S wants to deviate.
 - PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R}_{m(t_1)},\underbrace{L}_{m(t_2)}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\}$$

- → Construct payoffs that live up to these conditions.
- i: Simplest possible example.



(a, d), (b, d), (b, d), (a, d), (a,

$$\mu(t_1|R)=q^*=1$$

SR2R: $\mathbb{E}[u_{R}(L, u|p=0)] \ge \mathbb{E}[u_{R}(L, d|p=0)]$ $\mathbb{E}[u_{R}(R, d|q=1)] \ge \mathbb{E}[u_{R}(R, u|q=1)]$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, d|t_1)$$

 $u_S(L, u|t_2) \ge u_S(R, u|t_2)$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R}_{m(t_1)},\underbrace{L}_{m(t_2)}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{\rho=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\} \text{SR3: In the separating PBE, R has beliefs: } \\ \mu(t_1|L)=p^*=0$$

- → Construct payoffs that live up to these conditions
 - i: Simplest possible example.
- ii: Does the PBE still hold for this example?



 $\mu(t_1|L) = p^* = 0$

$$\mu(t_1|R)=q^*=1$$

SR2R: $\mathbb{E}[u_{R}(L, u|p=0)] \ge \mathbb{E}[u_{R}(L, d|p=0)]$ $\mathbb{E}[u_{\mathbb{R}}(R,d|q=1)] > \mathbb{E}[u_{\mathbb{R}}(R,u|q=1)]$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, d|t_1)$$

 $u_S(L, u|t_2) \ge u_S(R, u|t_2)$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

(0.0)

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R},\underbrace{L}),\underbrace{u}_{a(L)},\underbrace{d}_{a(R)},\underbrace{p=0},\underbrace{q=1}\} \text{SR3} : \text{ In the separating PBE, R has beliefs: } \\ \mu(t_1|L)=p^*=0$$

- → Construct payoffs that live up to these conditions
- i: Simplest possible example.
- ii: Yes. all conditions still hold.



$$\mu(t_1|R) = q^* = 1$$

SR2R: $\mathbb{E}[u_R(L, u|p=0)] \ge \mathbb{E}[u_R(L, d|p=0)]$
 $\mathbb{E}[u_R(R, d|q=1)] \ge \mathbb{E}[u_R(R, u|q=1)]$

 $\mu(t_1|L) = p^* = 0$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, d|t_1)$$

 $u_S(L, u|t_2) \ge u_S(R, u|t_2)$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R}_{m(t_1)}, \underbrace{L}_{m(t_2)}), (\underbrace{u}_{a(L)}, \underbrace{d}_{a(R)}), \underbrace{p=0}_{\mu(t_1|L)}, \underbrace{q=1}_{\mu(t_1|R)}\}$$

- → Construct payoffs that live up to these conditions.
- i: Simplest possible example.
- ii: Yes, all conditions still hold.
- iii: What about zero payoffs all over?



$$\mu(t_1|R)=q^*=1$$

SR2R:
$$\mathbb{E}[u_{R}(L, u|p=0)] \ge \mathbb{E}[u_{R}(L, d|p=0)]$$

 $\mathbb{E}[u_{R}(R, d|q=1)] \ge \mathbb{E}[u_{R}(R, u|q=1)]$

SR3: In the separating PBE, R has beliefs: $\mu(t_1|L) = p^* = 0$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, d|t_1)$$

 $u_S(L, u|t_2) > u_S(R, u|t_2)$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R}_{m(t_1)},\underbrace{L}_{m(t_2)}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\}\text{SR3: In the separating PBE, R has beliefs: }\mu(t_1|L)=p^*=0$$

- → Construct payoffs that live up to these conditions
 - i: Simplest possible example.
- ii: Yes, all conditions still hold.
- iii: All conditions hold with equality.



$$\mu(t_1|R)=q^*=1$$


SR2R: $\mathbb{E}[u_{R}(L, u|p=0)] \ge \mathbb{E}[u_{R}(L, d|p=0)]$ $\mathbb{E}[u_{\mathbb{R}}(R,d|q=1)] \geq \mathbb{E}[u_{\mathbb{R}}(R,u|q=1)]$

 $\mu(t_1|L) = p^* = 0$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, d|t_1)$$


 $u_S(L, u|t_2) \ge u_S(R, u|t_2)$

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.




Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Step 1: Write up S's possible strategies.



Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.


Step 1: Write up S's possible strategies.



Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Step 1: Write up S's possible strategies.

Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.



38

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p = \frac{1}{2} \text{ and } \mu(t_1|R) = q \in [0,1]$$

SR2R: R: Indifferent between u and d:


$$\mathbb{E}[u_{R}(L, u|p)] = \mathbb{E}[u_{R}(L, d|p)]$$

$$1p + 0[1 - p] = 0p + 1[1 - p]$$

$$\frac{1}{2} = \frac{1}{2}$$

SR2S: S: t_2 wants to deviate as $L|t_2$ is strictly dominated by $R|t_2$.


PBE: Not a PBE as to would deviate.



2. No PBE that includes (L, L).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.



- 2. No PBE that includes (L, L).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.


- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p\in[0,1]$$
 and $\mu(t_1|R)=q=rac{1}{2}$

SR2R: R: Best response is to play u as $\mathbb{E}[u_{\mathbb{R}}(R,u|q=\frac{1}{2})] = 2\frac{1}{2} + 0\frac{1}{2} = 1$ $\mathbb{E}[u_{\mathbb{R}}(R,d|q=\frac{1}{2})] = 0\frac{1}{2} + 1\frac{1}{2} = \frac{1}{2}$

SR2S: t_1 will not deviate even if a(L) = d: $u_S(R, u|t_1) = 2 \ge 2 = \max u_S(L, a(L)|t_1)$ t_2 will not deviate as $R|t_2$ strictly dominates $L|t_2$.

PBE: Find the off-equilibrium beliefs p to identify a(L|p) (possibly 2 for different p.)



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).
- 3.

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:

$$\mu(t_1|L) = p \in [0,1]$$
 and $\mu(t_1|R) = q = \frac{1}{2}$
SR2R: R: Best response is to play u as

$$\mathbb{E}[u_{R}(R, u|q=\frac{1}{2})] = 2\frac{1}{2} + 0\frac{1}{2} = 1$$


$$\mathbb{E}[u_{R}(R, d|q=\frac{1}{2})] = 0\frac{1}{2} + 1\frac{1}{2} = \frac{1}{2}$$
To will not deviate even if $a(L) = a$

- SR2S: t_1 will not deviate even if a(L) = d: $u_S(R, u|t_1) = 2 \ge 2 = \max u_S(L, a(L)|t_1)$ t_2 will not deviate as $R|t_2$ strictly
- dominates $L|t_2$. PBE: Find the off-equilibrium beliefs p to identify (two different) a(L|p):

$$\mathbb{E}[u_{\mathsf{R}}(L,u|p) \geq \mathbb{E}[u_{\mathsf{R}}(L,d|p)$$

 $1p + 0[1-p] \geq 0p + 1[1-p]$

 $p \geq \frac{1}{2}$



- SS = {(L, L), (N, N), (L, N), (N, L)
 No PBE that includes (L, L).
- 3. Write up all PBE including (R,R).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1]$$
 and $\mu(t_1|R) = q = \frac{1}{2}$
SR2R: R: Best response is to play u as

$$\mathbb{E}[u_{R}(R, u|q=\frac{1}{2})] = 2\frac{1}{2} + 0\frac{1}{2} = 1$$


$$\mathbb{E}[u_{R}(R, d|q=\frac{1}{2})] = 0\frac{1}{2} + 1\frac{1}{2} = \frac{1}{2}$$

SR2S: t_1 will not deviate even if a(L) = d: $u_S(R, u|t_1) = 2 \ge 2 = \max u_S(L, a(L)|t_1)$ t_2 will not deviate as $R|t_2$ strictly dominates $L|t_2$.

PBE: Find the off-equilibrium beliefs p to identify (two different) a(L|p): $\mathbb{E}[u_{R}(L,u|p) \geq \mathbb{E}[u_{R}(L,d|p)$

$$1p + 0[1-p] \ge 0p + 1[1-p]$$

$$p \geq \frac{1}{2}$$




- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (*L*,*R*), go over SR3, SR2R, and SR2S.



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).
- 3. $\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3. SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=1$$
 and $\mu(t_1|R)=q=0$


- SR2R: R: Best response is to play u|L, d|R.
- SR2S: t_1 will not deviate as

$$u_{S}(L, u|t_{1}) = 1 > 0 = u_{S}(R, d|t_{1})$$

t₂ will not deviate as

$$u_{S}(R, d|t_{2}) = 1 > 0 = u_{S}(L, u|t_{2})$$

PBE: No deviation, thus, it's a PBE.




2. No PBE that includes
$$(L, L)$$
.

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

4.
$$\{(L,R),(u,d),p=1,q=0\}$$

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S,
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.
- Step 5: For the separating strategy (R,L), go over SR3, SR2R, and SR2S.



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

4.
$$\{(L,R),(u,d),p=1,q=0\}$$

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.


- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3. SR2R. and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3. SR2R. and SR2S.
- Step 5: For the separating strategy (R,L), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=0$$
 and $\mu(t_1|R)=q=1$

- SR2R: R: Best response is to play d|L, u|R.
- SR2S: t_2 wants to deviate as

$$u_{S}(L,d|t_{2}) = 0 < 1 = u_{S}(R,u|t_{2})$$

- PBE: No PBE as t_2 will want to deviate.
- Step 6: Write up the full set of PBE.



- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

- 4. $\{(L,R),(u,d),p=1,q=0\}$
- 5. No PBE that includes (R, L).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.


Step 1: Write up S's possible strategies.Step 2: For the pooling strategy (*L,L*), go over SR3. SR2R. and SR2S.

Step 3: For the pooling strategy (*R*,*R*), go over SR3, SR2R, and SR2S.

Step 4: For the separating strategy (*L*,*R*), go

over SR3, SR2R, and SR2S. Step 5: For the separating strategy (R,L), go over SR3, SR2R, and SR2S:

Step 6: Write up the full set of PBE.




2. No PBE that includes (L, L). 3. $\left\{ \begin{array}{l} (R, R), (u, u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R, R), (d, u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$ 4. $\left\{ \begin{array}{l} (L, R), (u, d), p = 1, q = 0 \end{array} \right\}$

5. No PBE that includes (R, L). 6. $\begin{cases}
(R, R), (u, u), p \ge \frac{1}{2}, q = \frac{1}{2} \\
(R, R), (d, u), p \le \frac{1}{2}, q = \frac{1}{2} \\
(L, R), (u, d), p = 1, q = 0
\end{cases}$

8


Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

• Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$




Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p = \frac{1}{2} \text{ and } \mu(t_1|R) = q \in [0,1]$$

SR2R: R: Best response is to play u|L as $\mathbb{E}[u_{R}(L, u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_{R}(L, d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$

SR2S: t_1, t_2 will not deviate if R plays u|R.

PBE: So, now what?



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=rac{1}{2}$$
 and $\mu(t_1|R)=q\in[0,1]$

SR2R: R: Best response is to play u|L as $\mathbb{E}[u_{R}(L,u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_{R}(L,d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$

SR2S: t_1, t_2 will not deviate if R plays u|R.

PBE: Find values of q such that the receiver plays u|R.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p = \frac{1}{2} \text{ and } \mu(t_1|R) = q \in [0,1]$$

SR2R: R: Best response is to play
$$u|L$$
 as $\mathbb{E}[u_R(L, u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_R(L, d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$

SR2S:
$$t_1, t_2$$
 will not deviate if R plays $u|R$.

PBE: Find values of q such that the receiver plays u|R:


$$\mathbb{E}[u_{\mathsf{R}}(R,u|q) \geq \mathbb{E}[u_{\mathsf{R}}(R,d|q)$$

$$0q + 2[1-q] \ge 1q + 0[1-q]$$

$$2-2q \geq q$$

$$2 \ge 3q$$

$$\frac{2}{3} \geq q$$



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:

$$\mu(t_1|L) = p = \frac{1}{2} \text{ and } \mu(t_1|R) = q \in [0,1]$$

SR2R: R: Best response is to play
$$u|L$$
 as $\mathbb{E}[u_R(L, u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_R(L, d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$

SR2S:
$$t_1, t_2$$
 will not deviate if R plays $u|R$.

PBE: Find values of q such that the receiver plays u|R:

$$\mathbb{E}[u_{\mathsf{R}}(R,u|q) \geq \mathbb{E}[u_{\mathsf{R}}(R,d|q)$$


$$0q + 2[1-q] \ge 1q + 0[1-q]$$

$$2-2q \ge q$$

$$2 \ge 3q$$

$$\frac{2}{3} \geq q$$

Write up the PBE including beliefs.




Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

• Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.

Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p\in[0,1]$$
 and $\mu(t_1|R)=q=rac{1}{2}$

SR2R: R: Best response is to play u as $\mathbb{E}[u_{R}(R, u|q=\frac{1}{2})] = 0\frac{1}{2} + 2\frac{1}{2} = 1$ $\mathbb{E}[u_{R}(R, d|q=\frac{1}{2})] = 1\frac{1}{2} + 0\frac{1}{2} = \frac{1}{2}$

SR2S: t_1 will deviate as the payoff from $(L, a(L)|t_1)$ is strictly higher than $(R, u|t_1) = 0$.

PBE: No PBE, as t_1 wants to deviate.




Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_{S} = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:


$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy: $\mu(t_1|L) = p = 1$ and $\mu(t_1|R) = q = 0$
- SR2R: R: Best response is to play d|L, u|R.
- SR2S: t_1 will not deviate as $u_S(L, d|t_1) = 1 > 0 = u_S(R, u|t_1)$
 - $u_{\mathsf{S}}(\mathsf{L},a|t_1)\equiv 1>0\equiv u_{\mathsf{S}}(\mathsf{R},u|t_1)$

t₂ will not deviate as

$$u_{S}(R, u|t_{2}) = 1 > 0 = u_{S}(L, d|t_{2})$$

PBE: No deviation, thus, it's a PBE.




- 2. No PBE that includes (R, R).
- 3. $\{(L,R),(d,u),p=1,q=0\}$

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$


- Step 1: For the pooling strategy (L,L), go over SR3. SR2R. and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3. SR2R. and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3. SR2R. and SR2S.
- Step 4: For the separating strategy (R,L), go over SR3, SR2R, and SR2S.



- 2. No PBE that includes (R, R).
- 3. $\{(L,R),(d,u),p=1,q=0\}$

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Consider S's possible strategies: $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- Step 1: For the pooling strategy (L,L), go over SR3. SR2R. and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (R,L), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy: $\mu(t_1|L)=p=0$ and $\mu(t_1|R)=q=1$
- SR2R: R: Best response is to play u|L, d|R.
- SR2S: t_1 will not deviate as $u_{\rm S}(R,d|t_1)=4>3=u_{\rm S}(L,u|t_1)$ t_2 will not deviate as $u_{\rm S}(L,u|t_2)=3>2=u_{\rm S}(R,d|t_2)$
 - PBE: No deviation, thus, it's a PBE.
- Step 5: Write up the full set of PBE.



2. No PBE that includes (R, R).

3. $\{ (L,R), (d,u), p=1, q=0 \}$


4. $\{ (R, L), (u, d), p = 0, q = 1 \}$

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3. SR2R, and SR2S.
- Step 4: For the separating strategy (R,L), go over SR3. SR2R, and SR2S:
- Step 5: Write up the full set of PBE.




- 2. No PBE that includes (R, R).
- 3. $\{ (L,R), (d,u), p=1, q=0 \}$
- 4. $\{ (R, L), (u, d), p = 0, q = 1 \}$
- 5. $\left\{ \begin{array}{l} (L,L), (u,u), p = \frac{1}{2}, q \le \frac{2}{3} \\ (L,R), (d,u), p = 1, q = 0 \\ (R,L), (u,d), p = 0, q = 1 \end{array} \right\}$

PS11, Ex. 5: Signaling games

(pooling PBE)


PS11, Ex. 5.a: Signaling games (pooling PBE)

Exercise 4.3.a in Gibbons (p. 246). Specify a pooling perfect Bayesian equilibria in which both Sender types play R in the following signaling game.



PS11, Ex. 5.b: Signaling games (pooling PBE)

Exercise 4.3.b in Gibbons (p. 246). The following three-type signaling game begins with a move by nature, not shown in the tree, that yields one of the three types with equal probability Specify a pooling perfect Bayesian equilibria in which all three Sender types play L.



PS11, Ex. 6: Spence's education signaling model (PBE)

Consider the following version of Spence's education signaling model, where a firm is hiring a worker. Workers is characterized by their type θ , which measures their ability. There are two worker types: $\theta \in \{\theta_L, \theta_H\}$. Nature chooses the worker's type, with $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_H = \mathbb{P}[\theta = \theta_H] = 1 - p_H$.

The worker observes his own type, but the firm does not. The worker can choose his level of education: $e \in \mathbb{R}^+$. The cost to him of acquiring this education is $c_{\theta}(e) = e/\theta$. Education is observed by the firm, who then forms beliefs about the workers type: $\mu(\theta|e)$. We assume that the marginal productivity of a worker is equal to his ability and that the company is in competition such it pays the marginal productivity: $w(e) = \mathbb{E}[\theta|e]$. Thus, the payoff to a worker conditional on his type and education is $u_{\theta}(e) = w(e) - c_{\theta}(e)$. Suppose for this exercise that $\theta_H = 3$ and $\theta_L = 1$.

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.

Consider the following version of Spence's education signaling model, where a firm is hiring a worker. Workers are characterized by their type θ , which measures their ability. There are two worker types: $\theta \in \{\theta_L, \theta_H\}$. Nature chooses the worker's type, with $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_H = \mathbb{P}[\theta = \theta_H] = 1 - p_H$.

The worker observes his own type, but the firm does not. The worker can choose his level of education: $e \in \mathbb{R}^+$. The cost to him of acquiring this education is $c_\theta(e) = e/\theta$. Education is observed by the firm, who then forms beliefs about the workers type: $\mu(\theta|e)$. We assume that the marginal productivity of a worker is equal to his ability and that the company is in competition such it pays the marginal productivity: $w(e) = \mathbb{E}[\theta|e]$. Thus, the payoff to a worker conditional on his type and education is $u_\theta(e) = w(e) - c_\theta(e)$. Suppose for this exercise that $\theta_H = 3$ and $\theta_L = 1$.

- (a) Find a separating pure strategy PBE.
- (b) Find a pooling pure strategy PBE.

Given the firm expects a worker to be type θ_L and pays $\theta_L=1$, find the utility maximizing education level for each type:

Type
$$\theta_L$$
: $\max_{\substack{e_L \\ e_I}} u_{\theta_L}(e_L)$
Type θ_H : $\max_{\substack{e_I \\ e_I}} u_{\theta_H}(e_L)$

Consider the following version of Spence's education signaling model, where a firm is hiring a worker. Workers are characterized by their type θ , which measures their ability. There are two worker types: $\theta \in \{\theta_L, \theta_H\}$. Nature chooses the worker's type, with $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_H = \mathbb{P}[\theta = \theta_H] = 1 - p_H$.

The worker observes his own type, but the firm does not. The worker can choose his level of education: $e \in \mathbb{R}^+$. The cost to him of acquiring this education is $c_\theta(e) = e/\theta$. Education is observed by the firm, who then forms beliefs about the workers type: $\mu(\theta|e)$. We assume that the marginal productivity of a worker is equal to his ability and that the company is in competition such it pays the marginal productivity: $w(e) = \mathbb{E}[\theta|e]$. Thus, the payoff to a worker conditional on his type and education is $u_\theta(e) = w(e) - c_\theta(e)$. Suppose for this exercise that $\theta_H = 3$ and $\theta_L = 1$.

- (a) Find a separating pure strategy PBE.
- (b) Find a pooling pure strategy PBE. Given the firm expects a worker to be type θ_L and pays $\theta_L=1$, find the utility maximizing education level for each type:

Type
$$\theta_L$$
: $\max_{e_L} u_{\theta_L}(e_L) = \max_{e_L} 1 - e_L \Rightarrow e_L = 0$
Type θ_H : $\max_{e_L} u_{\theta_H}(e_L) = \max_{e_L} 1 - \frac{e_L}{3} \Rightarrow e_L = 0$
Write up the firm's profit from h

(hiring) or n (not hiring) for each type sending a signal of either e_H or e_L .

Consider the following version of Spence's education signaling model, where a firm is hiring a worker. Workers are characterized by their type θ , which measures their ability. There are two worker types: $\theta \in \{\theta_L, \theta_H\}$. Nature chooses the worker's type, with $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_H = \mathbb{P}[\theta = \theta_H] = 1 - p_H$.

The worker observes his own type, but the firm does not. The worker can choose his level of education: $e \in \mathbb{R}^+$. The cost to him of acquiring this education is $c_{\theta}(e) = e/\theta$. Education is observed by the firm, who then forms beliefs about the workers type: $\mu(\theta|e)$. We assume that the marginal productivity of a worker is equal to his ability and that the company is in competition such it pays the marginal productivity: $w(e) = \mathbb{E}[\theta|e]$. Thus, the payoff to a worker conditional on his type and education is $u_{\theta}(e) = w(e) - c_{\theta}(e)$. Suppose for this exercise that $\theta_H = 3$ and $\theta_L = 1$.

- (a) Find a separating pure strategy PBE.
- (b) Find a pooling pure strategy PBE. Given the firm expects a worker to be type θ_L and pays $\theta_L = 1$, find the utility maximizing education level for each type:

Type
$$\theta_L$$
: $\max_{\substack{e_L \\ e_L}} u_{\theta_L}(e_L) = \max_{\substack{e_L \\ e_L}} 1 - e_L \Rightarrow e_L = 0$

Type θ_H : $\max_{\substack{e_L \\ e_L}} u_{\theta_H}(e_L) = \max_{\substack{e_L \\ e_L}} 1 - \frac{e_L}{3} \Rightarrow e_L = 0$

Type θ_H : $\max_{e_I} u_{\theta_H}(e_L) = \max_{e_I} 1 - \frac{e_L}{3} \Rightarrow e_L = 0$ $\pi_F = \left\{ \begin{array}{ll} -2 & \text{for } h|e_H(\theta_L) \\ 0 & \text{for } n \lor h|e_H(\theta_H) \lor h|e_L(\theta_L) \\ 2 & \text{for } h|e_L(\theta_H) \end{array} \right.$ Draw the extensive form of this signaling game where either type of worker sends the signal of taking an education of level $e_L = 0$ or $e_H > 0$. Observing the signal, the firm *F* forms their beliefs and choose h (hire and pay the wage according to the education level) or n (not hire).

Consider the following version of Spence's education signaling model, where a firm is hiring a worker. Workers are characterized by their type θ , which measures their ability. There are two worker types: $\theta \in \{\theta_L, \theta_H\}$. Nature chooses the worker's type, with $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_H = \mathbb{P}[\theta = \theta_H] = 1 - p_H$. The worker observes his own type, but the firm does not. The worker can choose his

level of education: $e \in \mathbb{R}^+$. The cost to him of acquiring this education is $c_{\theta}(e) = e/\theta$. Education is observed by the firm, who then forms beliefs about the workers type: $\mu(\theta|e)$. We assume that the marginal productivity of a worker is equal to his ability and that the company is in competition such it pays the marginal productivity: $w(e) = \mathbb{E}[\theta|e]$. Thus, the payoff to a worker conditional on his type and

education is $u_{\theta}(e) = w(e) - c_{\theta}(e)$. Suppose for this exercise that $\theta_H = 3$ and $\theta_L = 1$.

- (a) Find a separating pure strategy PBE.
- (b) Find a pooling pure strategy PBE. Given the firm expects a worker to be type θ_L and pays $\theta_L = 1$, find the utility

maximizing education level for each type: Type θ_L : $\max_{e_L} u_{\theta_L}(e_L) = \max_{e_L} 1 - e_L \Rightarrow e_L = 0$ Type θ_H : $\max_{\theta_H} u_{\theta_H}(e_L) = \max_{\theta_H} 1 - \frac{e_L}{2} \Rightarrow e_L = 0$

Type
$$\theta_H$$
: $\max_{e_L} u_{\theta_H}(e_L) = \max_{e_L} 1 - \frac{e_L}{3} \Rightarrow e_L = 0$


$$\pi_F = \begin{cases} -2 & \text{for } h|e_H(\theta_L) \\ 0 & \text{for } n \lor h|e_H(\theta_H) \lor h|e_L(\theta_L) \\ 2 & \text{for } h|e_L(\theta_H) \end{cases}$$

Draw the extensive form:

) (0,0) n [1-p] eL θ_L eH [1-q] n (-e) Now, solve question (a) and (b).


(a) Find a separating pure strategy PBE.

Step 1: Looking at the game tree, which separating PBE are not viable?




(a) Find a separating pure strategy PBE.

Step 1: Looking at the game tree, which separating PBE are not viable?



1. (e_L, e_H) is not viable, as F would not hire θ_L despite his high education level e_H . Nor is any other PBE where either type of worker is not hired as he would then want to deviate.

- (a) Find a separating pure strategy PBE.
- Step 1: Looking at the game tree, which separating PBE are not viable?
- Step 2: Instead, go over SR3, SR2R and SR2S for the PBE candidate $((e_H, e_L), (h, h))$.



1. (e_L, e_H) is not viable, as F would not hire θ_L despite his high education level e_H . Nor is any other PBE where either type of worker is not hired as he would then want to deviate.

(a) Find a separating pure strategy PBE.

Step 1: Looking at the game tree, which separating PBE are not viable?

Step 2: Go over SR3, SR2R and SR2S for the PBE candidate $((e_H, e_L), (h, h))$:

SR3: F: Beliefs given worker's strategy:

$$\mu(heta_H|e_L)=p=0$$
 and $\mu(heta_H|e_H)=q=1$

SR2R: F: Is indifferent between h and n. SR2S: Type θ_H will not deviate when

$$u_{\theta_H}(e_H, h) \ge u_{\theta_H}(e_L, h)$$

$$3 - \frac{e_H}{3} \ge 1$$
 $e_H < 6$

Type θ_L will not deviate when

$$u_{\theta_L}(e_L, h) \ge u_{\theta_L}(e_H, h)$$
$$1 \ge 3 - e_H$$
$$e_H \ge 2$$


hire θ_L despite his high education level e_H . Nor is any other PBE where either type of worker is not hired as he would then want to deviate.

1. (e_L, e_H) is not viable, as F would not

No deviation for e_H ∈ [2,6]. It's optimal for θ_H to choose e_H = 2 as it's sufficient for credibly signaling his type. Above 2, worker's marginal effect of education is negative.


$$PBE = \{(e_H = 2, e_L = 0), (h, h), p = 0, q = 1\}_{73}$$

(b) Find a pooling pure strategy PBE.
Step 1: Looking at the game tree, which pooling PBE is not viable?




(b) Find a pooling pure strategy PBE.

Step 1: Looking at the game tree, which pooling PBE is not viable?



1. (e_H, e_H) is not viable, as F would not hire unless the probability of type θ_L is $p_L = 0$.

- (b) Find a pooling pure strategy PBE.
- Step 1: Looking at the game tree, which pooling PBE is not viable?
- Step 2: Instead, go over SR3, SR2R and SR2S for the PBE candidate $((e_1, e_1), (h, n))$.




1. (e_H, e_H) is not viable, as F would not hire unless the probability of type θ_L is $p_L = 0$.

- (b) Find a pooling pure strategy PBE.
- Step 1: Looking at the game tree, which pooling PBE is not viable?
- Step 2: Go over SR3, SR2R and SR2S for the PBE candidate $((e_L, e_L), (h, n))$:
 - SR3: F: Beliefs given worker's strategy:

$$\mu(\theta_H|e_L) = p_H$$
 and $\mu(\theta_H|e_H) = q \in [0,1]$
R2R: F: (h, n) is strictly dominant except

- SR2R: F: (h, n) is strictly dominant except for $p_H = 0$, q = 1 where it's weakly dominant.
- SR2S: Type θ_H will not deviate as $u_{\theta_H}(e_L,h) = 1 > -\frac{e_H}{3} = u_{\theta_H}(e_H,n)$ Type θ_L will not deviate when $u_{\theta_L}(e_L,h) = 1 > -e_H = u_{\theta_L}(e_H,n)$
- Step 3: Explain: Which 2 assumptions make it possible to have an equilibrium where both high-ability and low-ability workers take zero education?



- 1. (e_H, e_H) is not viable, as F would not hire unless the probability of type θ_L is $p_L = 0$.
- 2. No deviation, thus, we have a PBE:

$$\{(e_L=0,e_L=0),(h,n),p=p_H,q\in[0,1]\}$$

(b) Find a pooling pure strategy PBE.

pooling PBE is not viable? Step 2: Go over SR3, SR2R and SR2S for the PBE candidate $((e_L, e_L), (h, n))$:

SR3: F: Beliefs given worker's strategy:
$$\mu(\theta_H|e_L) = p_H \text{ and } \mu(\theta_H|e_H) = q \in [0,1]$$
 SR2R: F: (h,n) is strictly dominant except

for $p_H = 0$, q = 1 where it's weakly dominant. SR2S: Type θ_H will not deviate as $u_{\theta_H}(e_L, h) = 1 > -\frac{e_H}{2} = u_{\theta_H}(e_H, n)$

$$\theta_H(e_L, n) \equiv 1 > -\frac{1}{3} \equiv u_{\theta_H}(e_L)$$
Type θ_L will not deviate when

$$u_{ heta_L}(e_L,h)=1>-e_H=u_{ heta_L}(e_H,n)$$
 Step 3: Explain: Which 2 assumptions make it possible to have an eq. where both high-ability and low-ability

workers take zero education?

 $e_L \stackrel{\theta_H}{=} e_H \stackrel{[q]}{=}$ (0,0)рн ıFirm Nature Firm

$$(1,0) \qquad h \qquad p_L \qquad h \qquad (3-e_H, -1)$$

$$(0,0) \qquad n \qquad (-e_H, 0)$$

$$1. \quad (e_H, e_H) \text{ is not viable, as } F \text{ would}$$

not hire unless the probability of type θ_I is $p_I = 0$. 2. No deviation, thus, we have a PBE:

2. No deviation, thus, we have a PBE:
$$\{(e_L = 0, e_L = 0), (h, n), p = p_H, q \in [0, 1]\}$$

productivity and is indifferent between n, $h(e_L)|\theta_L$, and $h(e_H)|\theta_H$. Thus, F has no reason to run the

risk of overpaying θ_L imitating θ_H .

3.ii Under competition, F pays marginal

3.i Education is unproductive; it only serves as a signal of one's ability.