



RRMarkdown

<http://rmarkdwn.studio.com/gallery.html>

Exercises

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23

```
---  
title: "Viridis Demo"  
output: html_document  
---  
  
```${r include = FALSE}  
library(viridis)  
```${r}  
  
The code below demonstrates two color palettes in the  
[viridis](https://github.com/sjmgarnier/viridis) package. Each  
plot displays a contour map of the Maunga Whau volcano in  
Auckland, New Zealand.  
  
## Viridis colors  
  
```${r}  
image(volcano, col = viridis(200))  
```${r}  
  
## Magma colors  
  
```${r}  
image(volcano, col = viridis(200, option = "A"))  
```${r}
```

1:1 Viridis Demo R Markdown

Console

EnvironmentHistoryBuildGit


FilesPlotsPackagesHelpViewer

# Viridis Demo

The code below demonstrates two color palettes in the [viridis](#) package. Each plot displays a contour map of the Maunga Whau volcano in Auckland, New Zealand.

## Viridis colors


```
image(volcano, col = viridis(200))
```



## Magma colors

# R Markdown

## Exercise files



<https://rmarkdown.rstudio.com/gallery.html>

# Things to Know About R