

# References

Anderson, E. C. and Thompson, E. A. (2002). A model-based method for identifying species hybrids using multilocus genetic data, *Genetics*, **160**, 1217–1229.

Brooks, S. and Gelman, A. (1998). General methods for monitoring convergence of iterative simulations. *Journal of Computational and Graphical Statistics*.

Clark A.G. (1990). Inference of haplotypes from PCR-amplified samples of diploid populations. *Molecular Biology and Evolution*, **7**, 111–122.

Falush, D., Stephens, M. and Pritchard, J. K. (2003) Inference of population structure using multilocus genotype data: linked loci and correlated allele frequencies, *Genetics*, **164**, 1567-1587.

Feller, W. (1957). *An Introduction to Probability Theory and Its Applications*, 2nd Edition. New York, John Wiley & Sons.

Geman, S. and Geman, D. (1984). Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images.” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **6**, 721–741.

Gelman, A. and Meng, X.-L. (1998). Simulating normalizing constants: from importance sampling to bridge sampling to path sampling. *Statistical Science*, **13**, 163–185.

Gelman, A. and Rubin, D. (1992). Inference from iterative simulation using multiple sequences, *Statistical Science* **7**, 457–511.

Gelman, A., Carlin, J.B., Stern, H.B. and Rubin D.B. (2004). *Bayesian Data Analysis*, (2nd Ed). New York: Chapman & Hall.

Geweke, J. (1992). Evaluating the accuracy of sampling-based approaches to the calculation of posterior moments. In J. M. Bernardo,

A. F. M. Smith, A. P. Dawid and J. O. Berger (eds.), *Bayesian Statistics 4*, Oxford University Press.

Geyer, C. J. (1991). Markov chain Monte Carlo maximum likelihood. *Computing Science and Statistics: Proceedings of the 23rd Symposium on the Interface*, Interface Foundation, Fairfax Station, 156–163.

Geyer, C. J. and Thompson, E. A. (1992). Constrained Monte Carlo maximum likelihood for dependent data (with discussion). *Journal of the Royal Statistical Society, Series B*, **54**, 657–699.

Gilks, W. R. and Wild, P. (1992). Adaptive rejection sampling for Gibbs sampling. *Applied Statistics*, **41**, 337–48.

Green, P. J. (1995). Reversible jump Markov chain Monte Carlo computation and Bayesian model determination, *Biometrika*, **82**, 711–732.

Griffiths, R. C. and Tavaré, S. (1994). Simulating probability distribu-

tions in the coalescent. *Theoretical Population Biology*, **46**, 131–159.

Guo, S. W. and Thompson, E. A. (1992). Performing the exact test of Hardy-Weinberg proportion for multiple alleles. *Biometrics*, **48**, 361–372.

Hastings, W. K. (1970). Monte Carlo sampling methods using Markov chains and their applications. *Biometrika*, **57**, 97–109.

Heidelberger, P. and Welch, P.D. (1983). Simulation run length control in the presence of an initial transient. *Operations Research* **31**, 1109–1144.

Kass, R.E. and Raftery, A.E. (1995). Bayes factors. *Journal of the American Statistical Association*, **90**, 773–795.

Levene, H. (1949). On a matching problem arising in genetics. *The Annals of Mathematical Statistics*, **20**, 91–94.

Metropolis, N., Rosenbluth, A. W., Rosenbluth, M. N., Teller, A. H. and

Teller, E. (1953). Equations of state calculations by fast computing machines. *Journal of Chemical Physics* **21**, 1087–1092.

Metropolis, N. and Ulam, S. (1949). The Monte Carlo method. *Journal of the American Statistical Association*, **44**, 335–341.

Pritchard, J. K., Stephens, M. and Donnelly, P. (2000). Inference of population structure using multilocus genotype data, *Genetics*, **155**, 945–959.

Raftery, A. E. and Lewis, S.M. (1992). How Many Iterations in the Gibbs Sampler? In J. M. Bernardo, A. F. M. Smith, A. P. Dawid and J. O. Berger (eds.), *Bayesian Statistics 4*, Oxford University Press.

Ripley, B. D. (1987). *Stochastic Simulation*, New York: Wiley & Sons.

Schwarz, G. (1978). Estimating the dimension of a model. *Annals of Statistics*, 6(2), 461-464.

Spiegelhalter, D.J., Best, N.G., Carlin, B.P. and van der Linde, A.

(2002). Bayesian measures of model complexity and fit (with discussion). *Journal of the Royal Statistical Society, Series B*, **64**, 4, 583–640.

Stephens, M. and Donnelly, P. (2000). Inference in molecular population genetics (with Discussion), *Journal of the Royal Statistical Society, Series B*, **62**, 605–655.

Wilson, G A and Rannala, B (2003). Bayesian inference of recent migration rates using multilocus genotypes, *Genetics*, **163**, 1177–1191.

Wright, S. and McPhee, H. C. (1925) An approximate method of calculating coefficients of inbreeding and relationship from livestock pedigrees. *Journal of Agricultural Research*, **31**, 377–383

Yu, B. and Mykland, P. A. (1998). Looking at Markov samplers through cusum path plots: a simple diagnostic idea. *Statistics and Computing*, **8** 275–286.