

# The Binomial Distribution

## An Introduction

Matt Johnson

February 9, 2016

# The Idea

The binomial distribution describes the number of successes out of  $n$  independent trials, where the probability of a success in a single trial is given by  $p$ . For example...

# The Idea

The binomial distribution describes the number of successes out of  $n$  independent trials, where the probability of a success in a single trial is given by  $p$ . For example...

- Flip a fair coin 10 times. How many come up heads?

# The Idea

The binomial distribution describes the number of successes out of  $n$  independent trials, where the probability of a success in a single trial is given by  $p$ . For example...

- Flip a fair coin 10 times. How many come up heads?  
 $n = 10, p = 0.5$ .

# The Idea

The binomial distribution describes the number of successes out of  $n$  independent trials, where the probability of a success in a single trial is given by  $p$ . For example...

- Flip a fair coin 10 times. How many come up heads?  
 $n = 10, p = 0.5$ .
- If you roll two dice 5 times, how many of the rolls will add up to 7?

# The Idea

The binomial distribution describes the number of successes out of  $n$  independent trials, where the probability of a success in a single trial is given by  $p$ . For example...

- Flip a fair coin 10 times. How many come up heads?  
 $n = 10, p = 0.5$ .
- If you roll two dice 5 times, how many of the rolls will add up to 7?  
 $n = 5, p = 1/6$

# You should already know...

- Random Variables
- Probability Mass Functions
- Expected Value
- Variance
- Combinations and Permutations

# Step 1: The Bernoulli Distribution

The random variable  $X$  takes one of two values: 0 or 1.  
Parameterized by the probability  $p$  that  $X = 1$ .

$$P(X = 1) = p$$

$$P(X = 0) = 1 - p$$



# Step 1: The Bernoulli Distribution

The random variable  $X$  takes one of two values: 0 or 1.  
Parameterized by the probability  $p$  that  $X = 1$ .

$$P(X = 1) = p$$

$$P(X = 0) = 1 - p$$

$$X = 1 \Rightarrow \text{Success!}$$

# Step 1: The Bernoulli Distribution

The random variable  $X$  takes one of two values: 0 or 1.  
Parameterized by the probability  $p$  that  $X = 1$ .

$$P(X = 1) = p$$

$$P(X = 0) = 1 - p$$

$X = 1 \Rightarrow \text{Success!}$

$X = 0 \Rightarrow \text{Failure...}$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$E[X] = ?$$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$E[X] = 1 \cdot p + 0 \cdot (1 - p)$$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$\begin{aligned} E[X] &= 1 \cdot p + 0 \cdot (1 - p) \\ &= p \end{aligned}$$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$\begin{aligned} E[X] &= 1 \cdot p + 0 \cdot (1 - p) \\ &= p \end{aligned}$$

$$V[X] = ?$$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$\begin{aligned} E[X] &= 1 \cdot p + 0 \cdot (1 - p) \\ &= p \end{aligned}$$

$$V[X] = (1 - p)^2 \cdot p + (0 - p)^2 \cdot (1 - p)$$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$\begin{aligned} E[X] &= 1 \cdot p + 0 \cdot (1 - p) \\ &= p \end{aligned}$$

$$\begin{aligned} V[X] &= (1 - p)^2 \cdot p + (0 - p)^2 \cdot (1 - p) \\ &= p(1 - p)^2 + p^2(1 - p) \end{aligned}$$



# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$\begin{aligned} E[X] &= 1 \cdot p + 0 \cdot (1 - p) \\ &= p \end{aligned}$$

$$\begin{aligned} V[X] &= (1 - p)^2 \cdot p + (0 - p)^2 \cdot (1 - p) \\ &= p(1 - p)^2 + p^2(1 - p) \\ &= p(1 - p)(1 - p + p) \end{aligned}$$

# Bernoulli Expected Value and Variance

Let  $X \sim \text{Bern}(p)$ .

$$\begin{aligned} E[X] &= 1 \cdot p + 0 \cdot (1 - p) \\ &= p \end{aligned}$$

$$\begin{aligned} V[X] &= (1 - p)^2 \cdot p + (0 - p)^2 \cdot (1 - p) \\ &= p(1 - p)^2 + p^2(1 - p) \\ &= p(1 - p)(1 - p + p) \\ &= p(1 - p) \end{aligned}$$

# Example: Biased Coin

We'll use this example throughout. Biased coin, with  $P(H) = 0.6$ . Define  $H$  as a success.

$$P(X = 1) = P(H) = 0.6.$$

$X$  is a Bernoulli random variable with  $p = 0.6$ .

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) =$$

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) = 0.6 \cdot 0.6 \cdot 0.4$$

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) = 0.6 \cdot 0.6 \cdot 0.4$$

$$P(HTH) =$$



# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) = 0.6 \cdot 0.6 \cdot 0.4$$

$$P(HTH) = 0.6 \cdot 0.4 \cdot 0.6$$

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) = 0.6 \cdot 0.6 \cdot 0.4$$

$$P(HTH) = 0.6 \cdot 0.4 \cdot 0.6$$

$$P(THH) =$$

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) = 0.6 \cdot 0.6 \cdot 0.4$$

$$P(HTH) = 0.6 \cdot 0.4 \cdot 0.6$$

$$P(THH) = 0.4 \cdot 0.6 \cdot 0.6$$

# Three Flips

Flip the same coin 3 times. What's the probability that 2 will come up  $H$ , where  $P(H) = 0.6$ ?

$$P(2H) = P(HHT) + P(HTH) + P(THH)$$

$$P(HHT) = 0.6 \cdot 0.6 \cdot 0.4$$

$$P(HTH) = 0.6 \cdot 0.4 \cdot 0.6$$

$$P(THH) = 0.4 \cdot 0.6 \cdot 0.6$$

$$P(2H) = 3 \cdot 0.6^2 \cdot 0.4$$

# $n$ Flips

Flip the same coin  $n$  times. What's the probability that  $k$  flips will come up  $H$ , where  $P(H) = p$ ?

# $n$ Flips

Flip the same coin  $n$  times. What's the probability that  $k$  flips will come up  $H$ , where  $P(H) = p$ ?

$$P(\text{[one specific order]}) =$$

Flip the same coin  $n$  times. What's the probability that  $k$  flips will come up  $H$ , where  $P(H) = p$ ?

$$P(\text{[one specific order]}) = p^k \cdot (1 - p)^{n-k}$$

Flip the same coin  $n$  times. What's the probability that  $k$  flips will come up  $H$ , where  $P(H) = p$ ?

$$P(\text{[one specific order]}) = p^k \cdot (1 - p)^{n-k}$$

How many ways can you order  $k$  heads and  $n - k$  tails?



Flip the same coin  $n$  times. What's the probability that  $k$  flips will come up  $H$ , where  $P(H) = p$ ?

$$P(\text{[one specific order]}) = p^k \cdot (1 - p)^{n-k}$$

How many ways can you order  $k$  heads and  $n - k$  tails?

$$\binom{n}{k} = \binom{n}{n-k} = \frac{n!}{k!(n-k)!}$$

Flip the same coin  $n$  times. What's the probability that  $k$  flips will come up  $H$ , where  $P(H) = p$ ?

$$P(\text{[one specific order]}) = p^k \cdot (1 - p)^{n-k}$$

How many ways can you order  $k$  heads and  $n - k$  tails?

$$\binom{n}{k} = \binom{n}{n-k} = \frac{n!}{k!(n-k)!}$$

$$P(k \text{ heads}) = \binom{n}{k} p^k (1 - p)^{n-k}$$

## Step 2: The Binomial Distribution

### The Binomial Distribution

*X has a binomial distribution with number of trials n and probability of success p if its pmf is given by*

$$P(X = k) = \binom{n}{k} p^k (1 - p)^{n-k}$$

*for  $k \in 0 : n$ .*

## Step 2: The Binomial Distribution

### The Binomial Distribution

*X has a binomial distribution with number of trials  $n$  and probability of success  $p$  if its pmf is given by*

$$P(X = k) = \binom{n}{k} p^k (1 - p)^{n-k}$$

*for  $k \in 0 : n$ .*

A binomial random variable with parameters  $n$  and  $p$  is equivalent to the sum of  $n$  independent Bernoulli random variables with parameter  $p$ .

# Binomial Expected Value

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$E[Y] = ?$$

# Binomial Expected Value

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$E[Y] = E[X_1 + \dots X_n]$$

# Binomial Expected Value

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$\begin{aligned} E[Y] &= E[X_1 + \dots X_n] \\ &= E[X_1] + \dots + E[X_n] \end{aligned}$$

# Binomial Expected Value

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$\begin{aligned} E[Y] &= E[X_1 + \dots X_n] \\ &= E[X_1] + \dots + E[X_n] \\ &= p + \dots + p \end{aligned}$$



# Binomial Expected Value

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$\begin{aligned} E[Y] &= E[X_1 + \dots X_n] \\ &= E[X_1] + \dots + E[X_n] \\ &= p + \dots + p \\ &= np \end{aligned}$$

# Binomial Variance

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$V[Y] = ?$$

# Binomial Variance

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$V[Y] = V[X_1 + \dots X_n]$$

# Binomial Variance

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$\begin{aligned} V[Y] &= V[X_1 + \dots X_n] \\ &= V[X_1] + \dots + V[X_n] \end{aligned}$$

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$\begin{aligned} V[Y] &= V[X_1 + \dots X_n] \\ &= V[X_1] + \dots + V[X_n] \\ &= p(1 - p) + \dots + p(1 - p) \end{aligned}$$

Let  $X_i \sim \text{Bern}(p)$  for  $i = 1 : n$ , and  $Y \sim \text{Bin}(n, p)$ .

$$\begin{aligned} V[Y] &= V[X_1 + \dots X_n] \\ &= V[X_1] + \dots + V[X_n] \\ &= p(1 - p) + \dots + p(1 - p) \\ &= np(1 - p) \end{aligned}$$

Questions?