Conditional Probability

Introduction

Sta 771 - Spring 2016

Duke University, Department of Statistical Science

1. Main Topics

2. Example/Definitions

3. Tricks/Shortcuts

4. Review

Ideas for Today:

Today, we are going to discuss, define and learn how to use *Conditional Probability* to solve real world problems. The terms that you should be familiar with at the end of the lesson are:

Ideas for Today:

Today, we are going to discuss, define and learn how to use *Conditional Probability* to solve real world problems. The terms that you should be familiar with at the end of the lesson are:

- ► Marginal Probability
- ▶ Joint Probability
- ► Conditional Probability

1. Main Topics

2. Example/Definitions

3. Tricks/Shortcuts

4. Review

Example/Definitions

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
Tid Tost Hosdit	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
Tiu Test Hesuit	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

Marginal Probability

 A probability that is based on a single variable without regard to any other variables.

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

- Marginal Probability
 - A probability that is based on a single variable without regard to any other variables.

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

Marginal Probability

- A probability that is based on a single variable without regard to any other variables.
- -P(A)

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Marginal Probability

- A probability that is based on a single variable without regard to any other variables.
- -P(A)

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Marginal Probability

- A probability that is based on a single variable without regard to any other variables.
- -P(A)

What is the marginal probability of getting a positive flu test?

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

- ▶ Joint Probability
 - A probability of outcomes for two or more variables or processes.

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
Tiu Test Hesuit	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

- ▶ Joint Probability
 - A probability of outcomes for two or more variables or processes.

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

- Joint Probability
 - A probability of outcomes for two or more variables or processes.
 - $P(A \cap B)$ or P(A and B)

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

▶ Joint Probability

- A probability of outcomes for two or more variables or processes.
- $P(A \cap B)$ or P(A and B)

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Joint Probability

- A probability of outcomes for two or more variables or processes.
- $P(A \cap B)$ or P(A and B)

What is the joint probability of being vaccinated and getting a positive flutest?

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

- Conditional Probability
 - A probability of an event given that another event has occurred.

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

- Conditional Probability
 - A probability of an event given that another event has occurred.

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

- Conditional Probability
 - A probability of an event given that another event has occurred.
 - $P(B \text{ given } A) \text{ or } P(B|A) = \frac{P(A \text{ and } B)}{P(A)}$

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

- Conditional Probability
 - A probability of an event given that another event has occurred.
 - $P(B \text{ given } A) \text{ or } P(B|A) = \frac{P(A \text{ and } B)}{P(A)}$

Table: Flu Shot Contingency Table

		<u>Vaccinated</u>		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Conditional Probability

- A probability of an event given that another event has occurred.
- $P(B \text{ given } A) \text{ or } P(B|A) = \frac{P(A \text{ and } B)}{P(A)}$

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Continuing example:

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Continuing example:

- Trick
 - Given that a person has been vaccinated, how many different flu test outcomes are there?

Table: Flu Shot Contingency Table

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Continuing example:

- ▶ Trick
 - Given that a person has been vaccinated, how many different flu test outcomes are there?

Table: Flu Shot C	Contingency Table
-------------------	-------------------

		Vaccinated		
		Yes	No	
Flu Test Result	Pos	2	14	16
	Neg	9	9	18
		11	23	34

Source: Dr. Roy Benaroch, The Pediatric Insider

Continuing example:

- Trick
 - Given that a person has been vaccinated, how many different flu test outcomes are there?
 - If we let C_1 = Positive Flu Test and C_2 = Negative Flu Test. Notice that $P(C_1|A) + P(C_2|A) = 1$

- ▶ Assume a standard deck of cards for the following questions. Remember that a standard deck has 4 suits. Each suit has 13 unique cards from Ace to King.
 - What is the marginal probability of a card drawn being red?

- ▶ Assume a standard deck of cards for the following questions. Remember that a standard deck has 4 suits. Each suit has 13 unique cards from Ace to King.
 - What is the marginal probability of a card drawn being red?

- ▶ Assume a standard deck of cards for the following questions. Remember that a standard deck has 4 suits. Each suit has 13 unique cards from Ace to King.
 - What is the marginal probability of a card drawn being red?
 - What is the joint probability that a card drawn is red and a King?

- ▶ Assume a standard deck of cards for the following questions. Remember that a standard deck has 4 suits. Each suit has 13 unique cards from Ace to King.
 - What is the marginal probability of a card drawn being red?
 - What is the joint probability that a card drawn is red and a King?

- ▶ Assume a standard deck of cards for the following questions. Remember that a standard deck has 4 suits. Each suit has 13 unique cards from Ace to King.
 - What is the marginal probability of a card drawn being red?
 - What is the joint probability that a card drawn is red and a King?
 - What is the conditional probability of getting a King, given that you drew a red card?

1. Main Topics

2. Example/Definitions

3. Tricks/Shortcuts

4. Review

-
$$P(C_1|A) + P(C_2|A) + \cdots + P(C_n|A) = 1$$

-
$$P(C_1|A) + P(C_2|A) + \cdots + P(C_n|A) = 1$$

$$- P(C_1|A) + P(C_2|A) + \dots + P(C_n|A) = 1$$

- If A and B are independent, then

$$P(B|A) = \frac{P(A \text{ and } B)}{P(A)} = \frac{P(A)P(B)}{P(A)} = P(B)$$

$$- P(C_1|A) + P(C_2|A) + \dots + P(C_n|A) = 1$$

- If A and B are independent, then

$$P(B|A) = \frac{P(A \text{ and } B)}{P(A)} = \frac{P(A)P(B)}{P(A)} = P(B)$$

$$- P(C_1|A) + P(C_2|A) + \dots + P(C_n|A) = 1$$

- If A and B are independent, then

$$P(B|A) = \frac{P(A \text{ and } B)}{P(A)} = \frac{P(A)P(B)}{P(A)} = P(B)$$

1. Main Topics

2. Example/Definitions

3. Tricks/Shortcuts

4. Review

► Marginal Probability refers to one variable occurring.

▶ Marginal Probability refers to one variable occurring.

- ▶ Marginal Probability refers to one variable occurring.
- ▶ Joint Probability refers to two or more variables jointly happening.

- ▶ Marginal Probability refers to one variable occurring.
- ▶ Joint Probability refers to two or more variables jointly happening.

- ▶ Marginal Probability refers to one variable occurring.
- ▶ Joint Probability refers to two or more variables jointly happening.
- ► Conditional Probability refers to the probability of an event *conditional* on another event happening first.

1. Main Topics

2. Example/Definitions

3. Tricks/Shortcuts

4. Review

- ➤ You decide to tell your fortune by drawing two cards from a standard deck of 52 cards. What is the probability of drawing two cards of the same suite in a row? The cards are not replaced in the deck.
- ➤ What is the probability that the sum of two die will be greater than 8, given that the first die is 6?
- ▶ A new superman MasterCard has been issued to 2000 customers. Of these customers, 1500 hold a Visa card, 500 hold an American Express card and 40 hold a Visa card and an American Express card. Find the probability that a customer chosen at random holds a Visa card, given that the customer holds an American Express card.