Solving and Estimating models with Discrete-Continuous Choice

Endogenous gridpoint methods: EGM and DC-EGM

Fedor Iskhakov, Australian National University
John Rust, Georgetown University
Bertel Schjerning, University of Copenhagen

ZICE
January 30, 2017

Discrete and continuous choice?

In economics discrete and continuous choice co-exist

- How much to work + when to retire/become an entrepreneur
- How much to save + when to buy a house/car/durables
- Which car to buy + how much to drive

Often modeled separately using traditional solution methods:

- Discrete choice $\rightarrow$ optimization over finite set
- Continuous choice $\rightarrow$ first order conditions + concavity(?)
- Dynamic $\rightarrow$ dynamic programming (VFI,policy,time iterations)

Discrete and continuous choice?

In discrete-continuous choice models:

- Intrinsic non-concavity
- First order conditions not sufficient
- Kinks in value functions + discontinuities in policy functions

Traditional methods are not ideal

- Need global optimizer in each point of the state space
- Need to locate and keep track of kinks and discontinuities
- Need special numerical procedures for non-smooth objects

$\Rightarrow$ **Endogenous grid point methods**

Plan for the lecture

1. Original EGM for continuous choice only
   Only for particular (yet interesting and important) models (stochastic growth models, consumption-savings (buffer stock) models)

2. DC-EGM for discrete-continuous choice without taste shocks
   For models with one continuous and additional discrete choices
   Nasty and scary

3. DC-EGM for discrete-continuous choice with taste shocks
   For models with one continuous and additional discrete choices
   Structural taste shocks or logit smoothing
   Much better, possible to work with

4. Some words on multi-dimensional extensions and occasionally binding constraints

What is EGM?

The Method of Endogenous Gridpoints — fast method for solving dynamic stochastic consumption/savings problems

1. finite and infinite horizon
2. Strictly concave monotone and differentiable utility function
3. one continuous state variable (*wealth*) and
   one continuous choice (*consumption*)
4. particular structure of the law of motion for state variables
   (*intertemporal budget constraint*)
5. very well accommodate potentially binding borrowing constraints

DC-EGM for Discrete-Continuous problems

Expand the class of problems to be solved:

1. A1. Strictly concave monotone and differentiable utility function
2. Continuous state M_t with a particular motion rule
3. Additional (discrete) state variables st_t
   A2. Transition probabilities of st_t are independent of M_t
4. One continuous (c_t) and one* discrete choice variable d_t

Two flavors:

1. Without taste shocks: DC-EGM iterates on value function and policy function, produces exact solutions for the optimal thresholds for discrete decisions (discrete policy)
2. With taste shocks: DC-EGM iterates on discrete choice specific value and policy functions, produces choice probabilities for discrete alternatives

Learning outcomes = points to remember

1. If your model has one continuous (consumption) choice and additional discrete choices $\rightarrow$ Use DC-EGM
2. In regular cases DC-EGM avoids all root-finding operations
3. If utility is separable in continuous and discrete choices, DC-EGM deals very easily with credit constraints
4. Extreme value taste shocks $\rightarrow$ solution is much better behaved
5. Faster and more accurate than traditional approaches

EGM

Simple consumption/savings model (Phelps)

$$V_t(M_t) = \max_{0 \le c \le M_t} \left[u(c) + \beta E V_{t+1} \left(\tilde{R}(M_t - c) \right) \right]$$

M_t	cash-in-hand, all resources available at period t
$A_t = M_t - c_t$	assets at the end of period t (savings)
$\tilde{R}$	*deterministic* or *stochastic* return on savings
$u(c)$	utility of current consumption

$$u(c) = \frac{c^\rho - 1}{\rho} \underset{\rho \to 0}{\to} log(c)$$

Analytic solution (Hakansson, 1970, Phelps, 1962)

$$V_{T-t}(M) = \left[\frac{M^{\rho}}{\rho}\right]\left(\sum_{i=0}^{t} K^{i}\right)^{(1-\rho)} - \frac{1}{\rho}\left(\sum_{i=0}^{t} \beta^{i}\right)$$

$$V_{T-t}(M) \underset{\rho\to 0}{\to} \log(M)\left(\sum_{i=0}^{t} \beta^{i}\right) + K_t$$

$$c_{T-t}(M) = M\left(\sum_{i=0}^{t} K^{i}\right)^{-1}$$

K and K_t are functions of primitives, $K \underset{\rho\to 0}{\to} \beta$

Analytic solution : value functions



Analytic solution : consumption rule



Simple consumption/savings model (Deaton)

$$V_t(M_t) = \max_{0 \le c \le M_t} \left[u(c) + \beta E V_{t+1} \left(R(M_t - c) + \tilde{y} \right) \right]$$

$$\begin{array}{rl} M_t & \text{cash-in-hand, all resources available at period } t \\ A_t = M_t - c_t & \text{assets at the end of period } t \text{ (savings)} \\ R & \textit{deterministic} \text{ return on savings} \\ \tilde{y} & \textit{stochastic} \text{ income} \\ u(c) & \text{utility of current consumption} \end{array}$$

$$u(c) = \frac{c^\rho - 1}{\rho} \underset{\rho \to 0}{\rightarrow} log(c)$$

No analytical solution!

Traditional approach : value function iterations

1. *Fix grid over M_t*. For every point on this grid:
2. In the terminal period calculate
   $V_T\left(M_T\right) = max_{0 \le c_T \le M_T}\left\{u\left(c_T\right)\right\}$ and
   $c_T^* = argmax_{0 \le c_T \le M_T}\left\{u\left(c_T\right)\right\}$
3. With $t+1$ value function at hand, proceed backward to period t and calculate
   $V_t\left(M_t\right) = max_{0 \le c_t \le M_t}\left\{u(c_t) + \beta E V_{t+1}\left(\tilde{R}(M_t - c_t)\right)\right\}$
   and
   $c_t^* = argmax_{0 \le c_t \le M_t}\left\{u(c_t) + \beta E V_{t+1}\left(\tilde{R}(M_t - c_t)\right)\right\}$
   using Bellman equation

1. Introduction to the code
2. Phelps and Deaton models
3. Run VFI solver

Euler equation

Bellman equation: $V_t(M_t) = \max_{0 \le c_t \le M_t} \left[u(c_t) + \beta E V_{t+1} \left(\tilde{R}(M_t - c_t) \right) \right]$

F.O.C. for Bellman equation: $u'(c_t) = \beta E \left[\frac{\partial V_{t+\mathbf{1}}(M_{t+\mathbf{1}})}{\partial M_{t+\mathbf{1}}} \tilde{R} \right]$

Envelope theorem:

$\frac{\partial V_t(M_t)}{\partial M_t} = \beta E \left[\frac{\partial V_{t+\mathbf{1}}(M_{t+\mathbf{1}})}{\partial M_{t+\mathbf{1}}} \tilde{R} \right] \Rightarrow \frac{\partial V_t(M_t)}{\partial M_t} = u'(c_t) \Rightarrow$

$\Rightarrow \frac{\partial V_{t+\mathbf{1}}(M_{t+\mathbf{1}})}{\partial M_{t+\mathbf{1}}} = u'(c_{t+1})$

Euler equation to characterize the interior solutions: $u'(c_t) = \beta E \left[u'(c_{t+1}) \tilde{R} \right]$

Traditional approach : solving Euler equation

1. *Fix grid over M_t*. For every point on this grid:
2. In the terminal period calculate
   $c_T^* = \mathit{argmax}_{0 \leq c_T \leq M_T} \{u(c_T)\}$
3. With $t+1$ optimal consumption rule $c_{t+1}^*(M_{t+1})$ at hand, proceed backward to period t and calculate
   c_t from equation
   $u'(c_t) = \beta E\left[u'\left(c_{t+1}^*\left(\tilde{R}(M_t - c_t)\right)\right)\tilde{R}\right]$
   to recover $c_t^*(M_t)$
4. When M_t is small enough so credit constraint binds, the Euler equation does not hold, and special provisions are necessary

Exercise 1:

1. Code up the Euler equation solver
2. Verify solution against VFI solver

What if no root-finding is necessary?

With numerical optimization

- Relatively slow: iterative numerical optimization in each point of state space!
- Hard to find global optimum in non-convex problems
- Loss of accuracy due to the absence of the point where credit constraint starts to bind on the fixed grid

Even when using state-of-the-art solvers!

Without numerical optimiation

- Much faster: no iterative methods in each point of the state space
- More accurate: using analytical structure of the problem

Endogenous gridpoint method (EGM)

Carroll 2006 *Economics Letters*
The method of endogenous gridpoints for solving dynamic stochastic optimization problems.

Idea

- Instead of searching for optimal decision in each point of the state space (traditional approaches)
- Look for the state variable (level of assets) where arbitrary chosen decision (consumption $\rightarrow$ savings) would be optimal (EGM)

EGM algorithm

Start with $c_T^\star = M_T$. In each period $t = T, T-1, .., 1$:

EGM step

1. Take a guess A = current period savings $(= M_t - c_t)$ (from fixed or adaptive list/grid)
2. Intertemporal budget constraint: $A \to M_{t+1}$
   $M_{t+1} = \tilde{R}(M_t - c_t) = \tilde{R} \cdot A$
3. Policy function at period $t+1$: $M_{t+1} \to c_{t+1}$
   $c_{t+1} = c_{t+1}^\star(M_{t+1})$
4. Inverted Euler equation: $c_{t+1} \to c_t$
   $c_t = (u')^{-1}\left(\beta E\left[\tilde{R} \cdot u'\left(c_{t+1}^\star(M_{t+1})\right) | A\right]\right)$
5. Intratemporal budget constraint: $c_t + A = M_t \to c_t(M_t)$
   $M_t = c_t + A \to c_t^\star(M_t)$

EGM algorithm

Start with $c_T^\star = M_T$. In each period $t = T, T-1, .., 1$:

EGM step

1. Take a guess A = current period savings ($= M_t - c_t$) (from fixed or adaptive list/grid)
2. Intertemporal budget constraint: $A \to M_{t+1}$
   $M_{t+1} = \tilde{R}(M_t - c_t) = \tilde{R} \cdot A$
3. Policy function at period $t+1$: $M_{t+1} \to c_{t+1}$
   $c_{t+1} = c_{t+1}^\star\left(M_{t+1}\right)$
4. Inverted Euler equation: $c_{t+1} \to c_t$
   $c_t = (u')^{-1}\left(\beta E\left[\tilde{R} \cdot u'\left(c_{t+1}^\star\left(M_{t+1}\right)\right) | A\right]\right)$
5. Intratemporal budget constraint: $c_t + A = M_t \to c_t\left(M_t\right)$
   $M_t = c_t + A \to c_t^\star\left(M_t\right)$

EGM algorithm

Start with $c_T^\star = M_T$. In each period $t = T, T-1, .., 1$:

EGM step

1. Take a guess A = current period savings $(= M_t - c_t)$ (from fixed or adaptive list/grid)
2. Intertemporal budget constraint: $A \to M_{t+1}$
   $M_{t+1} = \tilde{R}(M_t - c_t) = \tilde{R} \cdot A$
3. Policy function at period $t+1$: $M_{t+1} \to c_{t+1}$
   $c_{t+1} = c_{t+1}^\star\left(M_{t+1}\right)$
4. Inverted Euler equation: $c_{t+1} \to c_t$
   $c_t = (u')^{-1}\left(\beta E\left[\tilde{R} \cdot u'\left(c_{t+1}^\star\left(M_{t+1}\right)\right)|A\right]\right)$
5. Intratemporal budget constraint: $c_t + A = M_t \to c_t\left(M_t\right)$
   $M_t = c_t + A \to c_t^\star\left(M_t\right)$

EGM algorithm

Start with $c_T^\star = M_T$. In each period $t = T, T-1, .., 1$:

EGM step

1. Take a guess A = current period savings $(= M_t - c_t)$ (from fixed or adaptive list/grid)
2. Intertemporal budget constraint: $A \to M_{t+1}$
   $M_{t+1} = \tilde{R}(M_t - c_t) = \tilde{R} \cdot A$
3. Policy function at period $t+1$: $M_{t+1} \to c_{t+1}$
   $c_{t+1} = c_{t+1}^\star (M_{t+1})$
4. Inverted Euler equation: $c_{t+1} \to c_t$
   $c_t = (u')^{-1} \left(\beta E \left[\tilde{R} \cdot u' \left(c_{t+1}^\star (M_{t+1}) \right) | A \right] \right)$
5. Intratemporal budget constraint: $c_t + A = M_t \to c_t(M_t)$
   $M_t = c_t + A \to c_t^\star(M_t)$

EGM algorithm

Start with $c_T^\star = M_T$. In each period $t = T, T-1, .., 1$:

EGM step

1. Take a guess A = current period savings $(= M_t - c_t)$ (from fixed or adaptive list/grid)
2. Intertemporal budget constraint: $A \to M_{t+1}$
   $M_{t+1} = \tilde{R}(M_t - c_t) = \tilde{R} \cdot A$
3. Policy function at period $t+1$: $M_{t+1} \to c_{t+1}$
   $c_{t+1} = c_{t+1}^\star (M_{t+1})$
4. Inverted Euler equation: $c_{t+1} \to c_t$
   $c_t = (u')^{-1} \left(\beta E \left[\tilde{R} \cdot u' \left(c_{t+1}^\star (M_{t+1}) \right) | A \right] \right)$
5. Intratemporal budget constraint: $c_t + A = M_t \to c_t(M_t)$
   $M_t = c_t + A \to c_t^\star (M_t)$

EGM algorithm

Start with $c_T^\star = M_T$. In each period $t = T, T-1, .., 1$:

EGM step

1. Take a guess A = current period savings $(= M_t - c_t)$ (from fixed or adaptive list/grid)
2. Intertemporal budget constraint: $A \rightarrow M_{t+1}$
   $M_{t+1} = \tilde{R}(M_t - c_t) = \tilde{R} \cdot A$
3. Policy function at period $t+1$: $M_{t+1} \rightarrow c_{t+1}$
   $c_{t+1} = c_{t+1}^\star (M_{t+1})$
4. Inverted Euler equation: $c_{t+1} \rightarrow c_t$
   $c_t = (u')^{-1} \left(\beta E \left[\tilde{R} \cdot u' \left(c_{t+1}^\star (M_{t+1}) \right) | A \right] \right)$
5. Intratemporal budget constraint: $c_t + A = M_t \rightarrow c_t (M_t)$
   $M_t = c_t + A \rightarrow c_t^\star (M_t)$

Matlab implementation (minimal.m)

```
[quadp quadw]=quadpoints(EXPN,0,1);
quadstnorm=norminv(quadp,0,1);
sgrid=linspace(0,MMAX,NM);
policy{TBAR}.w=[0 MMAX];
policy{TBAR}.c=[0 MMAX];
for it=TBAR-1:-1:1
 w1=Y+exp(quadstnorm*SIGMA)*(1+R)*sgrid;
 c1=interp1(policy{it+1}.w,policy{it+1}.c,w1,'linear'
 rhs=quadw'*(1./c1);
 policy{it}.c=[0 1./(DF*(1+R)*rhs)];
 policy{it}.w=[0 sgrid+policy{it}.c(2:end)];
end
```

Accuracy and speed of EGM

	Traditional Euler	EGM
Running time	37 sec.	0.11 sec.
Max abs error, $c_t^\star$	5e-9	4e-14
Mean abs error, $c_t^\star$	1.4e-12	1.5e-14
Max abs error, $V_t(M, \mathbb{R})$	39.466	15.163
Mean abs error, $V_t(M, \mathbb{R})$	2.5e-02	3.2e-02

1. Compare speed of VFI and EGM solvers
2. Look at the simulator code
3. Simulate flat consumption path using VFI and EGM solutions

EGM and credit constraint

Theorem: Monotonicity of savings

Monotone and concave utility function $\Rightarrow$
end-of-period assets $A_t = M_t - c_t$ are non-decreasing in M_t

- With $A = 0$ the EGM loop recovers the value of cash-in-hand M_t^{cc} that bounds the credit constrained region
- For all $M_t < M_t^{cc}$ credit constrained binds $\Rightarrow c_t = M_t$
- Consumption rule in the credit constrained region is 45° line between $(0, 0)$ and (M_t^{cc}, M_t^{cc})
- As simple as "connect the dots" $(0, 0)$ and (M_t^{cc}, M_t^{cc})

EGM and credit constraint



Credit constraints and value function

- Credit constraints are handled so well by EGM because it is never necessary to compute utility of nearly zero consumption
- Inevitable when value functions have to be computed, but..

$M_t < M_t^{cc}$

$V_t(M) = u(M) + \beta EV_{t+1}(0)$

$EV_{t+1}(0)$ — expected value of ending period t with $A_t = 0$

- Value function has analytic form for $M_t < M_t^{cc}$!

1. How to evaluate value function with EGM

Exercise 2:

1. Code up an EGM solver for infinite horizon problem

DC-EGM

Generalization of EGM

Iskhakov, Rust, Schjerning, QE forthcoming
The Endogenous Grid Method for Discrete-Continuous Dynamic Choice Models with (or without) Taste Shocks

- The DC-EGM paper
- Two flavors: with and without EV taste shocks
- Solution method made for empirical applications

Giulio Fella, RED 2014
A Generalized Endogenous Grid Method for Non-Smooth and Non-Concave Problems

- Identify the regions of the problem where Euler equation is not sufficient for optimality
- Use global optimization methods inside (VFI) and EGM outside
- Similar to DC-EGM without taste shocks

Simple retirement model

$$V_t(M_t, \mathbb{W}) = \max \left\{ \begin{array}{l} \underset{0 \le c \le M_t}{max} u(c) + \beta E V_{t+1}\left(\tilde{R}(M_t - c), \mathbb{R}\right) \\ \underset{0 \le c \le M_t}{max} u(c) + \beta E V_{t+1}\left(\tilde{R}(M_t + y - c), \mathbb{W}\right) \end{array} \right\}$$

$$V_t(M_t, \mathbb{R}) = \max_{0 \le c \le M_t} \left[u(c) + \beta E V_{t+1}\left(\tilde{R}(M_t - c), \mathbb{R}\right) \right]$$

$\mathbb{R}$, $\mathbb{W}$	retirement and working states st_t that evolve according to discrete choices $d_t \in \{\mathbb{R}, \mathbb{W}\}$
y	deterministic wage income

$$u(c) = \frac{c^\rho - 1}{\rho} - \mathbf{1}(\mathbb{W}) \underset{\rho \to 0}{\to} log(c) - \mathbf{1}(\mathbb{W})$$

Analytic solution

$$u(c) = log(c),\ R = 1 \quad \Rightarrow \quad c^{\star}_{T-t}(M, \mathbb{W}) =$$

$$\begin{cases}
M & \text{if} \quad M \leq y/\beta \\
(y+M)/(1+\beta) & \text{if} \quad y/\beta \leq M \leq \overline{M}^{l_1}_{T-t} \\
(2y+M)/(1+\beta+\beta^2) & \text{if} \quad \overline{M}^{l_1}_{T-t} \leq M \leq \overline{M}^{l_2}_{T-t} \\
\dots & \dots \quad \dots \\
((t-1)y+M)\left(\sum_{i=0}^{t-1}\beta^i\right)^{-1} & \text{if} \quad \overline{M}^{l_{t-2}}_{T-t} \leq M \leq \overline{M}^{l_{t-1}}_{T-t} \\
(ty+M)\left(\sum_{i=0}^{t}\beta^i\right)^{-1} & \text{if} \quad \overline{M}^{l_{t-1}}_{T-t} \leq M \leq \overline{M}^{r_1}_{T-t} \\
[(t-1)y+M]\left(\sum_{i=0}^{t}\beta^i\right)^{-1} & \text{if} \quad \overline{M}^{r_1}_{T-t} \leq M \leq \overline{M}^{r_2}_{T-t} \\
\dots & \dots \quad \dots \\
(2y+M)\left(\sum_{i=0}^{t}\beta^i\right)^{-1} & \text{if} \quad \overline{M}^{r_{t-2}}_{T-t} \leq M \leq \overline{M}^{r_{t-1}}_{T-t} \\
(y+M)\left(\sum_{i=0}^{t}\beta^i\right)^{-1} & \text{if} \quad \overline{M}^{r_{t-1}}_{T-t} \leq M \leq \overline{M}_{T-t} \\
M\left(\sum_{i=0}^{t}\beta^i\right)^{-1} & \text{if} \quad \overline{M}_{T-t} < M
\end{cases}$$

Analytic solution



How to approach discrete/continuos choice

The goal:

- Avoid root finding
- Keep efficient treatment of credit constraints

DC-EGM ver. 1.0

1. EGM step for each discrete choice d and every state st
2. Compute d-specific value functions and consumption rules
3. Compare the d-specific value functions to find optimal switching points (compute upper envelope)
4. Reconstruct overall consumption rule and value function from optimal switching points

How to approach discrete/continuos choice

The goal:

- Avoid root finding
- Keep efficient treatment of credit constraints

DC-EGM ver. 1.0

1. EGM step for each discrete choice d and every state st
2. Compute d-specific value functions and consumption rules
3. Compare the d-specific value functions to find optimal switching points (compute upper envelope)
4. Reconstruct overall consumption rule and value function from optimal switching points

How to approach discrete/continuos choice

The goal:

- Avoid root finding
- Keep efficient treatment of credit constraints

DC-EGM ver. 1.0

1. EGM step for each discrete choice *d* and every state *st*
2. Compute *d*-specific value functions and consumption rules
3. Compare the *d*-specific value functions to find optimal switching points (compute upper envelope)
4. Reconstruct overall consumption rule and value function from optimal switching points

How to approach discrete/continuos choice

The goal:

- Avoid root finding
- Keep efficient treatment of credit constraints

DC-EGM ver. 1.0

1. EGM step for each discrete choice d and every state st
2. Compute d-specific value functions and consumption rules
3. Compare the d-specific value functions to find optimal switching points (compute upper envelope)
4. Reconstruct overall consumption rule and value function from optimal switching points

How to approach discrete/continuos choice

DC-EGM ver. 1.0

1. EGM step for each discrete choice d and every state st
2. Compute d-specific value functions and consumption rules
3. Compare the d-specific value functions to find optimal switching points (compute upper envelope)
4. Reconstruct overall consumption rule and value function from optimal switching points

- No root finding!
- Efficient treatment of credit constraints (to be shown)
- Need to compute value functions
- Need to compute upper envelope

Is Euler equation still a necessary condition?

DC-EGM ver. 1.0

1. EGM step for each discrete choice d and every state st
2. Compute d-specific value functions and consumption rules
3. Compare the d-specific value functions to find optimal switching points (compute upper envelope)
4. Reconstruct overall consumption rule and value function from optimal switching points

Clausen & Strub, 2010-2013
A General and Intuitive Envelope Theorem.

Show that Euler equation remains a necessary condition for the optimal continuous consumption.

Period T : choice specific value functions



Period $T-1$: Choice specific VF



Period $T-1$: Choice specific VF



Period $T - 1$: Optimal consumption



So, what is going on

1. d-specific value functions intersect
   (due to trade-off between income and disutility of work)
   $\Downarrow$
2. The upper envelope of the value functions has a kink
   and combined consumption function has a discontinuity

Period $T-2$: Choice specific VF



Period $T-2$: Secondary upper envelope



So, what is going on

1. d-specific value functions intersect
   (due to trade-off between income and disutility of work)
   $\Downarrow$
2. The upper envelope of the value functions has a kink
   and combined consumption function has a discontinuity
   $\Downarrow$
3. Derivative of the value function has a discontinuity
   at the kink
   $\Downarrow$
4. For some values of wealth (on endogenous grid) Euler equation has
   two solutions!
   If endogenous grid points are sorted $\rightarrow$ zigzag region

Multiple zeros of Euler residuals



Period $T-2$: Secondary upper envelope: detect



Period $T - 2$: Secondary upper envelope: result



How to algorithmically detect "zigzag" regions?

Theorem: monotonicity

Under weak regularity conditions on the utility function and intertemporal budget constraint, savings function is weakly increasing.
$A_t(M'_t) \geq A_t(M''_t)$ for every $M'_t \geq M''_t$ for all t.

Note: savings function may still have "upward" jumps

1. Sort the exogenous grid over A in ascending order
2. Then the sequence of endogenous grid points over M has to be in ascending order as well as long as Euler equation is sufficient
3. Every time the endogenous grid "bends back" the endogenous grid is separated into subsets of points
4. Calculate the Upper envelope on the segments over the subsets
5. Delete suboptimal endogenous points
6. Find and add a kink point to the endogenous grid

What happens to optimal consumption?



What happens to optimal consumption?



Period $T-2$: VF, primary and secondary kinks



Period $T-2$: Optimal consumption



Optimal consumption (many periods)



Optimal retirement (many periods)



DC-EGM full algorithm

DC-EGM ver. 2.0

1. Start from terminal period, compute optimal consumption rule and value function. Loop backwards over time:
2. EGM step for each discrete choice d and every state st
3. Compute d-specific value functions and consumption rules
4. Compute the "secondary" upper envelope over the "zig-zag" regions of the d-specific value functions and update the corresponding consumption rules
5. Compare the d-specific value functions to find optimal switching points (compute upper envelope)
6. Reconstruct overall consumption rule and value function from optimal switching points

Properties of the full solution

1. Value functions are non-concave and have kinks
2. Consumption functions have discontinuities
3. Discontinuities/kinks propagate through time and accumulate

This properties are attributes of the model itself.
Any solution method has to deal with these complexities.

DC-EGM matches the analytical solution perfectly!

Exercise 3:

1. Replicate the solution using `model_retirement.m`
2. Investigate how the variance of shocks to income and scale of the taste shock effect the solution
3. Simulate the consumption path for $\beta R = 1$ and discuss the accuracy of the solutions

Random returns $\tilde{R}$

Random shocks do help, however:

- Smooth out secondary kinks only
- Primary kinks (switching between discrete options) remain
- May not smooth out all kinks: continuous but sharp declines in optimal consumption at t may lead to a discontinuity/kink at $t-1$
- Expectations in Euler equation have to be taken over discontinuous functions
    - More kinks/discontinuities from sloppy computation
    - Need to integrate over "continuous" intervals separately

Period $T-3$: Optimal consumption with $\sigma = .1$



Before $T - 3$: Optimal consumption with $\sigma = .1$



Period $T-3$: Optimal consumption with $\sigma = .2$



Period $T-3$: VF with $\sigma = .2$



Period $T-3$: Optimal consumption with $\sigma = .22$



Period $T-3$: VF with $\sigma = .22$



Extreme value distributed taste shocks

- Smooth out primary kinks
- Extreme value distribution – closed form expectations and standard in empirical applications
- Two interchangeable interpretations
    - Structural: unobserved state variables
    - Logit smoothing: to streamline the solution
- Work together with other shocks in the model
    - EV taste shocks smooth out primary kinks
    - Random returns smooth out secondary kinks
- Complete smoothing is not guaranteed in general: secondary kinks may persist

Retirement problem with taste shocks

Re-formulate in terms of choice specific value functions

$$V_t(M_t, \mathbb{W}) = \max \left\{ \begin{array}{l} v_t(M_t, \mathbb{W}, \mathbb{R}) + \sigma\epsilon_{\mathbb{R}} \\ v_t(M_t, \mathbb{W}, \mathbb{W}) + \sigma\epsilon_{\mathbb{W}} \end{array} \right\}$$

$$\begin{aligned} v_t(M_t, \mathbb{W}, \mathbb{W}) = & \max_{0 \le c \le M_t} \left[u(c) + \beta EV_{t+1}\left(\tilde{R}(M_t + y - c), \mathbb{W} \right) \right] \\ v_t(M_t, \mathbb{W}, \mathbb{R}) = & \max_{0 \le c \le M_t} \left[u(c) + \beta EV_{t+1}\left(\tilde{R}(M_t - c), \mathbb{R} \right) \right] \end{aligned}$$

$$EV_{t+1}(x, \mathbb{W}) = \sigma \log \left[\exp \frac{v_{t+1}(x, \mathbb{W}, \mathbb{W})}{\sigma} + \exp \frac{v_{t+1}(x, \mathbb{W}, \mathbb{R})}{\sigma} \right]$$

$$V_t(M_t, \mathbb{R}) = \max_{0 \le c \le M_t} \left[u(c) + \beta EV_{t+1}\left(\tilde{R}(M_t - c), \mathbb{R} \right) \right]$$

Smoothed Euler equation

Without taste shocks – "discontinuous" Euler equation:

$$u'(c_t) = \beta E\left[u'\left(c_{t+1}(\mathbb{W}/\mathbb{R})\right)\tilde{R}\right]$$

With EV taste shocks – smoothed Euler equation:

$$u'(c_t) = \beta E\left[P_{t+1}(\mathbb{W})u'\left(c_{t+1}(\mathbb{W})\right)\tilde{R} + P_{t+1}(\mathbb{R})u'\left(c_{t+1}(\mathbb{R})\right)\tilde{R}\right]$$

Choice probability

$$P_{t+1}(\mathbb{W}) = \frac{\exp\frac{v_{t+\mathbf{1}}(M_{t+\mathbf{1}},\mathbb{W},\mathbb{W})}{\sigma}}{\exp\frac{v_{t+\mathbf{1}}(M_{t+\mathbf{1}},\mathbb{W},\mathbb{W})}{\sigma} + \exp\frac{v_{t+\mathbf{1}}(M_{t+\mathbf{1}},\mathbb{W},\mathbb{R})}{\sigma}}$$

Smoothed Euler equation



Optimal consumption with taste shocks only



Optimal consumption with random returns



DC-EGM with taste shocks

DC-EGM ver. 3.0

1. Start from terminal period, compute optimal consumption rule and value function. Loop backwards over time:
2. EGM step for each discrete choice d and every state st
3. Compute d-specific value functions and consumption rules
4. Compute the "secondary" upper envelope over the "zig-zag" regions of the d-specific value functions and update the corresponding consumption rules
5. ~~Compare the d-specific value functions to find optimal switching points (compute upper envelope)~~
6. ~~Reconstruct overall consumption rule and value function from optimal switching points~~

DC-EGM with taste shocks

1. With EV taste shocks DC-EGM becomes simpler
2. The problem is re-formulated in terms of choice specific value functions
3. Calculation of *primary* upper envelope is replaced by calculation of logsum
4. Easier computation of expectations (due to less discontinuities)
5. More memory is required to store choice specific value functions

Extreme value Homotopy

Theorem: approximation with logit smoother

Let σ index scale of Type 1 extreme value taste shocks for the discrete choices in a DC-DP problem with D choices. Then we have the following bound

$$|EV_{\sigma,t}(s) - V_t(s)| \leq \sigma \left[\sum_{j=0}^{T-t} \beta^j \right] \log(D)$$

This implies that the extreme-value perturbed policy functions $c_{\sigma,t}(s,\epsilon)$ and $\delta_{\sigma,t}(s,\epsilon)$ converge pointwise to $c_t(s)$ and $\delta_t(s)$, the optimal continuous and discrete decision rules to a DP problem without any taste shocks as $\sigma \to 0$.

Credit constraints

- Credit constraints are handled so well by EGM because it is never necessary to compute utility of nearly zero consumption
- Instead we "connect the dots" $(0, 0)$ and (M_t^{cc}, M_t^{cc})

  M_t^{cc} — level of wealth corresponding to $A_t = 0$

- Inevitable when value functions have to be computed
- If utility is additively separable in consumption and discrete choices (AS), the problem can be avoided entirely!

Credit constraints

Dealing with credit constraints

1. For each d_t compute M^{cc}_{t,d_t} correspond to zero savings
   EGM loop can be started from $A = 0$
   M^{cc}_{t,d_t} : $\forall M < M^{cc}_{t,d_t}$ $c^{\star}_t = M$
2. Value function for $M < M^{cc}_{t,d_t}$ has analytic form
   $V^{d_t}_t(M) = u(M, d_t) + \beta EV^0_{t+1}(d_t)$
   $EV^0_{t+1}(d_t)$ — expected value of ending period t with $A_t = 0$
3. (AS) $\Rightarrow V^{d_t}_t(M) = u(M) + v(d_t) + \beta EV^0_{t+1}(d_t)$
4. $V^{d_t}_t(M)$ do not intersect when $M < \min_{d_t}\left\{M^{cc}_{t,d_t}\right\}$
   $\Rightarrow$ No need to compute utility of nearly zero consumption

Credit constraints

Dealing with credit constraints

1. For each d_t compute M^{cc}_{t,d_t} correspond to zero savings
   EGM loop can be started from $A = 0$
   $M^{cc}_{t,d_t} : \quad \forall M < M^{cc}_{t,d_t} \quad c^\star_t = M$

2. Value function for $M < M^{cc}_{t,d_t}$ has analytic form
   $V^{d_t}_t(M) = u(M, d_t) + \beta EV^0_{t+1}(d_t)$
   $EV^0_{t+1}(d_t)$ — expected value of ending period t with $A_t = 0$

3. (AS) $\Rightarrow V^{d_t}_t(M) = u(M) + v(d_t) + \beta EV^0_{t+1}(d_t)$

4. $V^{d_t}_t(M)$ do not intersect when $M < \min_{d_t}\left\{M^{cc}_{t,d_t}\right\}$
   $\Rightarrow$ No need to compute utility of nearly zero consumption

Credit constraints

Dealing with credit constraints

1. For each d_t compute M^{cc}_{t,d_t} correspond to zero savings
   EGM loop can be started from $A = 0$
   $M^{cc}_{t,d_t} : \quad \forall M < M^{cc}_{t,d_t} \quad c^{\star}_t = M$

2. Value function for $M < M^{cc}_{t,d_t}$ has analytic form
   $V^{d_t}_t(M) = u(M, d_t) + \beta EV^0_{t+1}(d_t)$
   $EV^0_{t+1}(d_t)$ — expected value of ending period t with $A_t = 0$

3. (AS) $\Rightarrow V^{d_t}_t(M) = u(M) + v(d_t) + \beta EV^0_{t+1}(d_t)$

4. $V^{d_t}_t(M)$ do not intersect when $M < \min_{d_t}\left\{M^{cc}_{t,d_t}\right\}$
   $\Rightarrow$ No need to compute utility of nearly zero consumption

Credit constraints

Dealing with credit constraints

1. For each d_t compute M^{cc}_{t,d_t} correspond to zero savings
   EGM loop can be started from $A = 0$
   $M^{cc}_{t,d_t} : \ \forall M < M^{cc}_{t,d_t} \ \ c^\star_t = M$

2. Value function for $M < M^{cc}_{t,d_t}$ has analytic form
   $V^{d_t}_t(M) = u(M, d_t) + \beta EV^0_{t+1}(d_t)$
   $EV^0_{t+1}(d_t)$ — expected value of ending period t with $A_t = 0$

3. (AS) $\Rightarrow V^{d_t}_t(M) = u(M) + v(d_t) + \beta EV^0_{t+1}(d_t)$

4. $V^{d_t}_t(M)$ do not intersect when $M < \min_{d_t} \left\{ M^{cc}_{t,d_t} \right\}$
   $\Rightarrow$ No need to compute utility of nearly zero consumption

Pension benefit $.25y$



Multi-dimensional generalizations

EGM + VFI

Barillas & Fernandez-Villaverde, JEDC 2007
A Generalization of the Endogenous Grid Method

1. Run EGM w.r.t. *one* choice keeping other controls fixed
2. Perform a VFI w.r.t. the rest of decision variables

Ludwig & Schön, WP 2014
Endogenous Grids in Higher Dimensions: Delaunay Interpolation and Hybrid Methods

1. Solve the model of human capital investment + consumption/savings
2. Compare three approaches which differ by the interpolation method

Multidimensional EGM

Matthew White, JEDC 2015
The Method of Endogenous Gridpoints in Theory and Practice

1. Builds a general theory of EGM-solvable models
2. Proposes a specialized multi-linear interpolation method for irregular grids

Iskhakov, Econ Letters 2015
Multidimensional endogenous gridpoint method: solving triangular dynamic stochastic optimization problems without root-finding operations

1. Builds a general theory of EGM-solvable models
2. Specify sufficient conditions for the class of multidimensional problems that can be solved by M-EGM without root-finding operations

Sufficient conditions for MEGM to be applicable

1. Post decision states (A_t) form a set of sufficient statistics for the states and decisions in period t
2. State variables can be analytically computed from post decision states ($M_t = A_t + c_t$)
3. The Hessian of the utility function can be converted to lower-triangular by permuting its rows and relabeling the variables
4. Utility function is concave

Then the dynamic problem can be solved (for interior solution) without root-finding operations by multidimensional EGM

Multidimensional EGM + constraints

Jeppe Druedahl, Thomas Jørgensen, JEDC Jan 2017
A General Endogenous Grid Method for Multi-Dimensional Models with Non-Convexities and Constraints

1. Build a general theory of multidimensional EGM-solvable models
2. Allow for non-convexities and occasionally binding constrains
3. Propose a specialized multi-linear interpolation method for irregular grids

Estimating life cycle models using endogenous gridpoint methods

What to do with EGM methods

We can solve many problems of this type $\Rightarrow$

1. Fast solver for important problems with discrete/continuous choice $\rightarrow$
    - calibration
    - structural estimation with your favourite method
    - NFXP: inner loop to solve the model, outer loop to optimize the objective function
2. Use the solver repeatedly in some "outer loop" $\rightarrow$
    - individual heterogeneity : solve the model for each individual in the sample
    - unobserved heterogeneity : random effects
    - flexibility of distributional assumptions

Monte Carlo experiments



Disutilty of work, with income uncertainty, many discrete choices, only with choice data, only with consumption data, smoothing

EGM vs. MPEC

Jørgensen, 2012 *Economics Letters*
Structural Estimation of Continuous Choice Models: Evaluating EGM and MPEC.

Deaton consumption/savings model in infinite horizon, MC experiment with ML on synthetic data, 1 structural parameter

β		RMSE	Time
.70	EGM	0.002	0.1 sec.
	MPEC	0.049	112.4 sec.
.95	EGM	0.006	1.9 sec.
	MPEC	0.009	93.7 sec.
.99	EGM	0.000	5.0 sec.
	MPEC	0.000	30.9 sec.

Points to take home

1. EGM and DC-EGM is fast and accurate solution methods
2. No root-finding operations in regular case
3. Efficient with credit constraint

4. Deterministic discrete-continuous problems are hard:
5. Kinks in value functions, discontinuous policy functions
6. Snowball effect in the accumulation of kinks over time

7. With EV taste shocks the problem is alleviated
8. EV taste shocks can be structural or added for smoothing
9. Facilitate estimation using discrete choice data

github.com/fediskhakov/dcegm

Exercises

1. Code up the Euler equation solver in `model_phelps.m.m` and `model_deaton.m.m` and verify solution against FVI solver
2. Code up an EGM solver for infinite horizon version of the problems in `model_phelps.m.m` and `model_deaton.m.m`
3. (a) Replicate the solution to consumption/retirement problem using `model_retirement.m`;
   (b) Investigate how the variance of shocks to income and scale of the taste shock effect the solution;
   (c) Simulate the consumption path for $\beta R = 1$ and discuss the accuracy of the solutions
4. Add education to the retirement model so that wage incomes varies by education, discuss the differences in labor supply decisions
5. Add part time work decision in the retirement model and simulate the case of phased retirement