### **CMPSC-132: Programming and Computation II**

**Homework 2** (100 points) **Due date:** February 11th, 2022, 11:59 PM EST

**Goal:** The goal of this assignment is to reinforce the fundamental concepts of object-oriented programming in Python. Through this homework, you should gain a better idea of how to implement a system of classes that build on each other.

#### **General instructions:**

- The work in this assignment must be your own original work and be completed alone.
- The instructor and course assistants are available on Teams and with office hours to answer any questions you may have. You may also share testing code on Teams.
- A doctest is provided to ensure basic functionality and may not be representative of the full range of test cases we will be checking. Further testing is your responsibility.
- Debugging code is also your responsibility.
- You may submit more than once before the deadline; only the latest submission will be graded.

#### **Assignment-specific instructions:**

- Download the starter code file from Canvas. Do not change the function names or given starter code in your script. At the end of the starter code, there are instructions on how to run the doctest per class
- Each class has different requirements, read them carefully and ask questions if you need clarification. No credit is given for code that does not follow directions.
- All methods that output a string must **return** the string, not **print** it. Code will not receive credit if you use print to display the output
- If you are unable to complete a method, use the pass statement to avoid syntax errors

#### **Submission format:**

- Submit your HW2.py file to the Homework 2 Gradescope assignment before the due date.
- As a reminder, code submitted with syntax errors does not receive credit, please run your file before submitting.

#### **Section 1: Assignment overview**

The main concept is to implement classes that represent an in-memory "school database". There are eight classes you must implement: Course, Catalog, Semester, Loan, Person, Staff, Student and StudentAccount. Each class has its own purpose which will be explained below. You will also implement a standalone function that will help transform a Person into a Student.

• Course (no dependencies)

- o Represents a course, with attributes for id, name, and number of credits.
- Catalog (Course class must be implemented)
  - o Stores a collection of Course objects through a dictionary, using id as the key.
- Semester (Course class must be implemented)
  - O Stores a collection of Course objects taken together during a semester.
- Loan (no dependencies)
  - o Represents an amount of money, with attributes for id and the loan amount.
- StudentAccount (Student class must be implemented)
  - o Represents the financial status of a student.
- Person (no dependencies)
  - o Represents a person, with attributes for a name and social security number.
- Staff (subclass of Person) (Person class must be implemented)
  - o Represents a person who is a staff member and has a supervisor.
- Student (subclass of Person) (All classes must be implemented)
  - o Represents a person who is a student that takes courses at the university.

A non-comprehensive list of concepts you should know to complete this assignment is:

- Basic class syntax / definition in Python (attributes, methods, definitions)
- Special/Magic methods
- Dictionaries
- Encapsulation
- Polymorphism through Operator and Method Overloading
- Inheritance
- Property methods
- Firm understanding of what it means for Python to be an "Object-Oriented" language

### **Section 2: The Course class**

A simple class that stores the id, name, and number of credits for a class.

### Attributes

Type	Name	Description
str	cid	Stands for course id, uniquely identifies a course like "CMPSC132".
str	cname	Stands for course name and is the long form of the course title.
int	credits	The number of credits a course is worth.

# Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the course as a string.
str	repr(self)	Returns the same formatted summary asstr
bool	eq(self, other)	Does an equality check based only on course id.

# \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the course as a string.

The format to use is: *cid(credits)*: *cname* 

Output		
str	Formatted summary of the course.	

### \_\_eq\_\_(self, other)

Determines if two objects are equal. For instances of this class, we will define equality when the course id of one object is the same as the course id of the other object. You can assume at least one of the objects is a Couse object.

Input (excluding self)		
any other The object to check for equality against a Course object.		

Output		
bool	True if other is a Course object with the same course id, False otherwise.	

# **Section 3: The Catalog class**

Stores a collection of Course objects and their capacity as a dictionary, accessible by their ids.

# Attributes

Type	Name	Description
dict	courseOfferings	Stores courses with the id as the key and a tuple (Course, capacity)
		as the value.

# Methods

Type	Name	Description			
str	addCourse(self, cid, cname, credits, capacity)	Adds a course with the given			
		information.			
str	removeCourse(self, cid)	Removes a course with the given id.			

# addCourse(self, cid, cname, credits, capacity)

Creates a Course object with the parameters and stores it as a value in courseOfferings.

Inputs	Inputs (excluding self)		
str	cid The id of the course to add.		
str	cname	The name of the course to add	
int	credits	The number of credits the course is worth.	
int	capacity The maximum number of students allowed to register in the course		

Output		
str	"Course added successfully"	
str	"Course already added" if course is already in courseOfferings.	

# removeCourse(self, cid)

Removes a course with the given id.

Input (excluding self)		
str	str cid The id of the course to remove.	

Output		
str	"Course removed successfully"	
str	"Course not found" if a course with the given id is not in the dictionary.	

# **Section 4: The Semester class**

Stores a collection of Course objects for a semester for a student.

# Attributes

Type	Name	Description	
int	sem_num	The semester number for this object.	
dict	courses	Stores courses to be taken in the semester. The id of the course as the	
		key and the Course object as the value.	

### Methods

Type	Name	Description
(many)	addCourse(self, course)	Adds a Course to the courses dictionary
(many)	dropCourse(self, course)	Removes a course from courses.
int	totalCredits(self)	A property method for the total number of credits.
bool	isFullTime(self)	A property method that returns True if this is full-time.

# Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the all the courses in this semester.
str	repr(self)	Returns the same formatted summary asstr

# addCourse(self, course)

Adds a Course to the courses dictionary

Input (excluding self)		
Course   Course   The Course object to add to this semester.		

Output			
None	(Normal operation does not output anything)		
str	"Course already added" if the course is already in this semester.		

# dropCourse(self, course)

Removes a course from this semester.

Input (excluding self)		
Course	course	The Course object to remove from this semester.

Output	Output		
None	Normal operation does not output anything		
str	"No such course" if the course is not in this semester.		

# totalCredits(self)

A property method (behaves like an attribute) for the total number of credits in this semester.

Outp	Outputs (normal)		
int	Total number of enrolled credits in this semester.		

### isFullTime(self)

A property method (behaves like an attribute) that checks if a student taking this semester would be considered full-time (taking 12 or more credits) or not.

Outputs (normal)		
bool	True if there are 12 or more credits in this semester, False otherwise.	

# \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the all the courses in this semester.

Use the format: cid, cid, cid, ...

Outpu	Output		
str	Formatted summary of the courses in this semester.		
str	"No courses" if the semester has no courses.		

### **Section 5: The Loan class**

A class that represents an amount of money, identified by a pseudo-random number.

### Attributes

Type	Name	Description
int	loan_id	The id for this loan, generated pseudo-randomly bygetloanID
int	amount	The amount of money loaned.

### Methods

Type	Name	Description
int	getloanID(self)	A property method that pseudo-randomly generates loan ids.

# Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the loan as a string.
str	repr(self)	Returns the same formatted summary asstr

### \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the loan as a string.

Use the format: Balance: \$amount

Outp	Output		
str	Formatted summary of the loan.		

# \_\_getloanID(self)

A property method (behaves like an attribute) that pseudo-randomly generates loan ids. Use the <u>random</u> module to return a number between 10,000 and 99,999. The returned value should be saved to loan\_id when initializing Loan objects. <u>randint</u> and <u>randrange</u> could be helpful here!

Outp	Outputs (normal)		
int	Pseudo-randomly generated id.		

#### **Section 6: The StudentAccount class**

This class represents a financial status of the student based on enrollment and is saved to a Student object as an attribute. This class should also contain an attribute that stores the price per credit, initially \$1000/credit. This cost can change at any time and should affect the future price of enrollment for ALL students.

#### Attributes

Type	Name	Description
Student	student	The Student object that owns this StudentAccount.
numerical	balance	The balance that the student has to pay.
dict	loans	A dictionary that stores Loan objects accessible by their loan_id.

#### Methods

Type	Name	Description
numerical	makePayment(self, amount)	Makes a payment towards the balance.
numerical	chargeAccount(self, amount)	Adds an amount towards the balance.

### Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the loan as a string.
str	repr(self)	Returns the same formatted summary asstr

### makePayment(self, amount)

Makes a payment by subtracting amount from the balance.

Input (excluding self)		
numerical	amount	The payment amount towards the balance.

Output	
numerical	Current balance amount.

### chargeAccount(self, amount)

Adds amount towards the balance.

Inputs (exclud	ling self)	
numerical	amount	The amount to add to the balance.

Output	
numerical	Updated balance amount.

### \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the loan as a string. The format to use is (spread out over three lines):

ID: id

Balance: balance

Output		
str	Formatted summary of the account.	

### **Section 7: The Person class**

This class is a basic representation of a person, storing name and social security number.

### Attributes

Type	Name	Description
str	name	Full name of the person.
str	ssn	Private attribute of social security number formatted as "123-45-6789".

#### Methods

Type	Name	Description
str	get_ssn(self)	Getter method for accessing social security number.

### Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the person as a string.
str	repr(self)	Returns the same formatted summary asstr
bool	eq(self, other)	Checks for equality by comparing only the ssn attributes.

### get\_ssn(self)

Getter method for accessing the private social security number attribute.

Outp	put
str	Social security number.

# \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the person as a string.

The format to use is: Person(name, \*\*\*-\*\*-last four digits)

		,	v	0 /	
Ou	tput				
str	Formatted summary o	of the person.			

# \_\_eq\_\_(self, other)

Determines if two objects are equal. For instances of this class, we will define equality when the SSN of one object is the same as SSN of the other object. You can assume at least one of the objects is a Person object.

Input (excluding self)		
many	other	The other object to check for equality with.

Output		
bool	True if other is a Person object with the same SSN, False otherwise.	

### **Section 8: The Staff class**

This class inherits from the Person class but adds extended functionality for staff members. Attributes, methods, and special methods inherited from Person are not listed in this section.

#### Attributes

Type	Name	Description
Staff	supervisor	A private attribute for this person's supervisor. By default, set to None.

#### Methods

Type	Name	Description
str	id(self)	Property method for generating staff's id.
(many)	setSupervisor(self, new_supervisor)	Updates the private supervisor attribute.
(many)	getSupervisor(self)	Property method for getting the supervisor.
(many)	applyHold(self, student)	Applies a hold on a student object.
(many)	removeHold(self, student)	Removes a hold on a student object.
(many)	unenrollStudent(self, student)	Sets a student's status to not active.
Student	createStudent(self, person)	Creates a Student object from a Person object

### Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the staff as a string.
str	repr(self)	Returns the same formatted summary asstr

#### id(self)

Property method (behaves like an attribute) for generating staff's id.

The format should be: 905+initials+last four numbers of ssn. (e.g.: 905abc6789). Ignore the security flaws this generation method presents and assume ids are unique.

Outp	ut
str	Generated id for the staff member.

### setSupervisor(self, new\_supervisor)

Updates the private supervisor attribute.

Input (excluding self)		
Staff	new_supervisor	The new value to set for the supervisor attribute.

Output		
str	"Completed!"	
None	Nothing is returned if new_supervisor is not a Staff object.	

### getSupervisor(self)

Property method (behaves like an attribute) for getting the supervisor.

Output	
Staff	Current value of supervisor.

### applyHold(self, student)

Applies a hold on a student object (set the student's hold attribute to True).

Input (excluding self)			
Student	student	The student to apply a hold to.	

Output		
str	"Completed!"	
None	ne Nothing is returned if student is not a Student object.	

### removeHold(self, student)

Removes a hold on a student object (set the student's hold attribute to False).

Inputs (exclud	ling self)	
Student	student	The student to remove a hold from.

Output	
str	"Completed!"
None	Nothing is returned if student is not a Student object.

#### unenrollStudent(self, student)

Unenrolls a student object (set the student's active attribute to False).

Inputs (excluding self)				
Student	student	The student to unenroll.		

Output	
str	"Completed!"
None	Nothing is returned if student is not a Student object.

### createStudent(self, person)

Creates a Student object from a Person object. The new student should have the same information (name, ssn) as the person and always starts out as a freshman ("Freshman").

<u> </u>	*	<u> </u>				
Input						
Person	person	The Person ob	ject to create a	Student obj	ect from.	

Output	
Student	The new student created from the input Person object.

# \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the staff member as a string.

The format to use is: Staff(name, id)

Outputs (normal)		
str	Formatted summary of the staff member.	

### **Section 9: The Student class**

This class inherits from the Person class and is heavy extended for additional functionality. Attributes, methods, and special methods inherited from Person are not listed in this section.

#### Attributes

Type	Name	Description	
str	year	A string indicating the student's year ("Freshman", etc.).	
dict	semesters	A collection of Semester objects accessible by sem_num.	
bool	hold	Indicates a hold on the student's account, defaults to False.	
bool	active	Indicates if the student is actively enrolled, defaults to True.	
StudentAccount	account	Creates and sets a StudentAccount object with the student's	
		information to keep track of the student's balance.	

#### Methods

Type	Name	Description
str	id(self)	Property method for generating student's id.
StudentAccount	create StudentAccount (self)	Creates a StudentAccount object.
(many)	registerSemester(self)	Creates a Semester object.
str	enrollCourse(self, cid, catalog,	Enrolls the student in a course.
	semester)	
str	dropCourse(self, cid)	Drops a course from a semester.
(many)	getLoan(self, amount)	Creates a Loan object.

### Special methods

Type	Name	Description
str	str(self)	Returns a formatted summary of the student as a string.
str	repr(self)	Returns the same formatted summary asstr

#### id(self)

Property method (behaves like an attribute) for generating student's id.

The format should be: *initials+last four numbers of ssn* (e.g.: abc6789). Ignore the security flaws this generation method presents and assume ids are unique.

Outpu	Output	
str	Student's id.	

### \_\_createStudentAccount(self)

Creates a StudentAccount object. This should be saved in the account attribute during initialization.

Output	
StudentAccount	Created StudentAccount object linked to the student.
None	Nothing is returned if student is not active.

#### registerSemester(self)

Creates a Semester object and adds it as a value to the semesters dictionary if the student is active and has no holds. It also updates the student's year attribute according to the number of semesters enrolled. 'Freshman' is a first-year student (semesters 1 and 2), 'Sophomore' is a second-year student (semesters 3 and 4), 'Junior' is a third-year student (semesters 5 and 6) and 'Senior' for any enrollment with more than 6 semesters.

Output	
None	(Normal operation does not output anything)
str	"Unsuccessful operation" is returned if the student is inactive or has holds.

### enrollCourse(self, cid, catalog, semester)

Finds a Course object with the given id from the catalog and adds it to the courses attribute of the Semester object. Charge the student's account the appropriate amount of money.

Inputs (exc	Inputs (excluding self)		
str	cid	Course ID to search for.	
Catalog	catalog	Catalog to search in.	
int	semester	The semester number to add the course to.	

Output		
str	"Course added successfully"	
	"Unsuccessful operation" is returned if the student is inactive or has holds.	
	"Course not found" is returned if no course with the given id is found.	
	"Course already enrolled" is returned if the course is already enrolled.	

#### dropCourse(self, cid)

Finds a Course object from the current semester with the given id and removes it. When a course is dropped, only half the course cost is refunded to the student's account. The current semester is defined as the last added Semester object in the semester dictionary.

Inputs (excluding self)		
str	cid	Course ID to search for.

Output	
	"Course dropped successfully"
str	"Unsuccessful operation" is returned if the student is inactive or has holds.
	"Course not found" is returned if no course with the given id is found.

#### getLoan(self, amount)

If the student is active and currently enrolled full-time (consider the item with the largest key in the semesters dictionary the current enrollment), it creates a Loan object for the student with the given amount, adds it to the student's account's loans dictionary, and uses the amount to make a payment in the student's account. Do NOT remove the line random.seed(1) from the constructor. This ensures replicable pseudo-random number generation across multiple executions, so your loan ids should match the doctest samples.

Inputs (excluding self)		
numerical	amount	The amount of money to get a loan for.

Outpu	Output	
None	(Normal operation does not return anything)	
str	"Unsuccessful operation" is returned if the student is inactive.	
str	"Not full-time" is returned if the current semester is not full-time.	

# \_\_str\_\_(self), \_\_repr\_\_(self)

Returns a formatted summary of the student member as a string.

The format to use is: Student(name, id, year)

Outputs (normal)	
str	Formatted summary of the student member.