Orbit 00001 | November 2023 | baseline

Status: COMPLETED | Injected gaps: 0 | Largest dt: 0.000000 s | Removed: 0/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: VALIDATED (4 files)

L2A: VALIDATED (2 files)

L3A: VALIDATED (2 files)

L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

No artificial gaps.

L3C: nonzero finite pixels = 1565106; mean radiance = 9.733 kR; mean difference from baseline = +0 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 1/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_1frame_early

Status: COMPLETED | Injected gaps: 1 | Largest dt: 2.199219 s | Removed: 1/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	387 -> 389	388..388	1	2.199219	1.097656	2.199219..2.199219

L3C: nonzero finite pixels = 1565105; mean radiance = 9.733 kR; mean difference from baseline = +0.0001088 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 2/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_1frame_middle

Status: COMPLETED | Injected gaps: 1 | Largest dt: 2.203125 s | Removed: 1/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files) L1F: VALIDATED (4 files) L1R: VALIDATED (4 files) L1C: VALIDATED (1 files)

L1A: VALIDATED (4 files) L2A: VALIDATED (2 files) L3A: VALIDATED (2 files) L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	970 -> 972	971..971	1	2.203125	1.101562	2.203125..2.203125

L3C: nonzero finite pixels = 1565101; mean radiance = 9.734 kR; mean difference from baseline = +0.0006906 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5701); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 3/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_1frame_late

Status: COMPLETED | Injected gaps: 1 | Largest dt: 2.199219 s | Removed: 1/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	1553 -> 1555	1554..1554	1	2.199219	1.097656	2.199219..2.199219

L3C: nonzero finite pixels = 1565106; mean radiance = 9.733 kR; mean difference from baseline = +0 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 4/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_5s_early

Status: COMPLETED | Injected gaps: 1 | Largest dt: 4.402344 s | Removed: 3/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	386 -> 390	387..389	3	4.402344	3.300781	4.402344..4.402344

L3C: nonzero finite pixels = 1565107; mean radiance = 9.733 kR; mean difference from baseline = +3.962e-05 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 5/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_5s_middle

Status: COMPLETED | Injected gaps: 1 | Largest dt: 4.398438 s | Removed: 3/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	969 -> 973	970..972	3	4.398438	3.296875	4.398438..4.398438

L3C: nonzero finite pixels = 1564798; mean radiance = 9.735 kR; mean difference from baseline = +0.00203 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5701); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 6/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_5s_late

Status: COMPLETED | Injected gaps: 1 | Largest dt: 4.402344 s | Removed: 3/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	1552 -> 1556	1553..1555	3	4.402344	3.300781	4.402344..4.402344

L3C: nonzero finite pixels = 1565106; mean radiance = 9.733 kR; mean difference from baseline = +0 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 7/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_10s_early

Status: COMPLETED | Injected gaps: 1 | Largest dt: 9.902344 s | Removed: 8/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	384 -> 393	385..392	8	9.902344	8.800781	9.902344..9.902344

L3C: nonzero finite pixels = 1564796; mean radiance = 9.734 kR; mean difference from baseline = +0.001442 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 8/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_10s_middle

Status: COMPLETED | Injected gaps: 1 | Largest dt: 9.902344 s | Removed: 8/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	967 -> 976	968..975	8	9.902344	8.800781	9.902344..9.902344

L3C: nonzero finite pixels = 1564802; mean radiance = 9.738 kR; mean difference from baseline = +0.004809 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5701); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 9/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_10s_late

Status: COMPLETED | Injected gaps: 1 | Largest dt: 9.902344 s | Removed: 8/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	1549 -> 1558	1550..1557	8	9.902344	8.800781	9.902344..9.902344

L3C: nonzero finite pixels = 1565106; mean radiance = 9.733 kR; mean difference from baseline = +0 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 10/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_20s_early

Status: COMPLETED | Injected gaps: 1 | Largest dt: 19.800781 s | Removed: 17/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	379 -> 397	380..396	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1565084; mean radiance = 9.738 kR; mean difference from baseline = +0.004594 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5701); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 11/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_20s_middle

Status: FAILED | Injected gaps: 1 | Largest dt: 19.800781 s | Removed: 17/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: NO FILES (0 files)

L1C: NO FILES (0 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\single_20s_middle\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	962 -> 980	963..979	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 12/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_20s_late

Status: COMPLETED | Injected gaps: 1 | Largest dt: 19.800781 s | Removed: 17/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	1545 -> 1563	1546..1562	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1565106; mean radiance = 9.733 kR; mean difference from baseline = +0 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 13/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_50s_early

Status: FAILED | Injected gaps: 1 | Largest dt: 49.503906 s | Removed: 44/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: NO FILES (0 files)

L1C: NO FILES (0 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\single_50s_early\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	366 -> 411	367..410	44	49.503906	48.402344	49.503906..49.503906

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 14/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_50s_middle

Status: FAILED | Injected gaps: 1 | Largest dt: 49.503906 s | Removed: 44/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: NO FILES (0 files)

L1C: NO FILES (0 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\single_50s_middle\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	949 -> 994	950..993	44	49.503906	48.402344	49.503906..49.503906

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 15/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | single_50s_late

Status: COMPLETED | Injected gaps: 1 | Largest dt: 49.503906 s | Removed: 44/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)


#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	1531 -> 1576	1532..1575	44	49.503906	48.402344	49.503906..49.503906


L3C: nonzero finite pixels = 1514995; mean radiance = 9.666 kR; mean difference from baseline = -0.06708 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



awe_l3c_q20_2023326T0106_00001_v02.nc





Case shape (451, 5501); baseline (451, 5651); index overlap (451, 5501). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 16/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_2x1frame

Status: COMPLETED | Injected gaps: 2 | Largest dt: 2.203125 s | Removed: 2/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	646 -> 648	647..647	1	2.199219	1.097656	2.199219..2.199219
2	1294 -> 1296	1295..1295	1	2.203125	1.101562	2.203125..2.203125

L3C: nonzero finite pixels = 1565105; mean radiance = 9.734 kR; mean difference from baseline = +0.0008999 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 17/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_2x5s

Status: COMPLETED | Injected gaps: 2 | Largest dt: 4.402344 s | Removed: 6/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: VALIDATED (4 files)

L2A: VALIDATED (2 files)

L3A: VALIDATED (2 files)

L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	645 -> 649	646..648	3	4.402344	3.300781	4.402344..4.402344
2	1293 -> 1297	1294..1296	3	4.398438	3.296875	4.398438..4.398438

L3C: nonzero finite pixels = 1565104; mean radiance = 9.736 kR; mean difference from baseline = +0.002657 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 18/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_2x20s

Status: COMPLETED | Injected gaps: 2 | Largest dt: 19.800781 s | Removed: 34/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	638 -> 656	639..655	17	19.800781	18.699219	19.800781..19.800781
2	1286 -> 1304	1287..1303	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1565094; mean radiance = 9.739 kR; mean difference from baseline = +0.006318 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 19/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_2x50s

Status: FAILED | Injected gaps: 2 | Largest dt: 49.503906 s | Removed: 88/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\even_2x50s\logs\step_5.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	625 -> 670	626..669	44	49.503906	48.402344	49.503906..49.503906
2	1272 -> 1317	1273..1316	44	49.503906	48.402344	49.503906..49.503906

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 20/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_5x1frame

Status: COMPLETED | Injected gaps: 5 | Largest dt: 2.203125 s | Removed: 5/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	323 -> 325	324..324	1	2.203125	1.101562	2.203125..2.203125
2	646 -> 648	647..647	1	2.199219	1.097656	2.199219..2.199219
3	970 -> 972	971..971	1	2.203125	1.101562	2.203125..2.203125
4	1294 -> 1296	1295..1295	1	2.203125	1.101562	2.203125..2.203125
5	1617 -> 1619	1618..1618	1	2.199219	1.097656	2.199219..2.199219

L3C: nonzero finite pixels = 1565105; mean radiance = 9.735 kR; mean difference from baseline = +0.001702 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 21/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_5x5s

Status: COMPLETED | Injected gaps: 5 | Largest dt: 4.402344 s | Removed: 15/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	322 -> 326	323..325	3	4.398438	3.296875	4.398438..4.398438
2	645 -> 649	646..648	3	4.402344	3.300781	4.402344..4.402344
3	969 -> 973	970..972	3	4.398438	3.296875	4.398438..4.398438
4	1293 -> 1297	1294..1296	3	4.398438	3.296875	4.398438..4.398438
5	1616 -> 1620	1617..1619	3	4.402344	3.300781	4.402344..4.402344

L3C: nonzero finite pixels = 1565100; mean radiance = 9.738 kR; mean difference from baseline = +0.005004 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 22/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_5x20s

Status: COMPLETED | Injected gaps: 5 | Largest dt: 19.800781 s | Removed: 85/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	315 -> 333	316..332	17	19.800781	18.699219	19.800781..19.800781
2	638 -> 656	639..655	17	19.800781	18.699219	19.800781..19.800781
3	962 -> 980	963..979	17	19.800781	18.699219	19.800781..19.800781
4	1286 -> 1304	1287..1303	17	19.800781	18.699219	19.800781..19.800781
5	1609 -> 1627	1610..1626	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1565071; mean radiance = 9.749 kR; mean difference from baseline = +0.01645 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 23/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_5x50s

Status: FAILED | Injected gaps: 5 | Largest dt: 49.503906 s | Removed: 220/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\even_5x50s\logs\step_5.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	301 -> 346	302..345	44	49.503906	48.402344	49.503906..49.503906
2	625 -> 670	626..669	44	49.503906	48.402344	49.503906..49.503906
3	949 -> 994	950..993	44	49.503906	48.402344	49.503906..49.503906
4	1272 -> 1317	1273..1316	44	49.503906	48.402344	49.503906..49.503906
5	1596 -> 1641	1597..1640	44	49.503906	48.402344	49.503906..49.503906

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 24/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_10x1frame

Status: COMPLETED | Injected gaps: 10 | Largest dt: 2.203125 s | Removed: 10/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	176 -> 178	177..177	1	2.199219	1.097656	2.199219..2.199219
2	352 -> 354	353..353	1	2.203125	1.101562	2.203125..2.203125
3	529 -> 531	530..530	1	2.199219	1.097656	2.199219..2.199219
4	705 -> 707	706..706	1	2.203125	1.101562	2.203125..2.203125
5	882 -> 884	883..883	1	2.199219	1.097656	2.199219..2.199219
6	1058 -> 1060	1059..1059	1	2.203125	1.101562	2.203125..2.203125
7	1235 -> 1237	1236..1236	1	2.199219	1.097656	2.199219..2.199219
8	1411 -> 1413	1412..1412	1	2.203125	1.101562	2.203125..2.203125
9	1588 -> 1590	1589..1589	1	2.199219	1.097656	2.199219..2.199219
10	1764 -> 1766	1765..1765	1	2.203125	1.101562	2.203125..2.203125

L3C: nonzero finite pixels = 1565104; mean radiance = 9.734 kR; mean difference from baseline = +0.001525 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 25/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_10x5s

Status: COMPLETED | Injected gaps: 10 | Largest dt: 4.402344 s | Removed: 30/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	175 -> 179	176..178	3	4.402344	3.300781	4.402344..4.402344
2	351 -> 355	352..354	3	4.398438	3.296875	4.398438..4.398438
3	528 -> 532	529..531	3	4.398438	3.296875	4.398438..4.398438
4	704 -> 708	705..707	3	4.398438	3.296875	4.398438..4.398438
5	881 -> 885	882..884	3	4.398438	3.296875	4.398438..4.398438
6	1057 -> 1061	1058..1060	3	4.398438	3.296875	4.398438..4.398438
7	1234 -> 1238	1235..1237	3	4.398438	3.296875	4.398438..4.398438
8	1410 -> 1414	1411..1413	3	4.398438	3.296875	4.398438..4.398438
9	1587 -> 1591	1588..1590	3	4.398438	3.296875	4.398438..4.398438
10	1763 -> 1767	1764..1766	3	4.398438	3.296875	4.398438..4.398438

L3C: nonzero finite pixels = 1565091; mean radiance = 9.738 kR; mean difference from baseline = +0.004578 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 26/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_10x20s

Status: COMPLETED | Injected gaps: 10 | Largest dt: 19.804688 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	168 -> 186	169..185	17	19.800781	18.699219	19.800781..19.800781
2	344 -> 362	345..361	17	19.800781	18.699219	19.800781..19.800781
3	521 -> 539	522..538	17	19.800781	18.699219	19.800781..19.800781
4	697 -> 715	698..714	17	19.804688	18.703125	19.804688..19.804688
5	874 -> 892	875..891	17	19.800781	18.699219	19.800781..19.800781
6	1050 -> 1068	1051..1067	17	19.804688	18.703125	19.804688..19.804688
7	1227 -> 1245	1228..1244	17	19.800781	18.699219	19.800781..19.800781
8	1403 -> 1421	1404..1420	17	19.804688	18.703125	19.804688..19.804688
9	1580 -> 1598	1581..1597	17	19.800781	18.699219	19.800781..19.800781
10	1756 -> 1774	1757..1773	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1564122; mean radiance = 9.759 kR; mean difference from baseline = +0.02622 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 27/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_10x50s

Status: FAILED | Injected gaps: 10 | Largest dt: 49.503906 s | Removed: 440/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\even_10x50s\logs\step_5.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	154 -> 199	155..198	44	49.500000	48.398438	49.500000..49.500000
2	331 -> 376	332..375	44	49.503906	48.402344	49.503906..49.503906
3	507 -> 552	508..551	44	49.500000	48.398438	49.500000..49.500000
4	684 -> 729	685..728	44	49.503906	48.402344	49.503906..49.503906
5	860 -> 905	861..904	44	49.500000	48.398438	49.500000..49.500000
6	1037 -> 1082	1038..1081	44	49.500000	48.398438	49.500000..49.500000
7	1213 -> 1258	1214..1257	44	49.500000	48.398438	49.500000..49.500000
8	1390 -> 1435	1391..1434	44	49.503906	48.402344	49.503906..49.503906
9	1566 -> 1611	1567..1610	44	49.500000	48.398438	49.500000..49.500000
10	1743 -> 1788	1744..1787	44	49.503906	48.402344	49.503906..49.503906

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 28/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_20x1frame

Status: COMPLETED | Injected gaps: 20 | Largest dt: 2.203125 s | Removed: 20/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	91 -> 93	92..92	1	2.199219	1.097656	2.199219..2.199219
2	184 -> 186	185..185	1	2.199219	1.097656	2.199219..2.199219
3	276 -> 278	277..277	1	2.199219	1.097656	2.199219..2.199219
4	369 -> 371	370..370	1	2.199219	1.097656	2.199219..2.199219
5	461 -> 463	462..462	1	2.203125	1.101562	2.203125..2.203125
6	554 -> 556	555..555	1	2.199219	1.097656	2.199219..2.199219
7	646 -> 648	647..647	1	2.199219	1.097656	2.199219..2.199219
8	739 -> 741	740..740	1	2.203125	1.101562	2.203125..2.203125
9	831 -> 833	832..832	1	2.199219	1.097656	2.199219..2.199219
10	924 -> 926	925..925	1	2.199219	1.097656	2.199219..2.199219
11	1016 -> 1018	1017..1017	1	2.199219	1.097656	2.199219..2.199219
12	1109 -> 1111	1110..1110	1	2.199219	1.097656	2.199219..2.199219
13	1201 -> 1203	1202..1202	1	2.203125	1.101562	2.203125..2.203125
14	1294 -> 1296	1295..1295	1	2.203125	1.101562	2.203125..2.203125
15	1386 -> 1388	1387..1387	1	2.199219	1.097656	2.199219..2.199219
16	1479 -> 1481	1480..1480	1	2.199219	1.097656	2.199219..2.199219
17	1571 -> 1573	1572..1572	1	2.199219	1.097656	2.199219..2.199219
18	1664 -> 1666	1665..1665	1	2.199219	1.097656	2.199219..2.199219
19	1756 -> 1758	1757..1757	1	2.203125	1.101562	2.203125..2.203125
20	1849 -> 1851	1850..1850	1	2.199219	1.097656	2.199219..2.199219

L3C: nonzero finite pixels = 1565098; mean radiance = 9.732 kR; mean difference from baseline = -0.0005364 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 29/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_20x5s

Status: COMPLETED | Injected gaps: 20 | Largest dt: 4.402344 s | Removed: 60/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)


VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	90 -> 94	91..93	3	4.402344	3.300781	4.402344..4.402344
2	183 -> 187	184..186	3	4.402344	3.300781	4.402344..4.402344
3	275 -> 279	276..278	3	4.398438	3.296875	4.398438..4.398438
4	368 -> 372	369..371	3	4.402344	3.300781	4.402344..4.402344
5	460 -> 464	461..463	3	4.398438	3.296875	4.398438..4.398438
6	553 -> 557	554..556	3	4.398438	3.296875	4.398438..4.398438
7	645 -> 649	646..648	3	4.402344	3.300781	4.402344..4.402344
8	738 -> 742	739..741	3	4.398438	3.296875	4.398438..4.398438
9	830 -> 834	831..833	3	4.402344	3.300781	4.402344..4.402344
10	923 -> 927	924..926	3	4.402344	3.300781	4.402344..4.402344
11	1015 -> 1019	1016..1018	3	4.398438	3.296875	4.398438..4.398438
12	1108 -> 1112	1109..1111	3	4.402344	3.300781	4.402344..4.402344
13	1200 -> 1204	1201..1203	3	4.398438	3.296875	4.398438..4.398438
14	1293 -> 1297	1294..1296	3	4.398438	3.296875	4.398438..4.398438
15	1385 -> 1389	1386..1388	3	4.402344	3.300781	4.402344..4.402344
16	1478 -> 1482	1479..1481	3	4.398438	3.296875	4.398438..4.398438
17	1570 -> 1574	1571..1573	3	4.402344	3.300781	4.402344..4.402344
18	1663 -> 1667	1664..1666	3	4.402344	3.300781	4.402344..4.402344
19	1755 -> 1759	1756..1758	3	4.398438	3.296875	4.398438..4.398438
20	1848 -> 1852	1849..1851	3	4.398438	3.296875	4.398438..4.398438

L3C: nonzero finite pixels = 1565085; mean radiance = 9.732 kR; mean difference from baseline = -0.001107 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.



Case shape (451, 5651); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 30/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_20x20s

Status: COMPLETED | Injected gaps: 20 | Largest dt: 19.804688 s | Removed: 340/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)

VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	83 -> 101	84..100	17	19.800781	18.699219	19.800781..19.800781
2	176 -> 194	177..193	17	19.800781	18.699219	19.800781..19.800781
3	268 -> 286	269..285	17	19.800781	18.699219	19.800781..19.800781
4	361 -> 379	362..378	17	19.800781	18.699219	19.800781..19.800781
5	453 -> 471	454..470	17	19.800781	18.699219	19.800781..19.800781
6	546 -> 564	547..563	17	19.800781	18.699219	19.800781..19.800781
7	638 -> 656	639..655	17	19.800781	18.699219	19.800781..19.800781
8	731 -> 749	732..748	17	19.800781	18.699219	19.800781..19.800781
9	823 -> 841	824..840	17	19.800781	18.699219	19.800781..19.800781
10	916 -> 934	917..933	17	19.800781	18.699219	19.800781..19.800781
11	1008 -> 1026	1009..1025	17	19.800781	18.699219	19.800781..19.800781
12	1101 -> 1119	1102..1118	17	19.800781	18.699219	19.800781..19.800781
13	1193 -> 1211	1194..1210	17	19.800781	18.699219	19.800781..19.800781
14	1286 -> 1304	1287..1303	17	19.800781	18.699219	19.800781..19.800781
15	1378 -> 1396	1379..1395	17	19.800781	18.699219	19.800781..19.800781
16	1471 -> 1489	1472..1488	17	19.800781	18.699219	19.800781..19.800781
17	1563 -> 1581	1564..1580	17	19.800781	18.699219	19.800781..19.800781
18	1656 -> 1674	1657..1673	17	19.800781	18.699219	19.800781..19.800781
19	1748 -> 1766	1749..1765	17	19.804688	18.703125	19.804688..19.804688
20	1841 -> 1859	1842..1858	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1557471; mean radiance = 9.748 kR; mean difference from baseline = +0.01546 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

Case shape (451, 5701); baseline (451, 5651); index overlap (451, 5651). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 31/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | even_20x50s

Status: FAILED | Injected gaps: 20 | Largest dt: 49.503906 s | Removed: 880/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\even_20x50s\logs\step_5.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	70 -> 115	71..114	44	49.503906	48.402344	49.503906..49.503906
2	162 -> 207	163..206	44	49.503906	48.402344	49.503906..49.503906
3	255 -> 300	256..299	44	49.500000	48.398438	49.500000..49.500000
4	347 -> 392	348..391	44	49.503906	48.402344	49.503906..49.503906
5	440 -> 485	441..484	44	49.503906	48.402344	49.503906..49.503906
6	532 -> 577	533..576	44	49.503906	48.402344	49.503906..49.503906
7	625 -> 670	626..669	44	49.503906	48.402344	49.503906..49.503906
8	717 -> 762	718..761	44	49.500000	48.398438	49.500000..49.500000
9	810 -> 855	811..854	44	49.503906	48.402344	49.503906..49.503906
10	902 -> 947	903..946	44	49.500000	48.398438	49.500000..49.500000
11	995 -> 1040	996..1039	44	49.500000	48.398438	49.500000..49.500000
12	1087 -> 1132	1088..1131	44	49.503906	48.402344	49.503906..49.503906
13	1180 -> 1225	1181..1224	44	49.503906	48.402344	49.503906..49.503906
14	1272 -> 1317	1273..1316	44	49.503906	48.402344	49.503906..49.503906
15	1365 -> 1410	1366..1409	44	49.503906	48.402344	49.503906..49.503906
16	1457 -> 1502	1458..1501	44	49.500000	48.398438	49.500000..49.500000
17	1550 -> 1595	1551..1594	44	49.500000	48.398438	49.500000..49.500000
18	1642 -> 1687	1643..1686	44	49.503906	48.402344	49.503906..49.503906
19	1735 -> 1780	1736..1779	44	49.500000	48.398438	49.500000..49.500000
20	1827 -> 1872	1828..1871	44	49.503906	48.402344	49.503906..49.503906

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 32/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | cluster_10x20s_early

Status: FAILED | Injected gaps: 10 | Largest dt: 19.804688 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: NO FILES (0 files)

L1C: NO FILES (0 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\cluster_10x20s_early\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	275 -> 293	276..292	17	19.800781	18.699219	19.800781..19.800781
2	298 -> 316	299..315	17	19.800781	18.699219	19.800781..19.800781
3	321 -> 339	322..338	17	19.800781	18.699219	19.800781..19.800781
4	345 -> 363	346..362	17	19.800781	18.699219	19.800781..19.800781
5	368 -> 386	369..385	17	19.800781	18.699219	19.800781..19.800781
6	391 -> 409	392..408	17	19.800781	18.699219	19.800781..19.800781
7	414 -> 432	415..431	17	19.804688	18.703125	19.804688..19.804688
8	437 -> 455	438..454	17	19.800781	18.699219	19.800781..19.800781
9	461 -> 479	462..478	17	19.800781	18.699219	19.800781..19.800781
10	484 -> 502	485..501	17	19.804688	18.703125	19.804688..19.804688

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 33/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | cluster_10x20s_middle

Status: FAILED | Injected gaps: 10 | Largest dt: 19.804688 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: NO FILES (0 files)

L1C: NO FILES (0 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\cluster_10x20s_middle\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	858 -> 876	859..875	17	19.804688	18.703125	19.804688..19.804688
2	881 -> 899	882..898	17	19.800781	18.699219	19.800781..19.800781
3	904 -> 922	905..921	17	19.800781	18.699219	19.800781..19.800781
4	927 -> 945	928..944	17	19.800781	18.699219	19.800781..19.800781
5	950 -> 968	951..967	17	19.800781	18.699219	19.800781..19.800781
6	974 -> 992	975..991	17	19.800781	18.699219	19.800781..19.800781
7	997 -> 1015	998..1014	17	19.800781	18.699219	19.800781..19.800781
8	1020 -> 1038	1021..1037	17	19.800781	18.699219	19.800781..19.800781
9	1043 -> 1061	1044..1060	17	19.800781	18.699219	19.800781..19.800781
10	1066 -> 1084	1067..1083	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 34/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | cluster_10x20s_late

Status: FAILED | Injected gaps: 10 | Largest dt: 19.800781 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: VALIDATED (4 files)

L1C: VALIDATED (1 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\cluster_10x20s_late\logs\step_5.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	1440 -> 1458	1441..1457	17	19.800781	18.699219	19.800781..19.800781
2	1463 -> 1481	1464..1480	17	19.800781	18.699219	19.800781..19.800781
3	1487 -> 1505	1488..1504	17	19.800781	18.699219	19.800781..19.800781
4	1510 -> 1528	1511..1527	17	19.800781	18.699219	19.800781..19.800781
5	1533 -> 1551	1534..1550	17	19.800781	18.699219	19.800781..19.800781
6	1556 -> 1574	1557..1573	17	19.800781	18.699219	19.800781..19.800781
7	1579 -> 1597	1580..1596	17	19.800781	18.699219	19.800781..19.800781
8	1603 -> 1621	1604..1620	17	19.800781	18.699219	19.800781..19.800781
9	1626 -> 1644	1627..1643	17	19.800781	18.699219	19.800781..19.800781
10	1649 -> 1667	1650..1666	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 35/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | random_10x20s_seed101

Status: COMPLETED | Injected gaps: 10 | Largest dt: 19.800781 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: VALIDATED (4 files)
L1C: VALIDATED (1 files)
L1A: VALIDATED (4 files)
L2A: VALIDATED (2 files)
L3A: VALIDATED (2 files)
L3C: VALIDATED (1 files)

VALIDATED = the pipeline output checks passed. File presence alone is not validation.

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	239 -> 257	240..256	17	19.800781	18.699219	19.800781..19.800781
2	500 -> 518	501..517	17	19.800781	18.699219	19.800781..19.800781
3	602 -> 620	603..619	17	19.800781	18.699219	19.800781..19.800781
4	694 -> 712	695..711	17	19.800781	18.699219	19.800781..19.800781
5	799 -> 817	800..816	17	19.800781	18.699219	19.800781..19.800781
6	1141 -> 1159	1142..1158	17	19.800781	18.699219	19.800781..19.800781
7	1204 -> 1222	1205..1221	17	19.800781	18.699219	19.800781..19.800781
8	1334 -> 1352	1335..1351	17	19.800781	18.699219	19.800781..19.800781
9	1526 -> 1544	1527..1543	17	19.800781	18.699219	19.800781..19.800781
10	1832 -> 1850	1833..1849	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = 1515230; mean radiance = 9.676 kR; mean difference from baseline = -0.0572 kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

Case shape (451, 5551); baseline (451, 5651); index overlap (451, 5551). Longitude differences wrapped to [-180, 180).

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 36/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | random_10x20s_seed202

Status: FAILED | Injected gaps: 10 | Largest dt: 19.800781 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)

L1F: VALIDATED (4 files)

L1R: NO FILES (0 files)

L1C: NO FILES (0 files)

L1A: NO FILES (0 files)

L2A: NO FILES (0 files)

L3A: NO FILES (0 files)

L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\random_10x20s_seed202\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	191 -> 209	192..208	17	19.800781	18.699219	19.800781..19.800781
2	361 -> 379	362..378	17	19.800781	18.699219	19.800781..19.800781
3	442 -> 460	443..459	17	19.800781	18.699219	19.800781..19.800781
4	494 -> 512	495..511	17	19.800781	18.699219	19.800781..19.800781
5	639 -> 657	640..656	17	19.800781	18.699219	19.800781..19.800781
6	700 -> 718	701..717	17	19.800781	18.699219	19.800781..19.800781
7	878 -> 896	879..895	17	19.800781	18.699219	19.800781..19.800781
8	933 -> 951	934..950	17	19.800781	18.699219	19.800781..19.800781
9	1385 -> 1403	1386..1402	17	19.800781	18.699219	19.800781..19.800781
10	1622 -> 1640	1623..1639	17	19.800781	18.699219	19.800781..19.800781

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 37/38 | Controlled gap experiment | No UTC conversion of source Epoch

Orbit 00001 | November 2023 | random_10x20s_seed303

Status: FAILED | Injected gaps: 10 | Largest dt: 19.804688 s | Removed: 170/1943 frames

Same removed frame indices in q20, p12, p14 and bkg. Source cadence: 1.101562 s; source gaps: 0.

L0D: VALIDATED (1 files)
L1F: VALIDATED (4 files)
L1R: NO FILES (0 files)
L1C: NO FILES (0 files)
L1A: NO FILES (0 files)
L2A: NO FILES (0 files)
L3A: NO FILES (0 files)
L3C: NO FILES (0 files)

RuntimeError: Step exited with code 1. Log: E:\soc\gap_experiments\orbit00001_20260924_204702_55c991a5\random_10x20s_seed303\logs\step_3.log

INJECTED GAP DETAILS - indices refer to the original L0C frames (zero-based)

#	Retained bounds	Removed indices	Frames	q20 dt (s)	Extra dt (s)	All-filter dt range (s)
1	407 -> 425	408..424	17	19.800781	18.699219	19.800781..19.800781
2	504 -> 522	505..521	17	19.800781	18.699219	19.800781..19.800781
3	535 -> 553	536..552	17	19.800781	18.699219	19.800781..19.800781
4	798 -> 816	799..815	17	19.800781	18.699219	19.800781..19.800781
5	841 -> 859	842..858	17	19.800781	18.699219	19.800781..19.800781
6	972 -> 990	973..989	17	19.800781	18.699219	19.800781..19.800781
7	1502 -> 1520	1503..1519	17	19.800781	18.699219	19.800781..19.800781
8	1565 -> 1583	1566..1582	17	19.800781	18.699219	19.800781..19.800781
9	1608 -> 1626	1609..1625	17	19.804688	18.703125	19.804688..19.804688
10	1704 -> 1722	1705..1721	17	19.804688	18.703125	19.804688..19.804688

L3C: nonzero finite pixels = n/a; mean radiance = n/a kR; mean difference from baseline = n/a kR.

Means above use each case's coverage. Lower plots: case minus baseline at identical stored indices; geometry diagnostic, not geolocation error.

L3C Q-line radiance | fixed 0-20 kR

ValueError: Expected one L3C q20 file; found 0. See stage logs.

Latitude: case - baseline

Longitude: case - baseline

ValueError: Expected one L3C q20 file; found 0. See stage logs.

ValueError: Expected one L3C q20 file; found 0. See stage logs.

dt = full bounding interval; extra dt = dt minus cadence. Cream = missing radiance or invalid/non-overlapping coordinates. Both coordinate color bars: +/-0.1 degree.

Case 38/38 | Controlled gap experiment | No UTC conversion of source Epoch