



**737-600/700/800/900**

## **TASK CARDS**

**Avia Capital Services, LLC**

This document has EAR data with Export Control Classification Numbers (ECCN) of:  
9E991

Export of this technology is controlled under the United States Export Administration Regulations (EAR) (15 CFR 730-774). An export license may be required before it is used for development, production or use by foreign persons from specific countries. The controller of this data has the individual responsibility to abide by all export laws.

**BOEING PROPRIETARY, CONFIDENTIAL, AND/OR TRADE SECRET**

Copyright © 1997 The Boeing Company

Unpublished Work - All Rights Reserved

Boeing claims copyright in each page of this document only to the extent that the page contains copyrightable subject matter. Boeing also claims copyright in this document as a compilation and/or collective work.

This document includes proprietary information owned by The Boeing Company and/or one or more third parties. Treatment of the document and the information it contains is governed by contract with Boeing. For more information, contact The Boeing Company, P.O. Box 3707, Seattle, Washington 98124.

Boeing, the Boeing signature, the Boeing symbol, 707, 717, 727, 737, 747, 757, 767, 777, 787, Dreamliner, BBJ, DC-8, DC-9, DC-10, KC-10, KC-46, KDC-10, MD-10, MD-11, MD-80, MD-88, MD-90, P-8, Poseidon and the Boeing livery are all trademarks owned by The Boeing Company; and no trademark license is granted in connection with this document unless provided in writing by Boeing.

**DOCUMENT D633A109-AKS**

ORIGINAL ISSUE DATE: FEBRUARY 15, 2013

PUBLISHED BY BOEING COMMERCIAL AIRPLANES GROUP, SEATTLE, WASHINGTON, USA

A DIVISION OF THE BOEING COMPANY

PAGE DATE: Jun 15/2016

# AKS



## 737-600/700/800/900 TASK CARDS

This manual is applicable to the aircraft in this list:

Model-Series	Operator		Manufacturer			Registration Number
	Identification Code	Effectivity Code	Block Number	Serial Number	Line Number	
737-8LJ	AKS	001	YT101	41195	4590	VP-BRF
737-8LJ	AKS	002	YT102	41196	4665	VP-BRH
737-8LJ	AKS	003	YT103	41197	4710	VP-BRR
737-8LJ	AKS	004	YT104	41198	4753	VP-BZA
737-8LJ	AKS	005	YT105	41199	4897	VP-BZB
737-8LJ	AKS	006	YT106	41200	5063	VP-BON
737-8LJ	AKS	007	YT126	41201	5153	VQ-BVV
737-8LJ	AKS	008	YT127	41202	5206	VQ-BVU
737-8LJ	AKS	009	YT107	41203	5253	VQ-BVO
737-8LJ	AKS	010	YT108	41204	5291	VQ-BVP
737-8LJ	AKS	011	YT128	41205	5302	VQ-BWG
737-8LJ	AKS	012	YT129	41206	5318	VQ-BWH
737-8LJ	AKS	013	YT109	41207	5377	VQ-BWA
737-8LJ	AKS	014	YT130	41208	5437	VQ-BWI
737-8LJ	AKS	015	YT110	41209	5468	VQ-BWB
737-8LJ	AKS	016	YT111	41210	5480	VQ-BWC
737-8LJ	AKS	017	YT112	41211	5516	VQ-BWD
737-8LJ	AKS	018	YT113	41213	5652	VQ-BWE
737-8LJ	AKS	019	YT131	41212	5576	VQ-BWJ
737-8LJ	AKS	020	YT114	41214	5690	VQ-BWF
737-8LJ	AKS	021	YT115	41215	5723	VP-BCD
737-8LJ	AKS	022	YT116	41216	5767	VP-BCF
737-8LJ	AKS	023	YT117	41217	5840	VP-BCG
737-8LJ	AKS	024	YT118	41222	5990	VP-BGG
737-8LJ	AKS	025	YT119	41223	6022	VP-BGI
737-8LJ	AKS	026	YT132	41227	6070	TBD
737-8LJ	AKS	027	YT120	41225	6086	TBD
737-8LJ	AKS	028	YT133	41228	6172	TBD

## EFFECTIVE AIRCRAFT

# AKS



## 737-600/700/800/900 TASK CARDS

Subject/Page	Date	COC	Subject/Page	Date	COC	Subject/Page	Date	COC
TITLE PAGE								
O 1	Jun 15/2016							
2	BLANK							
EFFECTIVE AIRCRAFT								
O 1	Jun 15/2016							
2	BLANK							
EFFECTIVE PAGES								
1	JUN 15/2016							
2	BLANK							
HIGHLIGHTS								
1 thru 21	JUN 15/2016							
22	BLANK							
NEW TASK CARDS								
O 1	Jun 15/2016							
2	BLANK							
DELETED TASK CARDS								
O 1	Jun 15/2016							
2	BLANK							
REVISED INTERVALS								
O 1	Jun 15/2016							
2	BLANK							
REVISED ZONES								
O 1	Jun 15/2016							
2	BLANK							
REVISED ACCESS PANELS								
O 1	Jun 15/2016							
2	BLANK							

A = Added, R = Revised, D = Deleted, O = Overflow, C = Customer Originated Change

## EFFECTIVE PAGES

<u>TASK CARD NO</u>	<u>DESCRIPTION OF CHANGE</u>
20-100-00-01	Changed air condition pack compartment door's figure for clarity.
20-110-01-01	Changed the part number for electrical connector from "DP01013" to "DP0103" in figure 601.
20-110-02-01	Changed the part number for electrical connector from "DP01013" to "DP0103" in figure 601.
20-120-01-01	Changed the part number for electrical connector from "DP01013" to "DP0103" in figure 601.
20-120-02-01	Changed the part number for electrical connector from "DP01013" to "DP0103" in figure 601.
20-140-00-01	Changed the disconnect bracket and connector details in the figure.
20-290-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-300-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-305-00-01	Changed format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-310-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-320-00-01	Changed format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-325-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-330-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read. Revising the Task Card Illustration(s).
20-335-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-340-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-350-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-360-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-370-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-375-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.

## HIGHLIGHTS

<u>TASK CARD NO</u>	<u>DESCRIPTION OF CHANGE</u>
20-380-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-390-00-01	Changed the format to add amtoss codes. Changed the format of the figure to make it easier to read.
20-400-00-01	Changed the format to add amtoss codes.
20-410-00-01	Changed format to add amtoss codes.
20-415-00-01	Changed the format to add amtoss codes.
20-420-00-01	Changed the format to add amtoss codes.
20-430-00-01	Changed the format to add amtoss codes.
20-435-00-01	Changed the format to add amtoss codes.
20-440-00-01	Changed the format to add amtoss codes.
20-445-00-01	Changed the format to add amtoss codes.
20-450-00-01	Changed format to add amtoss codes.
20-460-00-01	Changed format to add amtoss codes.
20-465-00-01	Changed the format to add amtoss codes.
20-470-00-01	Changed format to add amtoss codes.
20-480-00-01	Changed format to add amtoss codes.
20-490-00-01	Changed format to add amtoss codes.
20-500-00-01	Changed format to add amtoss codes.
20-510-00-01	Changed format to add amtoss codes.
20-520-00-01	Changed format to add amtoss codes.
20-530-00-01	Changed format to add amtoss codes.
20-540-00-01	Changed format to add amtoss codes.
20-550-00-01	Changed format to add amtoss codes.
20-560-00-01	Changed format to add amtoss codes.
20-570-00-01	Changed format to add amtoss codes.
20-580-00-01	Changed format to add amtoss codes.
20-590-00-01	Changed format to add amtoss codes.
20-600-00-01	Changed format to add amtoss codes.
20-610-00-01	Changed format to add amtoss codes.
20-620-00-01	Changed format to add amtoss codes.
21-020-00-01	Added steps for safety tags removal/installation.
21-030-00-01	Added steps for safety tags removal/installation.
21-050-00-01	Added a step to close the C1522 and C1523 circuit breakers. Changed the data associated with the circuit breaker.

## HIGHLIGHTS

<u><b>TASK CARD NO</b></u>	<u><b>DESCRIPTION OF CHANGE</b></u>
<b>21-100-00-01</b>	Changed the tool information.
<b>21-190-00-01</b>	Changed the effectivities. Changed the reference information. Revised Task Procedure. Task procedure was revised from (36-13-01-020-801 / 36-13-01-420-801) to (36-13-01-020-803 / 36-13-01-420-803) to better reflect the intent of the task card requirement.
<b>23-060-00-01</b>	Changed the tool information. Changed a tool reference.
<b>23-070-00-01</b>	Changed the tool information.
<b>24-010-01-01</b>	Changed the tool information.
<b>24-010-02-01</b>	Changed the tool information.
<b>24-020-01-01</b>	Changed the tool information. Changed a tool reference.
<b>24-020-02-01</b>	Changed the tool information. Changed a tool reference.
<b>25-045-00-01</b>	Added a step for seat cushion inspection in the exit hatch opening area.
<b>25-130-00-01</b>	Changed figure effectivity.
<b>25-380-00-01</b>	Changed effectivity from "AKS 001-010, 013, 015-018, 020-999" to "AKS 001-010, 013, 015-018, 020-025, 027" Changed effectivity from "AKS 011, 012, 014, 019" to "AKS 011, 012, 014, 019, 026, 028-999"
<b>25-400-00-01</b>	Added step to check moisture indicator strip.
<b>26-020-00-02</b>	Changed the reference information.
<b>26-030-00-01</b>	Changed the spelling of the word.
<b>26-070-00-01</b>	Changed the tool information.
<b>26-080-00-01</b>	Changed the tool information.
<b>26-090-00-01</b>	Changed step for clarity. Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information. Changed the tool information.
<b>26-100-00-01</b>	Changed step for clarity. Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information. Changed the tool information.
<b>26-120-00-01</b>	Changed step for clarity. Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information.

## HIGHLIGHTS

<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>26-120-00-01 (Cont)</b>	Changed the tool information.
<b>26-130-00-01</b>	Changed step for clarity. Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information. Changed the tool information.
<b>26-150-00-01</b>	Added corrosion inhibiting compound warning. Added step to show updated torque values. Changed the tool information.
<b>26-210-00-01</b>	Changed the tool information.
<b>26-220-00-01</b>	Changed the tool information.
<b>26-260-00-01</b>	Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information. Changed the tool information. Changed a tool reference.
<b>26-300-00-01</b>	Added steps to do an inspection of the fusible tips.
<b>26-330-00-01</b>	Changed the tool information.
<b>26-340-00-01</b>	Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information.
<b>26-360-00-01</b>	Changed the scale to measure the weight of the bottle. Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L. Changed the consumable information. Changed the tool information.
<b>26-370-00-01</b>	Changed the tool information.
<b>26-400-00-01</b>	Changed the tool information.
<b>26-450-00-01</b>	Added clarification of inspection of fire extinguisher with pressure gage from extinguisher with no pressure gage. Changed the tool information.
<b>27-013-01-01</b>	Added access panel 671BB Lower Outboard Fixed Trailing Edge Access Panel
<b>27-013-02-01</b>	Added access panel 671BB Lower Outboard Fixed Trailing Edge Access Panel
<b>27-022-00-01</b>	Added SPL-1585 Rigging Pins Kit to step. Changed the tool information.
<b>27-024-00-01</b>	Changed the tool information.
<b>27-026-01-01</b>	Changed the specification of the consumable material from "L-P-390 Ty I, CI L, GR 1; or ASTM D4976 GR 1,CL 1." to "NAS843". Added new figure for Aileron Balance Tab Hinge Servicing with red caps. Changed the consumable information.

## HIGHLIGHTS

<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>27-026-02-01</b>	<p>Changed the specification of the consumable material from "L-P-390 Ty I, CI L, GR 1; or ASTM D4976 GR 1,CL 1." to "NAS843".</p> <p>Added new figure for Aileron Balance Tab Hinge Servicing with red caps.</p> <p>Changed the consumable information.</p>
<b>27-041-00-01</b>	Changed the spelling of the word.
<b>27-054-00-01</b>	Changed the tool information.
<b>27-078-00-01</b>	Changed the tool information.
<b>27-080-00-01</b>	Changed the tool information.
<b>27-092-00-01</b>	Removed step to check mach trim actuator voltage.
<b>27-098-01-01</b>	Changed the tool information.
<b>27-099-00-01</b>	Changed the tool information.
<b>27-099-00-02</b>	Changed the tool information.
<b>27-107-00-01</b>	Added Boeing Sky Interior full height forward right closet data.
<b>27-108-00-01</b>	<p>Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.</p> <p>Changed the format of the reference.</p> <p>Changed the consumable information.</p> <p>Changed the tool information.</p>
<b>27-120-00-01</b>	Changed drip shield spacing to designed clearance specifications.
<b>27-142-01-01</b>	<p>Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.</p> <p>Changed the consumable information.</p>
<b>27-142-02-01</b>	<p>Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.</p> <p>Changed the consumable information.</p>
<b>27-144-00-01</b>	<p>Removed duplicate figure callout.</p> <p>Removed figure callout from table title.</p>
<b>27-144-00-02</b>	<p>Removed duplicate figure callout.</p> <p>Removed figure callout from table title.</p>
<b>27-148-01-01</b>	Changed ballscrew backlash tolerance.
<b>27-148-02-01</b>	Changed ballscrew backlash tolerance.
<b>27-156-00-01</b>	Changed the tool information.
<b>27-162-00-01</b>	<p>Added a new figure in the trailing edge flap control system adjustment to provide better view of the flap bypass valve.</p> <p>Changed figure to label the trailing edge flap bypass valve as "M".</p>
<b>27-168-01-01</b>	<p>Added steps for the transmission replacement in Transmission No-Back Brake Operational Test Procedure</p> <p>Changed the reference information.</p>
<b>27-168-02-01</b>	Added steps for the transmission replacement in Transmission No-Back Brake Operational Test Procedure

## HIGHLIGHTS



<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>27-168-02-01 (Cont)</b>	Changed the reference information.
<b>27-178-00-01</b>	Changed the expendables/parts information.
<b>27-192-01-01</b>	Removed "This procedure is a scheduled maintenance task", statement is a duplicate from note under title.
<b>27-192-02-01</b>	Removed "This procedure is a scheduled maintenance task", statement is a duplicate from note under title.
<b>27-210-00-01</b>	Changed the tool information.
<b>27-212-00-01</b>	Changed the tool information.
<b>27-214-00-01</b>	Changed step to show two separate effectivity entries.
<b>27-215-01-01</b>	Changed Grammar in the step.
<b>27-215-02-01</b>	Changed Grammar in the step.
<b>27-215-03-01</b>	Changed the spelling of the word.
<b>27-224-00-01</b>	Changed the spelling of the word.
<b>27-225-01-01</b>	Removed access panel data.
<b>27-225-02-01</b>	Removed access panel data.
<b>27-235-00-02</b>	Added table reference to the end of step and added step to check cable tension. Changed the order of two steps and moved step to check cable tension. Added graphic reference for R-5 rig pin. Changed step for cable tension measurement and move location.
<b>28-030-01-01</b>	Changed the consumable information.
<b>28-030-02-01</b>	Changed the consumable information.
<b>28-056-00-01</b>	Added NOTE that states about benefit to use analog multimeter. Changed the spelling of the word.
<b>28-115-00-01</b>	Added a step to turn off the ADIRUs system before starting the functional test in center tank boost pump auto shutoff functional test. Changed the reference information.
<b>28-125-00-01</b>	Removed engine start lever duplicate data.
<b>28-140-00-03</b>	Changed the spelling of the word.
<b>28-170-00-01</b>	Changed format to add amtoss codes.
<b>28-170-00-02</b>	Changed format to add amtoss codes.
<b>28-170-00-03</b>	Changed format to add amtoss codes.
<b>28-211-00-01</b>	Revised Task Description. Description was revised to be consistent with AMM task effectivity.
<b>29-010-00-01</b>	Changed the tool information.
<b>29-110-00-01</b>	Added/revised torque value on hydraulic connection.
<b>29-120-00-01</b>	Added/revised torque value on hydraulic connection.
<b>29-130-00-01</b>	Changed the Format of the illustrations.

## HIGHLIGHTS

<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>29-140-00-01</b>	Added/revised torque value on hydraulic connection.
<b>29-230-00-01</b>	Changed and added step to verify FLT CONT A and B LOW PRESSURE lights are OFF.  Changed grammar, spelling, and/or punctuations.
<b>29-240-00-01</b>	Removed step from the procedure.
<b>29-290-00-01</b>	Added/revised torque value on hydraulic connection.
<b>29-300-00-01</b>	Changed the Format of the illustrations.
<b>31-020-00-01</b>	Changed the tool information.
<b>31-040-00-01</b>	Changed the data associated with the circuit breaker.
<b>31-050-00-01</b>	Changed the data associated with the circuit breaker.
<b>31-120-00-04</b>	Added step to wait at least 4 seconds before returning to the original state. Changed the cabin altitude >10K discrete signal step location. Added step for smoke detection discrete signals.
<b>31-120-00-05</b>	Added step to wait at least 4 seconds before returning to the original state. Changed the cabin altitude >10K discrete signal step location. Added step for smoke detection discrete signals.
<b>31-140-00-01</b>	Changed the tool information. Changed a tool reference.
<b>31-150-00-01</b>	Changed the tool information.
<b>31-160-01-01</b>	Changed the expendables/parts information.
<b>31-160-02-01</b>	Changed the expendables/parts information.
<b>32-010-01-01</b>	Removed the CAUTION for procedure Landing Gear Inner Cylinder Chrome Cleaning. Added consumables to the Task. Changed the consumable information.
<b>32-010-02-01</b>	Removed the CAUTION for procedure Landing Gear Inner Cylinder Chrome Cleaning. Added consumables to the Task. Changed the consumable information.
<b>32-020-01-01</b>	Added torque value to step.
<b>32-020-02-01</b>	Added torque value to step.
<b>32-040-01-01</b>	Added/revised torque value on hydraulic connection. Changed grammar, spelling, and/or punctuations. Added the word lockwire to a step in procedure. Changed the words "support ring" to "seal" in the procedure and figure. Changed the text and figure to add the SB 737-32-1448 information.

## HIGHLIGHTS

**TASK CARD NO****DESCRIPTION OF CHANGE****32-040-01-01 (Cont)**

Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.

Changed step for installation of special washers.

Changed the format of the reference.

Changed figure to show the washers on the inside of the spacer in main landing downlock strut installation.

Changed the Format of the illustrations.

Changed the consumable information.

Changed the tool information.

Changed the expendables/parts information.

**32-040-02-01**

Added/revised torque value on hydraulic connection.

Changed grammar, spelling, and/or punctuations.

Added the word lockwire to a step in procedure.

Changed the words "support ring" to "seal" in the procedure and figure.

Changed the text and figure to add the SB 737-32-1448 information.

Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.

Changed step for installation of special washers.

Changed the format of the reference.

Changed figure to show the washers on the inside of the spacer in main landing downlock strut installation.

Changed the Format of the illustrations.

Changed the consumable information.

Changed the tool information.

Changed the expendables/parts information.

**32-050-01-01**

Changed the tool information.

**32-050-02-01**

Changed the tool information.

**32-060-00-01**

Removed the CAUTION for procedure Landing Gear Inner Cylinder Chrome Cleaning.

Added consumables to the Task.

Changed the consumable information.

**32-085-00-01**

Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.

Changed the consumable information.

**32-090-00-01**

Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.

Changed the format of the reference.

Changed the consumable information.

Changed the expendables/parts information.

**32-100-00-01**

Changed corrosion inhibiting compound Mastinox 6856 to Cor-Ban 27L.

**HIGHLIGHTS**

**TASK CARD NO****DESCRIPTION OF CHANGE****32-100-00-01 (Cont)**

Changed the format of the reference.

Changed the consumable information.

Changed the expendables/parts information.

Changed a consumable reference.

**32-200-00-01**

Added steps to existing tasks for Nose Gear Manual Extension System, and changed zone data.

Changed instructions from "Close these circuit breakers" to "Remove the safety tags and close these circuit breakers" in put the airplane back to its usual condition.

Changed the tool information.

**32-220-00-01**

Changed the spelling of the word.

**32-220-00-02**

Changed the spelling of the word.

**32-380-01-01**

Changed the spelling of the word.

**32-380-02-01**

Changed the spelling of the word.

**32-800-00-01**

Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry.

**32-804-01-01**

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY / 745 FC and repeat interval was revised from 90 DY / 560 FC to 120 DY / 745 FC based on in-service experience. This change was approved at the March 2012 Industry Steering Committee meeting.

**32-808-02-01**

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY / 745 FC and repeat interval was revised from 90 DY / 560 FC to 120 DY / 745 FC based on in-service experience. This change was approved at the March 2012 Industry Steering Committee meeting.

**33-065-00-01**

Deleted Taskcard.

**33-070-00-01**

Changed the Format of the illustrations.

**33-080-00-01**

Changed the consumable information.

**34-010-00-01**

Changed the tool information.

**34-020-00-01**

Changed the tool information.

**34-030-00-01**

Changed the tool information.

**34-040-00-01**

Changed the tool information.

**34-050-00-01**

Changed the tool information.

**34-060-00-01**

Changed the tool information.

**34-060-10-01**

Removed subtask from the procedure.

Changed altimetry system test.

Changed the reference information.

Changed the tool information.

**HIGHLIGHTS**

**TASK CARD NO**

**DESCRIPTION OF CHANGE**

**34-060-10-01 (Cont)**

Revised Task Procedure. Procedure was revised due to release of revision 2 of SB 737-34-2454.

**34-090-00-01**

Changed the spelling of the word.

**34-110-00-02**

Changed the spelling of the word.

**35-070-00-01**

Changed effectivity from "AKS 001-006" to "AKS ALL"

Changed the reference information.

Changed the tool information.

Changed reference from "ASU Oxygen Generator Removal, TASK 35-22-11-000-805-001" to "ASU Oxygen Generator Removal, AMM TASK 35-22-11-000-805-001"

Changed reference from "ASU Oxygen Generator Installation, TASK 35-22-11-400-805-001" to "ASU Oxygen Generator Installation, AMM TASK 35-22-11-400-805-001"

Changed reference from "LSU Oxygen Generator Removal, TASK 35-22-11-000-806-001" to "LSU Oxygen Generator Removal, AMM TASK 35-22-11-000-806-001"

Changed reference from "LSU Oxygen Generator Installation, TASK 35-22-11-400-806-001" to "LSU Oxygen Generator Installation, AMM TASK 35-22-11-400-806-001"

Changed the expendables/parts information.

Changed figure effectivity.

Revised Task Procedure. Procedure was revised due to a change in the maintenance manual configuration.

**35-070-00-03**

Added Task. Task added due to a change in the maintenance manual configuration.

**35-070-00-04**

Added Task. Task added due to a change in the maintenance manual configuration.

**35-080-00-01**

Removed subtask for clarity.

Changed the spelling of the word.

Changed the tool information.

**35-090-00-01**

Changed note to clarify visual check procedure of the applicable oxygen supply hoses.

**35-100-00-01**

Changed the format of standard on the figure to match the procedure.

**35-120-00-01**

Deleted step from Replace Portable Oxygen Cylinder procedure.

**47-300-00-01**

Changed the caution.

Changed the spelling of the word.

**47-310-00-01**

Changed the caution.

Changed the spelling of the word.

**47-400-00-01**

Changed the caution.

**52-100-00-01**

Changed grammar in the step.

**52-100-00-02**

Changed grammar in the step.

## HIGHLIGHTS

<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>52-200-00-01</b>	Added steps to remove lockwire and loosen locknut to adjust clearance on door sensor, and changed clearance information on sensor gap table.  Changed the Format of the illustrations.
<b>52-360-00-01</b>	Added a space between words.  Changed note to give more information on how the latch releases.
<b>52-380-00-01</b>	Removed duplicate sentence for scheduled maintenance task.
<b>52-390-00-01</b>	Changed the consumable information.
<b>52-410-00-01</b>	Changed the spelling of the word.
<b>52-800-00-01</b>	Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.  Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.
<b>52-818-01-01</b>	Changed Graphic Sheet.
<b>52-834-02-01</b>	Changed Graphic Sheet.
<b>53-140-00-01</b>	Changed the spelling of the word.
<b>53-180-00-01</b>	Changed lower case words in title to initial caps.
<b>53-330-00-01</b>	Changed Graphic Sheet.
<b>53-335-00-01</b>	Changed the spelling of the word.
<b>53-360-00-01</b>	Revised Interval Note. Airplane Note was revised to reflect the correct airplane Line Number (L/N) effectivity and applicability.
<b>53-360-00-02</b>	Revised Interval Note. Airplane Note was revised to reflect the correct airplane Line Number (L/N) effectivity and applicability.
<b>53-360-00-03</b>	Revised Interval Note. Airplane Note was revised to reflect the correct airplane Line Number (L/N) effectivity and applicability.
<b>53-360-00-04</b>	Revised Interval Note. Airplane Note was revised to reflect the correct airplane Line Number (L/N) effectivity and applicability.
<b>53-430-00-01</b>	Added step to panel installation.
<b>53-601-01-01</b>	Revised Airplane Note. Revised AIRPLANE NOTE to delete reference to forging material, and clarify task applicability to airplanes L/N 1389 and on only.
<b>53-601-21-01</b>	Revised Airplane Note. Revised AIRPLANE NOTE to delete reference to forging material, and clarify task applicability to airplanes L/N 1389 and on only.
<b>53-601-21-02</b>	Revised Airplane Note. Revised AIRPLANE NOTE to delete reference to forging material, and clarify task applicability to airplanes L/N 1389 and on only.
<b>53-601-41-01</b>	Revised Airplane Note. Revised AIRPLANE NOTE to delete reference to forging material, and clarify task applicability to airplanes L/N 1389 and on only.
<b>53-601-41-02</b>	Revised Airplane Note. Revised AIRPLANE NOTE to delete reference to forging material, and clarify task applicability to airplanes L/N 1389 and on only.
<b>53-602-10-01</b>	Revised Task Description. Added reference to applicable NDT procedure for this DTR inspection.

## HIGHLIGHTS

<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>53-602-10-02</b>	Revised Task Description. Added reference to applicable NDT procedure for this DTR inspection.
<b>53-624-00-01</b>	Changed the spelling of the word.
<b>53-625-00-01</b>	Changed task description to add applicable NDT reference procedure number associated to this task.  Revised Task Description. Description was revised to add applicable NDT reference procedure number associated to this task.
<b>53-635-00-01</b>	Removed duplicate sentence for scheduled maintenance task.
<b>53-635-00-02</b>	Removed duplicate sentence for scheduled maintenance task.
<b>53-646-62-01</b>	Changed the spelling of the word.
<b>53-646-70-01</b>	Changed task description to add applicable NDT reference procedure number associated to this task.  Revised Task Description. Description was revised to add applicable NDT reference procedure number associated to this task.
<b>53-646-71-01</b>	Changed task description to add applicable NDT reference procedure number associated to this task.  Revised Task Description. Description was revised to add applicable NDT reference procedure number associated to this task.
<b>53-660-00-01</b>	Revised Task Description. Description was revised to add NDT procedure reference.
<b>53-660-00-02</b>	Revised Task Description. Description was revised to add NDT procedure reference.
<b>53-688-00-01</b>	Changed the spelling of the word.
<b>53-688-00-02</b>	Changed the spelling of the word.
<b>53-697-10-01</b>	Revised Airplane Note. Not applicable to this Task.
<b>53-710-00-01</b>	Revised Zone to add 141 and delete 241. Zone revised to add 141 and delete 241. Zone was revised to reflect correct zone requirements for this task.
<b>53-710-00-02</b>	Revised Zone to add 142 and delete 242. Zone revised to add 141 and delete 241. Zone was revised to reflect correct zone requirements for this task.
<b>53-729-01-01</b>	Added Task. Added General Visual Task to meet DTR requirement.
<b>53-735-01-01</b>	Added Task. Added General Visual Task to meet DTR requirement.
<b>53-800-00-01</b>	Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.  Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.
<b>53-802-00-01</b>	Added references for the procedures to open and close the radome.
<b>53-812-00-01</b>	Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.  Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

## HIGHLIGHTS



**TASK CARD NO****DESCRIPTION OF CHANGE****53-830-00-01**

Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

**53-844-00-01**

Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

**53-894-00-01**

Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

**53-904-01-01**

Changed NOTE of GV Flap Support No. 4 into a step.

**53-906-02-01**

Changed NOTE of GV Flap Support No. 5 into a step.

**54-804-01-01**

Added data for hydraulic leak inspection.

**54-812-02-01**

Added data for hydraulic leak inspection.

Removed reference for panel installation.

Changed the reference information.

**55-110-01-01**

Added step to panel installation.

**55-120-01-01**

Added step to panel installation.

**55-120-02-01**

Added step to panel installation.

**55-130-00-01**

Added step to panel installation.

**55-612-00-01**

Added step to panel installation.

**55-612-00-02**

Added step to panel installation.

**55-614-00-01**

Added step to panel installation.

**55-614-00-02**

Added step to panel installation.

**55-614-10-01**

Added step to panel installation.

**55-614-10-02**

Added step to panel installation.

**55-614-11-01**

Added step to panel installation.

**55-614-11-02**

Added step to panel installation.

**55-614-12-01**

Added step to panel installation.

**55-614-12-02**

Added step to panel installation.

**55-616-12-01**

Changed Horizontal Stabilizer front spar upper chord web flange inspection area from STA 66.5 to stabilizer STA 175.5 and stabilizer STA 258.28 to stabilizer tip to STA 66.5 to STA 75.0.

**HIGHLIGHTS**



TASK CARD NODESCRIPTION OF CHANGE

55-616-12-01 (Cont)

Revised Task Description. Task Description was revised from Stabilizer STA 66.5 to 175.5 and 258.8 to Stabilizer Tip to Stabilizer STA 66.5 to 75.0.

55-616-12-02

Changed Horizontal Stabilizer front spar upper chord web flange inspection area from STA 66.5 to stabilizer STA 175.5 and stabilizer STA 258.28 to stabilizer tip to STA 66.5 to STA 75.0.

Revised Task Description. Task Description was revised from Stabilizer STA 66.5 to 175.5 and 258.8 to Stabilizer Tip to Stabilizer STA 66.5 to 75.0.

55-616-32-01

Changed title from DETAILED to SPECIAL DETAILED.

55-616-32-02

Changed title from DETAILED to SPECIAL DETAILED.

55-641-00-01

Changed the format of the table.

55-641-00-02

Changed the format of the table.

55-642-00-01

Changed the spelling of the word.

55-642-00-02

Changed the spelling of the word.

55-648-00-01

Added step to panel installation.

55-648-00-02

Added step to panel installation.

55-800-00-01

Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

55-828-01-01

Added step to panel installation.

55-842-02-01

Added step to panel installation.

57-010-00-01

Changed the Format of the illustrations.

57-020-00-01

Changed the Format of the illustrations.

57-030-00-01

Changed the Format of the illustrations.

57-040-00-01

Changed the Format of the illustrations.

57-050-00-01

Changed the Format of the illustrations.

57-060-01-01

Changed the Format of the illustrations.

57-060-02-01

Changed the Format of the illustrations.

57-070-01-01

Changed the Format of the illustrations.

57-070-02-01

Changed the Format of the illustrations.

57-090-00-01

Changed the Format of the illustrations.

57-100-01-01

Changed the Format of the illustrations.

57-100-02-01

Changed the Format of the illustrations.

57-110-01-01

Changed the Format of the illustrations.

57-110-02-01

Changed the spelling of the word.

Changed the Format of the illustrations.

57-120-02-01

Changed the Format of the illustrations.

## HIGHLIGHTS

<u>TASK CARD NO</u>	<u>DESCRIPTION OF CHANGE</u>
57-130-01-01	Changed the Format of the illustrations.
57-130-02-01	Changed the Format of the illustrations.
57-140-01-01	Changed the Format of the illustrations.
57-140-02-01	Changed the spelling of the word. Changed the Format of the illustrations.
57-160-01-01	Changed the spelling of the word. Changed the Format of the illustrations.
57-160-02-01	Changed the Format of the illustrations.
57-170-01-01	Changed the Format of the illustrations.
57-170-02-01	Changed the Format of the illustrations.
57-180-01-01	Changed the Format of the illustrations.
57-180-02-01	Changed the Format of the illustrations.
57-190-01-01	Changed the Format of the illustrations.
57-190-02-01	Changed the Format of the illustrations.
57-250-01-01	Changed the Format of the illustrations.
57-250-02-01	Changed the Format of the illustrations.
57-260-01-01	Changed the Format of the illustrations.
57-260-02-01	Changed the Format of the illustrations.
57-270-01-01	Changed the Format of the illustrations.
57-270-02-01	Changed the Format of the illustrations.
57-280-01-01	Changed the Format of the illustrations.
57-280-02-01	Changed the Format of the illustrations.
57-300-01-01	Changed the Format of the illustrations.
57-300-02-01	Changed the Format of the illustrations.
57-310-01-01	Changed the Format of the illustrations.
57-310-02-01	Changed the Format of the illustrations.
57-330-01-01	Added CAUTION in SUBTASK 24-00-00-040-001. Added open and close steps for access panel outboard flap inspection. Changed the Format of the illustrations. Changed the consumable information.
57-330-02-01	Added open and close steps for access panel outboard flap inspection. Changed the Format of the illustrations. Changed the consumable information.
57-340-01-01	Changed the Format of the illustrations.
57-340-02-01	Changed the Format of the illustrations.

<b><u>TASK CARD NO</u></b>	<b><u>DESCRIPTION OF CHANGE</u></b>
<b>57-351-01-01</b>	Changed the Format of the illustrations.
<b>57-351-02-01</b>	Changed the Format of the illustrations.
<b>57-606-00-01</b>	Changed the spelling of the word.
<b>57-606-00-02</b>	Changed the spelling of the word.
<b>57-607-00-01</b>	Changed the spelling of the word.
<b>57-607-00-02</b>	Changed the spelling of the word.
<b>57-608-00-01</b>	Changed the spelling of the word.
<b>57-608-00-02</b>	Changed the spelling of the word.
<b>57-609-00-01</b>	Changed the spelling of the word.
<b>57-609-00-02</b>	Changed the spelling of the word.
<b>57-612-01-01</b>	Revised Access Panel to add 532AB, 532CB, 532DB, 531BB, 532EB, 532BB. Access was revised to reflect correct access requirements for this task.
<b>57-614-00-01</b>	Changed the spelling of the word.
<b>57-614-00-02</b>	Changed the spelling of the word.
<b>57-619-00-01</b>	Revised Task Description. Was : Inspect (Ultrasonic) the lower wing panel splice stringers, S-5 and S-9, from rib 5 to rib 8 at the areas hidden by seal pans and sealant. Is: Inspect (Ultrasonic) the lower wing panel splice stringers, S-5 and S-9, at rib 5 and rib 8 at the areas hidden by seal pans and sealant.
<b>57-619-00-02</b>	Revised Task Description. Was : Inspect (Ultrasonic) the lower wing panel splice stringers, S-5 and S-9, from rib 5 to rib 8 at the areas hidden by seal pans and sealant. Is: Inspect (Ultrasonic) the lower wing panel splice stringers, S-5 and S-9, at rib 5 and rib 8 at the areas hidden by seal pans and sealant.
<b>57-653-00-01</b>	Revised Task Description. Added NDT Reference Procedure.
<b>57-653-00-02</b>	Revised Task Description. Added NDT Reference Procedure.
<b>57-655-00-01</b>	Revised Task Description. Added NDT Reference Procedure.
<b>57-655-00-02</b>	Revised Task Description. Added NDT Reference Procedure.
<b>57-656-00-01</b>	Revised Task Description. Added NDT Reference Procedure.
<b>57-656-00-02</b>	Revised Task Description. Added NDT Reference Procedure.
<b>57-802-01-01</b>	Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.  Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.
<b>57-872-02-01</b>	Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.  Revised Interval. Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.
<b>70-800-01-01</b>	Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

## HIGHLIGHTS

TASK CARD NODESCRIPTION OF CHANGE

70-800-01-01 (Cont)

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

70-810-02-01

Revised Interval Note. Deleted "Whichever comes first.", no longer applicable.

Revised Interval. Task threshold interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Repeat interval was revised from 90 DY / 560 FC to 120 DY with "FC" limitation removed. Changes based on in-service experience and was approved at the March 2012 Industry Steering Committee meeting.

71-010-01-01

Changed the Format of the illustrations.

71-010-02-01

Changed the Format of the illustrations.

71-040-01-01

Changed formatting of steps for clarity.

Added steps to connect HPTACC drain line.

Changed the Format of the illustrations.

Changed the consumable information.

Changed the tool information.

71-040-02-01

Changed formatting of steps for clarity.

Added steps to connect HPTACC drain line.

Changed the Format of the illustrations.

Changed the consumable information.

Changed the tool information.

72-020-01-01

Changed the Format of the illustrations.

72-020-02-01

Changed the Format of the illustrations.

72-025-01-01

Changed the Format of the illustrations.

72-025-02-01

Changed the Format of the illustrations.

72-070-01-01

Changed the format of the steps.

Changed the Format of the illustrations.

Changed the spelling of the word.

72-070-02-01

Changed the format of the steps.

Changed the Format of the illustrations.

Changed the spelling of the word.

72-100-01-01

Changed the Format of the illustrations.

Changed the consumable information.

Changed a consumable reference.

72-100-02-01

Changed the Format of the illustrations.

Changed the consumable information.

Changed a consumable reference.

## HIGHLIGHTS

<u>TASK CARD NO</u>	<u>DESCRIPTION OF CHANGE</u>
72-110-01-01	Changed the Format of the illustrations.
72-110-02-01	Changed the Format of the illustrations.
72-180-01-01	Added tailpipe cleaning of accumulated oil. Added new step in the task. Changed the Format of the illustrations. Changed the consumable information. Changed the tool information. Changed a consumable reference.
72-180-02-01	Added tailpipe cleaning of accumulated oil. Added new step in the task. Changed the Format of the illustrations. Changed the consumable information. Changed the tool information. Changed a consumable reference.
72-200-01-01	Added tailpipe cleaning of accumulated oil. Changed the Format of the illustrations. Changed the consumable information. Changed the tool information. Changed a consumable reference.
72-200-01-02	Added tailpipe cleaning of accumulated oil. Changed the Format of the illustrations. Changed the consumable information. Changed the tool information. Changed a consumable reference.
72-200-02-01	Added tailpipe cleaning of accumulated oil. Changed the Format of the illustrations. Changed the consumable information. Changed the tool information. Changed a consumable reference.
72-200-02-02	Added tailpipe cleaning of accumulated oil. Changed the Format of the illustrations. Changed the consumable information. Changed the tool information. Changed a consumable reference.
72-210-01-01	Added tailpipe cleaning of accumulated oil.

## HIGHLIGHTS

## TASK CARD NO

## DESCRIPTION OF CHANGE

**72-210-01-01 (Cont)**

Changed permitted condition inspection criteria. Added alternate hole size dimensions.

Changed the Format of the illustrations.

Changed the consumable information.

Changed the tool information.

Changed a consumable reference.

**72-210-02-01**

Added tailpipe cleaning of accumulated oil.

Changed permitted condition inspection criteria. Added alternate hole size dimensions.

Changed the Format of the illustrations.

Changed the consumable information.

Changed the tool information.

Changed a consumable reference.

**72-300-01-01**

Changed the Format of the illustrations.

**72-300-02-01**

Changed the Format of the illustrations.

**72-320-01-01**

Changed the Format of the illustrations.

Changed effectivity from "AKS ALL; ENGINES WITH MAGNETIC CHIP DETECROR" to "AKS ALL; ENGINES WITH MAGNETIC CHIP DETECTOR"

**72-320-02-01**

Changed the Format of the illustrations.

Changed effectivity from "AKS ALL; ENGINES WITH MAGNETIC CHIP DETECROR" to "AKS ALL; ENGINES WITH MAGNETIC CHIP DETECTOR"

**73-010-01-01**

Changed procedure for fuel filter removal.

Added step for the 828300-8 fuel pump.

Changed procedure for fuel filter installation.

Removed step referencing engine to be dry motored, moved CAUTION to prior step.

Changed the Format of the illustrations.

Changed effectivity from "AKS ALL PRE SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP)" to "AKS ALL PRE SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP OR POST SB 737-CFM56-7B-73-0212)"

Changed effectivity from "AKS ALL POST SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP)" to "AKS ALL POST SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP OR POST SB 737-CFM56-7B-73-0212)"

Changed a consumable reference.

**73-010-02-01**

Changed procedure for fuel filter removal.

Added step for the 828300-8 fuel pump.

Changed procedure for fuel filter installation.

## HIGHLIGHTS

**TASK CARD NO**

**DESCRIPTION OF CHANGE**

**73-010-02-01 (Cont)**

Removed step referencing engine to be dry motored, moved CAUTION to prior step.

Changed the Format of the illustrations.

Changed effectivity from "AKS ALL PRE SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP)" to "AKS ALL PRE SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP OR POST SB 737-CFM56-7B-73-0212)"

Changed effectivity from "AKS ALL POST SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP)" to "AKS ALL POST SB CFM56-7B-73-078 AND (POST SB CFM56-7B-73A034 OR WITH 828300-5 FUEL PUMP OR POST SB 737-CFM56-7B-73-0212)"

Changed a consumable reference.

**73-020-01-01**

Changed the Format of the illustrations.

**73-020-02-01**

Changed the Format of the illustrations.

**73-030-01-01**

Changed the Format of the illustrations.

Changed the consumable information.

Changed a consumable reference.

**73-030-02-01**

Changed the Format of the illustrations.

Changed the consumable information.

Changed a consumable reference.

**74-020-01-01**

Changed the Format of the illustrations.

**74-020-02-01**

Changed the Format of the illustrations.

**78-011-01-01**

Changed the Format of the illustrations.

**78-011-02-01**

Changed the Format of the illustrations.

**78-050-01-01**

Changed the Format of the illustrations.

**78-050-02-01**

Changed the Format of the illustrations.

**78-060-01-01**

Changed the effectivity callouts.

Changed the Format of the illustrations.

**78-060-02-01**

Changed the effectivity callouts.

Changed the Format of the illustrations.

**78-070-01-01**

Changed the Format of the illustrations.

**78-070-02-01**

Changed the Format of the illustrations.

**78-080-01-01**

Changed the Format of the illustrations.

**78-080-02-01**

Changed the Format of the illustrations.

**78-100-01-01**

Changed the Format of the illustrations.

**78-100-02-01**

Changed the Format of the illustrations.

**78-120-01-01**

Changed the Format of the illustrations.

**78-120-02-01**

Changed the Format of the illustrations.

## HIGHLIGHTS

TASK CARD NODESCRIPTION OF CHANGE

79-010-01-01

Changed the Format of the illustrations.

Changed the consumable information.

Changed a consumable reference.

79-010-02-01

Changed the Format of the illustrations.

Changed the consumable information.

Changed a consumable reference.

79-040-01-01

Changed the spelling of the word.

Changed the Format of the illustrations.

79-040-02-01

Changed the spelling of the word.

Changed the Format of the illustrations.

80-010-01-01

Changed grammar.

Changed the Format of the illustrations.

80-010-02-01

Changed grammar.

Changed the Format of the illustrations.

**HIGHLIGHTS**



# AKS



## NEW TASK CARD

35-070-00-03  
35-070-00-04  
53-729-01-01  
53-735-01-01

## SOURCE OF REQUIREMENTS

MRB  
MRB  
AWL  
AWL

## NEW TASK CARDS

# AKS



737-600/700/800/900  
TASK CARDS

DELETED TASK CARD

33-065-00-01

SOURCE OF REQUIREMENTS

MRB

## DELETED TASK CARDS

D633A109-AKS

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details

Page 1  
Jun 15/2016

# AKS



## 737-600/700/800/900 TASK CARDS

<u>TASK CARD NO</u>	<u>VER</u>	<u>OLD INTERVAL</u>		<u>VER</u>	<u>NEW INTERVAL</u>	
		<u>THRESHOLD</u>	<u>REPEAT</u>		<u>THRESHOLD</u>	<u>REPEAT</u>
32-800-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
32-804-01-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
32-804-01-01	1.2	90 DY	90 DY	1.2	745 FC	745 FC
32-808-02-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
32-808-02-01	1.2	90 DY	90 DY	1.2	745 FC	745 FC
52-800-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
53-800-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
53-812-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
53-830-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
53-844-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
53-894-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
55-800-00-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
57-802-01-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
57-872-02-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
70-800-01-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY
70-810-02-01	1.1	560 FC	560 FC	1.1	120 DY	120 DY

## REVISED INTERVALS

# AKS



## 737-600/700/800/900 TASK CARDS

### TASK CARD NO

53-710-00-01

53-710-00-01

53-710-00-02

53-710-00-02

### ADDED ZONES

141

142

### DELETED ZONES

241

242

## REVISED ZONES

# AKS



## 737-600/700/800/900 TASK CARDS

### TASK CARD NO

57-612-01-01

### ADDED ACCESS PANELS

531BB, 532AB, 532BB, 532CB,  
532DB, 532EB

### DELETED ACCESS PANELS

## REVISED ACCESS PANELS

D633A109-AKS

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details

Page 1  
Jun 15/2016